

EUREKA FARM IMPLEMENTS

MANUFACTURED BY
EUREKA MOWER CO.,
UTICA, N.Y.




"EASY TO DRAW."

NEW CUT GEARS
IN DRIVE WHEELS
RATCHETS, GEAR WHEELS
& PINIONS.

IMPROVED WIDE CUT EUREKA MOWER

NEW CUTTER BAR
AND GUARDS



SIZES 5, 6 AND 7 FEET.

ILLUSTRATED CATALOGUE.

EUREKA MOWER COMPANY

UTICA, NEW YORK, U. S. A.

MANUFACTURERS OF

WIDE-CUT CENTRE DRAFT
MOWERS



CHANNEL STEEL FRAME,
SPRING TOOTH
HARROWS



ALL STEEL-FRAME, SPRING TOOTH
AND SHOVEL TOOTH
CULTIVATORS

SPRING HARROW TEETH AND CULTIVATOR POINTS.

DISTRIBUTING POINTS.

PORTLAND, ME.
HARRISBURG, PA.
ALLEGHENY, PA.

JACKSON, MICH.
EAST SAGINAW, MICH.
GRAND RAPIDS, MICH.

INDIANAPOLIS, IND.
WHEELING, W. VA.
CHICAGO, ILL.

COLUMBUS, OHIO.
EAST ST. LOUIS, ILL.
KANSAS CITY, MO.

EUREKA MOWER COMPANY

OFFICE OF

EUREKA MOWER COMPANY,

UTICA, N. Y.

To all Interested in the Best Farming Implements :

We hand you our Catalogue ; in its pages you will find description and cuts of a line of tools that are excelled by none in the Market.

FIRST. Our *Mower*, Manufactured in three sizes, 5, 6 and 7 foot cut center draft (see cut on inside front cover).

NEW IMPROVED for the coming season. It is the *only practical Broad-Cut Mower* made. To say that the Eureka Mower is an absolutely perfect Machine might raise a question, but the claim that it is far in advance of other mowers and nearer perfection than side cut machines, is admitted by all who have tested it in the hay field.

Our success with the *Center Draft* principle in the past has been marked, and each year has made for us new friends, but our efforts have not relaxed to improve.

MOWERS, HARROWS, CULTIVATORS

WIDE CUT MOWERS are our specialty, and we have invested large sums in the last two years in new and *improved devices* upon the Eureka. Our *inventions* are the outcome of long experience in the field and factory, and careful study how to make a *strong, durable and Light Draft Mower*.

The Eureka will do the *most work* in the *least time*, will draw lighter than any side cut mower.

Will make the *best quality* of hay and leave the grass in most *favorable position to cure evenly and quickly*.

The Eureka stands prominently at the front in all of these valuable features.

Full description and illustrations will be found in the following pages.

SECOND. THE EUREKA SPRING TOOTH HARROW made in four sizes, Channel-Steel Frame, Spring Teeth (tempered in oil), malleable iron clips fasten teeth on under side of frame, raising frame three inches higher than the old style harrow. This is a justly popular tool and has stood the test of three seasons and is acknowledged by all farmers who have had it in use to be the best known pulverizer of the soil.

Cuts and full description will be found herein.

THIRD. THE EUREKA CULTIVATOR.

The various cuts of our Cultivator show the many desirable tools that can be made of the same frame, all useful and necessary in the cultivation of the numerous garden and field crops. The Eureka Cultivator *frame, teeth and standards* are of best steel. Standards for points are fastened to frame bars by malleable clips without perforating frame, thus retaining full strength of steel. Last season we introduced this tool and the demand exceeded our ability to fill. We are now in position to meet the heavy calls which have already begun for the coming season. *We build "Honest Goods," of best material* that can be purchased, our aim is not how cheap can we manufacture regardless of strength and durability.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

Are not the farmers tiring of cheap and poorly made tools?

Is not the most economical machine that which will do the required work in the shortest time and with least expense?

We call attention to cut on inside back cover of our MODERN WORKS. These immense buildings were erected by us for the purposes to which they are devoted, and are therefore a great assistance in turning out uniformly perfect work. To our friends visiting the City we extend a cordial invitation to call, we are always glad to show our facilities for meeting the wants of the farmers.

Respectfully,

EUREKA MOWER COMPANY,

Utica, N. Y.

MOWERS, HARROWS, CULTIVATORS

THE NEW

✱ ✱ EUREKA CENTER-CUT ✱ ✱
MOWER

Is the **LIGHTEST DRAFT** Mower made, and possesses many points of superiority over the side draft machines. It is on large wheels (42 inches); they are wide apart, which make it ride and handle easy. The *hay will gather cleaner* from the swath of the *Eureka* than any other mower, because the *team* and *wheels* do not *trample* the *grass* into the stubble and dirt.

NO HAY TEDDER NECESSARY.

Save cost of Tedder and Labor in tedding as hay will cure quicker cut with the Eureka untended than with a side-cut and tedded.

The gearing is simple, no bevel wheels being used.

Time being money with the farmer in the hay field makes it imperative to cure and gather his hay crop in the least possible time and with least labor; this can be accomplished by using a Eureka Mower.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

We furnish below the last official table of drafts given in this country showing the Eureka the lightest draft mower in the United States.

NAME MACHINE.	WIDTH OF CUT.	DRAFT IN LBS.
Eureka Direct Draft	5 ft. 11½ in.	172
Champion	3 ft. 9¾ in.	131
Peerless	4 ft. 4 in.	157
Hubbard	4 ft. 6¾ in.	206
Haymaker	4 ft. 3 in.	165
Buckeye	4 ft. 3 in.	200
Buckeye	4 ft. 4½ in.	178
Wood Special	4 ft. 4 in.	222½
Acme Special	4 ft. 3 in.	182½
Johnston's, Small	4 ft. 2½ in.	204
Screw Cam	4 ft. 3 in.	186
Wheeler No. 6	4 ft. 7¼ in.	260
Screw Mower	4 ft. 2¾ in.	235
Balls's Keystone Mower	4 ft. 5¾ in.	228
McCormick, Small	4 ft. ¾ in.	190
Meadow King	4 ft. 7 in.	205
Kirby Special	4 ft. 3¾ in.	220
Kirby, No. 3	4 ft. 11¾ in.	238
Meadow Lark	4 ft. — in.	140
Buckeye	4 ft. — in.	171

MOWERS, HARROWS, CULTIVATORS

✧ SIX FOOT EUREKA AT WORK. ✧

7

WHAT FARMER would not prefer to leave his GRASS STANDING after it is cut in such a position that the sun and wind can get through it, making it **cure more evenly** and in **one-third less time**? The New **Eureka** is the only mower in the World that does this.




From photograph taken on the New York State Asylum Farm, at Utica, N. Y., of the Eureka cutting a timothy meadow.

THE EUREKA is the only mower on the market that cuts **Back and Forth on One Side of the Field**, leaving the cut grass all together, which is of great advantage on side hills, in lodged grass, over dead furrows and in raking and gathering the crop.

EUREKA MOWER COMPANY

OUR LIFTING SPRING IMPROVEMENT.



Sketch showing our Coil Lifting Spring and patent under-draft devices and Grass Rods, description on next page.

MOWERS, HARROWS, CULTIVATORS

OUR NEW SPRING ATTACHMENT, gives to the Eureka a *perfect floating bar* and makes the machine lighter draft. By this attachment the weight of the cutter bar is taken from the lead wheels and is carried upon the axle. This creates *greater traction* on the large drive wheels, gives *stronger cutting power* and adds the valuable feature of being able to stop and start in heavy grass without backing. It also causes the cutter-bar to *pass over obstructions better, raise easily and increases the durability of the mower.*

By use of our **PATENT UNDER-DRAFT DEVICE** there is no *downward pressure* upon the bar produced by the cutting power. There is *no Weight upon the Horses Necks*, when machine is at work.

Wooden grass rods if broken do not damage sections and are easily replaced.

A boy old enough to drive can easily operate the Eureka Mower.

GREATLY IMPROVED CUTTING DEVICE.

In the New Improved Eureka Mower the cutting apparatus, (guards, knives, knifehead and bar) is carefully and skillfully constructed throughout. This is the vital part of a mowing machine and every farmer knows its importance. Our bar is new and has been thoroughly tested.

We are proud of our progress in this direction. Our new cutter-bar is attached to malleable shoes, is made on a taper from left to right, has *no nuts or obstructions* on the top to *catch cut grass* or dirt from *gopher*

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

and *ant hills*, as the guards and knife keepers are bolted with the nuts on the under side, nuts are protected by the guard, the head of the bolts being countersunk into the bar. Thus the *upper side* of our *bar* presents a perfectly *smooth surface* over its entire length.

The guard is an *open guard*; dirt and fine grass falls to the ground, and prevents friction and clogging of the knife. (See cut below).



Sectional view of cutter-bar, showing construction of guards and bearings of knife on heel and plate.

THE SECTION extends back of the knife-bar and has a rest on the heel of the guard, which keeps its cutting edge and point down and on a level with the guard plates; making a perfect shear cut without binding and causing friction. The sections are *held down* to their work by *arched malleable keepers* bolted to the finger-bar and bearing on the section well forward, as shown in cut.

The keepers are arched or raised to admit the passage of rivets on replaced sections put on roughly by the farmer.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

11

OUR NEW IMPROVED PITMAN CONNECTION.

STEEL PITMAN ROD


With forged Fork.



ADJUSTABLE COMPOSITION BRASS

PITMAN BOXES

In two parts, to take up wear.



The above cut shows Pitman Rod and Crank Connection, and our patent Rock Shaft, described on next page.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

Many tests have been given our **NEW IMPROVED PITMAN CONNECTION** showing great strength and wearing qualities. The pitman rod is of best steel, works at right angles with the knife, overcoming wear and breakages, requires less power to pass over the dead centres of the Crank Balance. The position of the pitman rod protects it from obstructions. Upper pitman head has Tough Composition Brass Boxings capable of adjusting to take up wear and lost motion.

Owing to the peculiar construction of our **ROCK SHAFT**, the power is communicated to the knife on a *line level* with the cutter bar. This obviates any *upward* or *downward pressure* upon the heel of the knife, leaving it to work freely in the finger-bar, in all positions of the bar, avoids binding, which is so prevalent in side draft machines, also wear and breakages of knife-head, which mowers are subjected to where there is an up and down pressure in applying power to the knife.



CONSIDER THE FOLLOWING FEATURES

WHICH THE

BROAD-CUT, CENTRE-DRAFT, EUREKA MOWER POSSESSES.

It is the lightest draft mower in the world.

It will do as *much work as two* $4\frac{1}{2}$ foot side bar machines in a given time.

THE ONLY SUCCESSFUL CENTRE-DRAFT MOWER MADE.

Simplicity of construction ; no bevel gears causing waste of power and adding friction.

Most perfect working mower in the market and easiest handled.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

13

NO USE FOR HAY TEDDER.

The cut crop is left untrampled, light and loose, promoting rapid and even curing and producing a *better quality of hay.*

Hay loaders work better taking up hay cut by the Eureka.

Can mow on any side, choosing the one most favorable for best work, which is a great advantage where crop is lodged. Cutter-bar can be easily adjusted to leave the stubble from one to four inches high.


Mowing back and forth on the same side of the field, gives the advantage of having the cured hay in a body, the first hay cut being ready to rake into windrows without mixing one hour's cutting with another.

CUTS A FULL SWATH EVERY TIME.

The Eureka has no Equal Cutting in Rough Fields, or over cradle knolls and around stumps and trees.

The cutter-bar being directly in front of the large drive wheels obstructions are detected by the driver before the knives meet them.

BOTH ENDS OF CUTTER BAR STRONGLY SUPPORTED.



Cutter-bar conforms readily to uneven surfaces.

Easiest machine to ride ; see illustration, on page 14.

By the use of long doubletree and neck-yoke, horses walk outside the cut, and by being spread wide apart work easier and *Cooler.*

No weight on the horses necks ; *Under-Draft Device* takes it off as mentioned on page 9.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

The Eureka has *great durability*, as the best of material only is used in construction ; that it requires less repairs than other machines is an acknowledged fact.


Direct Draft is the correct principle ; it gives to a mower greater capacity without additional power, Put your work behind your horses if you would have them do it easiest.

Long Axle and Large Drive Wheels Make the **EUREKA** the **EASIEST MOWER TO RIDE**, as the effect upon the driver from wheel passing over an obstruction is less than where small wheels and short axle is used. *See following Demonstration.*

It will be observed from above that a mower with long axle will run steadier and with less wear and strain.

Our large drive wheels (42 inches in diameter) make it easier for the team to draw mower over obstructions, stumps, stones or through ditches, where it would be impossible to draw a side draft machine with small drive wheels.

Large drive wheels also give *increased cutting power* and raise the axle higher, allowing it to pass over many obstructions, which could not be passed by the truck of side cut machines.



LONG AXLE.



SHORT AXLE.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

15

An obstruction 20 inches high can be passed under the axle, and the cutter-bar raised the same height.
And the same obstruction is not encountered again as in the case of Side Draft Mowers.

Hay will rake cleaner and easier after the Eureka, owing to position in which it is left to cure, see page 7 of this Catalogue.

The Eureka is a great side hill mower.

Mowing up and down hills avoided, by the principle of direct-draft, enabling the driver to mow back and forth on the side of the hill.

THE EUREKA A FAVORITE FOR ORCHARD MOWING.

Will cut close to tree on one side, and on the return of the machine the opposite side is equally well cut, no motion is lost in the Eureka in turning short to the right or left. Very little grass left for hand cutting. No other machine has this advantage.

Swaths of the Eureka are not shortened, as in the mowing round and round of side cuts ; saving time by less turning in mowing back and forth.

Cut crop will cure in $\frac{1}{2}$ the time after the Eureka owing to its being untrampled by team and machine. And the feature of leaving grass untrampled also makes best quality of hay.

GIVE THE EUREKA A TRIAL AND BE CONVINCED OF ITS MERITS.

The pole is attached to the *centre* of the machine and *strongly* braced ; tool-box made of iron and forming a foot rest.

Two knives, two extra sections, one extra guard, inside lines and the necessary tools in tool-box shipped with each mower, and each machine *thoroughly tested* and run upon the stocks before entering our shipping department.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY



One horse walks in the uncut grass *outside the cut*, and the grass trampled forward by him, is evenly cut by the return swath, as it leans towards the knives. The cutter-bar being longer than the truck, the large drive wheels always roll upon the stubble.

The objection raised by many to driving one horse in the standing grass, is a prejudice and not a real objection, as all admit who have used the Eureka. The idea that it is only adapted to the level fields of the West is also an error. The Eureka is at home on rough bottoms

as well as on level land, and is especially adapted to side hills and has no equal in boggy, uneven and rough places.

WIDE CUT MOWERS A NECESSITY. THE AGE DEMANDS THEM.

A Few Figures in Their Favor.

Distance traveled to cut an acre with a 4 foot cutter-bar 2 1-16 miles.

"	"	"	"	"	5	"	"	1 2 3	"
"	"	"	"	"	6	"	"	1 3-8	"
"	"	"	"	"	7	"	"	1 1-6	"

What farmer will not say, looking at the above figures that the four foot cut mower is *too slow*. Our side-cut friends have tried to extend their cutter-bars to six feet. After two or three years experimenting, most

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

17

of them have been abandoned, as the cutter-bar gets out of line and too much side-draft is sure to follow, and wide-cut mowers cannot be made durable upon this principle. This the best manufacturers acknowledge is not mechanical, and have returned to the narrow bar.

The Eureka, with both ends of her cutter-bar supported, is the only Machine that meets successfully and practically the wide-cut demand.

TESTIMONIALS.

We have a large number of *testimonial* letters from some of the *best farmers* in this and foreign countries, but space will not admit of reproducing them here, our *strongest friends* are those who know the *Eureka* by the *work it will do* for them in the *busy days of haying*. Any one wishing reference we will gladly upon application, refer them to farmers who have had experience with our *mower*.

WARRANTY.

All of the Implements Manufactured by us are fully Warranted

To be of good material in every piece and part, well made, and to do good work wherever any implement of its kind can be successfully operated. If any implement fails to work successfully, prompt notice should be given to us and the dealer of whom purchased, and time allowed for us to send a person to test it. If it cannot be made to operate properly, payments made will be refunded or a perfect working machine will be given in its place, *at the option of the purchaser*. Continued use of the Implement will be evidence of acceptance.


EUREKA MOWING COMPANY,
UTICA, N. Y.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

Eureka Spring Tooth Harrow.

Broadly covered by United States Letters Patent and fully guaranteed.



BUILT IN FOUR SIZES:

14, 16, 18 and 22-tooth.



PATENTED JULY 10, 1888.

PATENTED OCT. 22, 1889.



The Eureka Spring Tooth Harrow *All Steel*, built in *Four Sizes* or with *Hardwood* cross-beams as shown above.

No Harrow has ever won so favorable a reputation, and gone to the front as quickly as the Eureka.

It being covered by U. S. Patents, issued to us and licensed under Patents owned by The National Harrow Company, no question can be raised as to your right to buy, sell and use. The annoyance of litigation by anyone, alleging infringement is cut off.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

19

IT IS THE LIGHTEST DRAFT HARROW ON THE MARKET.

Construction of frame the *lightest* and *most rigid* and *strong*.

The bolt heads are drawn into the channels protecting them from wear.

Teeth are firmly fastened by malleable clips to the *under side* of the frame ; raising it from *three* to *four inches* higher from the ground ; allowing it to get over obstructions and clear itself of litter and top dressing.

The *frame* of a spring tooth harrow should not *run upon* the ground and *bury itself* ; but the *teeth* should do the work.

The *Eureka Spring Tooth Harrow* will not *load*, and its frame stands higher than other harrows.

WE MAKE OUR OWN HARROW TEETH.



They are spaced so as *not* to *track* but cover the whole ground, *tearing* up the *whole surface* which the harrow covers.

No *bolt holes* in the teeth to *weaken* them, and every tooth is *drop forged* at the *point*, which *doubles* its wearing quality ; being made *compact* and *hard* under a heavy drop hammer. Each tooth is *oil tempered*, and every one goes through a *testing machine* before it is put on to the harrow frame. Harrow teeth are made from the best "*open hearth*" steel, and being formed in a true circle the strain, when at work, is upon the whole tooth alike.

The tooth fastenings admit of *easy adjustment* of the teeth to any required depth, which does not interfere with the *vibrating qualities*, an important feature, as a spring harrow tooth *must vibrate* to do its work well.

EUREKA OSCILLATING HINGES ARE A PERFECT SUCCESS.

They are made separate and riveted to the draft-bars, so that when worn out or broken they can be *replaced* with new ones at a nominal cost of *15c. each*.

Hinges formed out of the draft-bars (as is the case with other makes of harrows) *necessitates* the *purchase* of a frame at a large outlay, if the *hinges* need *replacing*.

The **OSCILLATING HINGE** gives great *freedom* to *either section* of the Harrow, enabling it to get over *obstacles*, *conform* to *uneven surfaces* and *fold* without removing hinge bolts or uncoupling.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

In view of its many valuable and superior features, is it any wonder that the Eureka Channel Steel Frame Harrow takes the preference among both dealer and farmer wherever it is known? See our warranty page "17."


The Eureka Harrow is no experiment. Its success is proved. Take no chances in untried goods.

The Eureka Spring and Shovel Tooth Cultivators


Are built under the same motto as our other goods, viz:

"To be when completed the best in the market and to give to our customers full value."

Give the EUREKA HARROW your PATRONAGE.



No. 20. 7 tooth Eureka Shovel Tooth Cultivator. All Steel frame.



No. 7. 7-tooth, Eureka Spring Tooth Cultivator. All Steel Frame.


Our Cultivator frames are made of steel: No holes being bored in the frames for tooth fastenings. The absence of the holes in frame gives greater strength. The same frame is used for both spring and shovel teeth.

MOWERS, HARROWS, CULTIVATORS

EUREKA MOWER COMPANY

21

FARMERS AND GARDENERS USING OUR CULTIVATORS AND THEIR ATTACHMENTS are sure to make their hoeing light and to secure a better crop.



No. 7. 7-tooth Eureka Spring Tooth Cultivator. All-Steel Frame. With set screw adjustment, Interchangeable with shovel teeth. Ratchet adjustment, as shown in our No. 5. can be used if desired.

The Eureka is a Weed Killer.


The *different cuts* shown of our *cultivator* give the reader an idea of the *implements* that can be made out of the *same frame* simply by using *different attachments*. The *tooth standards* as well as *frame* are made of best *steel*; tooth fastenings are so constructed that they can be *attached to any place on the frame*. In hard ground teeth can be bunched to make a *digger*. As a level cultivator *The Spring Tooth* has no *equal* and it is sure *death* to quack and other weeds.

The best goods for the money we give you in our line of cultivators.

They are Guaranteed and give universal satisfaction.



MOWERS, HARROWS, CULTIVATORS




No. 5.—5-Tooth. Eureka Spring Tooth Cultivator. All Steel Frame. With Easy Ratchet Adjustment, Quick, Positive and Strong. Interchangeable with Shovel Teeth.

GIVE THE EUREKA CULTIVATOR A TRIAL.

THE NEW EASY RATCHET SPREADING DEVICE IS PERFECTION. THE NEW TOOTH STANDARDS AND HOLDERS ARE THE BEST EVER INVENTED.

Our cultivator frame stands *high* and *will not clog*. The frame is from *three to six inches longer* than cultivators of other makes so the same frame that we use for a 5 tooth cultivator will make a 7 or 9 tooth, or any cultivator that our cuts show.




No. 16.—5-Tooth. Eureka Shovel Tooth Cultivator. All Steel Frame. With Easy Ratchet Adjustment Interchangeable with Spring Teeth. Any Style of Shovels or Horse Hoes can be used as desired. Our No. 16 Cultivator is Interchangeable with Spring Teeth.


THE EUREKA CULTIVATORS CAN BE QUICKLY ADJUSTED to any width from 12 to 32 inches.

They can be furnished with *Easy Ratchet* or *Set Screw Adjustment*; the former enabling the operator to *widen* or *narrow* the cut of the cultivator *while in operation* and the latter can be easily changed by stopping the horse and using the *wrench* which accompanies each Cultivator we send out. The tooth standard is made so that any style of point can be attached. We make a variety of *cultivator points*, having purchased the most modern machinery for the purpose and can supply any width or style of point that may be ordered.

The Spring Teeth used on the Eureka Cultivator are the same as are used on the Eureka Harrow except the rear tooth which is larger in its circle. Farmers owning one of the Eureka Shovel Tooth Cultivators and a Eureka Harrow, can at small expense make a Spring Tooth Cultivator by ordering one Tooth for the rear and Clips for fastening Spring Teeth to frame. Any Style of Point can be had as required, also either Style Adjustment.



No. 15. 5-Tooth Eureka Shovel Tooth Cultivator. All Steel Frame, with set screw adjustment, showing Plow and Horse-Hoe.




Eureka all Steel Frame Cultivator as a Furrow Opener. A Cultivator, a Horse-Hoe, a Furrow Opener, interchangeable in many ways.

The handles on our Cultivators are constructed so they can be raised or lowered to suit the height and convenience of the operator. Cultivators can be furnished with or without wheel. NO FARMER CAN ASK MORE THAN WE CAN FURNISH HIM IN THE CULTIVATOR LINE. The Eureka Cultivator line is complete.

Mould boards or hillers can be turned to any angle, and set to any desired depth. Our patent Tooth Holder giving *two* adjustments, *lateral* and *vertical*. No other Cultivator on the market has both these adjustments.

See Plate No. 15, take off Points, change Plough from rear to front.

MOWERS, HARROWS, CULTIVATORS



No. 23. 9-tooth Eureka Shovel Tooth Cultivator with narrow points.

CULTIVATOR.

No. 23 is well adapted for work in very grassy hard clay soil after being packed by the usual heavy Spring rains. It will do excellent work among hops, tobacco, berry bushes, &c. This cultivator is put up with points $1\frac{1}{2}$ inches in width except the rear one which is 2 inches wide, unless ordered differently. It gives splendid satisfaction and is the very best tool made to pulverize stubborn soil.

EIGHT DIFFERENT TOOLS.

With the Eureka Cultivator frame the following implements can quickly be made by use of our attachments:

- A Spring Tooth Cultivator with 5 teeth,
- A Spring Tooth Cultivator with 7 teeth,
- A Shovel Tooth Cultivator with 5 teeth,
- A Shovel Tooth Cultivator with 7 teeth,
- A Shovel Tooth Cultivator with 9 teeth,
- A Horse-hoe,
- A Hiller,
- A Furrow Opener.

DIRECTIONS.

When you order machines or repairs be particular to give your post office address, naming FIRST. *Town, County and State* to which they are to be shipped, and by what *route*.

SECOND. Whether by *Freight* or *Express*.


If repairs are wanted, give name and number of piece, and if for mower also be careful to give the manufacturing number which is cut into the finger-bar and painted on left side rail.

To assist in ordering repairs correctly, we issue a separate pamphlet giving diagrams, description, number and price of every part of our implements. This pamphlet also contains complete directions for setting up and operating the Eureka Mower. One of these is packed in the tool box of each machine and every agent will have a supply of them to furnish customers.

Although our machines, on account of their simple and practical construction, require less repairs than side-cut mowers, we nevertheless appreciate the fact that convenience and certainty of procuring repairs quickly are points of importance with the farmer. Repairs are kept by our agents and at our distributing houses in all parts of the country, so that any person having purchased a Eureka can be supplied with any parts, should he require them, near home, without delay and at reasonable prices.

Agents wanted in all unoccupied territory: we furnish electrotypes for local advertising and printed matter for distribution in canvass for trade.

All inquiries will receive Prompt and Careful Attention.



Office and Works
of EUREKA MOWER CO., UTICA, N.Y.

EUREKA MOWER



HARROW
and
CULTIVATOR

UTICA, N.Y. U.S.A.