

MANUFACTURERS OF

FARM IMPLEMENTS

SPRINGFIELD, ILLINOIS

Dear Dealer:

**A GOOD
LINE**

The Hummer Line for 1927 is the finest product ever built by our factories. All the best mills in the country aid us in furnishing the finest malleables and steel that can be bought. Our engineering staff has no superior among competitors. Our mechanics, many of them with us over 30 years, know their trade.

**AT ALMOST
JOBBER'S
PRICES**

Many surprises are in store for you. It is not necessary to mention our low prices—real factory prices. Through economy in Sales Expense, we are able to sell this superior line at virtually Jobbers' Prices. This is true because we operate no Branch Houses. We seldom over-produce, but follow a sensible conservative manufacturing budget.

**WITH
MANY
NOTABLE
IMPROVE-
MENTS
AND
ADDITIONS**

The line includes some very valuable additions and improvements:—

Hummer Disc Harrows are now equipped with the new Galesburg electric heat-treated disc blades. They are very tough, will bend without breaking, and so hard that they will stay sharp almost indefinitely.

The Rotary Hoe, built in 7 ft. (2 row) and 10½ ft. (3 row), has many advantages over other Rotary Hoes. You will recognize this after reading the description.

The Cream Separator is equipped with a self-balancing bowl. "A separator is no better than its bowl" is the truest thing that can be said about a cream separator. The skimming quality of the Hummer has no superior, bar none, and we stand squarely back of this statement.

**YOUR
ORDERS
SHIPPED
PROMPTLY**

The Manure Spreader is recognized as the latest and best type of spreader. Light draft, durable,—“you can't tear it up” is the verdict.

Yours very truly,

HUMMER PLOW WORKS.



Hardened soft center steel moldboard and share. Medium high landside with renewable chilled heel. Solid wrought steel frog. Built in 12-inch, 14-inch and 16-inch sizes and in style bottoms to suit any soil.

Can furnish left-hand plows in general purpose bottoms only

Terms: Net Cash April 1st, 1927.
Shipments after April 1st, Net 30 days.
No discount from these prices.

Hummer Walking Plows

A general purpose plow
Built right-hand or left-hand

T12	12-in. Cut	\$13.03
T14	14-in. Cut	\$14.45
T16	16-in. Cut	\$16.27

Old ground plow
Built right-hand only

GT12	12-in. Cut	\$12.82
GT14	14-in. Cut	\$14.44
GT16	16-in. Cut	\$16.06

F. O. B. Springfield, Ill.

Hummer High-Lift Gang Plows

General purpose bottoms
Built right-hand or left-hand

T12	24-in. Cut	\$72.00
T14	28-in. Cut	\$73.22

Old ground bottoms
Built right-hand only

GT12	24-in. Cut	\$72.00
GT14	28-in. Cut	\$73.22

Terms: Net Cash April 1st, 1927.
Shipments after April 1st, Net 30 days.
No discount from these prices.

A light draft, single furrow plow. Heavy one piece steel frame. Extra heavy ball and axles, long distance dust proof wheel boxes and patent steering rod connection. Same bottoms as found in Walking Plows. Built in 14-inch and 16-inch sizes. Can furnish left-hand, sulky in general purpose bottoms only.



A single built gang plow, light draft that can be operated by a boy. Equipped with adjustable foot-lift, and "kick-off" supplemented by raising springs. No better gang plow built. Choice of any style bottoms. Either 12-inch or 14-inch. Can furnish left-hand gangs in general purpose bottoms only.



Hummer High-Lift Sulky Plows

General purpose bottom
Built right-hand or left-hand

T12	12-in. Cut	\$48.42
T14	14-in. Cut	\$49.21
T16	16-in. Cut	\$50.04

Old ground bottom
Built right-hand only

GT12	12-in. Cut	\$48.42
GT14	14-in. Cut	\$49.21
GT16	16-in. Cut	\$50.04

F. O. B. Springfield, Ill.

Terms: Net Cash April 1st, 1927.
Shipments after April 1st, Net 30 days.
No discount from these prices

One of the strongest Pipe Bar Harrows built. The bars of heavy $2\frac{1}{2}$ in. channel iron with one-inch flanged sides. A flat steel bar runs through center of each section all tied by an additional flat steel brace that runs diagonally through section. Strong yet flexible. Built in 2, 3 or 4 sections. Either 30 or 35 tooth sections. All 3 sections harrows have 3-piece eveners. Can furnish in flexible 40-tooth sections.



PIPE BAR HARROWS
TEETH HEADED AND TEMPERED BY HAND

The general style of these harrows is very similar to the pipe bar harrows, except that heavy "I" beams take the place of the angle iron beams, and "U" bars are substituted for the pipe bars. Built in 2, 3 or 4 sections, either 30 or 35 tooth sections. All 3-section harrows have 3-piece eveners. Can furnish this harrow in closed or guard-end also.



"U" BAR HARROWS
TEETH HEADED AND TEMPERED BY HAND



GUARD RAIL "U" BAR HARROW
TEETH HEADED AND TEMPERED BY HAND

The "guard rail" feature of this harrow is a great advantage, particularly when working in trashy ground or in orchards or vineyards.

Instead of connecting the bars by means of straight "I"-beams in the manner employed with the "U"-bar harrow previously described, the heavy "I"-beams are bent so as to connect the ends of the bars. This forms guard rails for preventing the bars catching upon obstructions or accumulating trash.

PATENT CONNECTION HOLDS BARS SECURE.

A common fault of many "guard rail" harrows is that the connecting device on the end of the bars soon wears in such a manner as to let the bars pull loose from the guard rails, which naturally puts the harrow out of commission.

This defect is impossible with our harrow.

Pipe Bar and "U" Bar

Complete with Draw Bar

60	$\frac{3}{8}$ in. teeth, 2 section 10 foot cut	\$14.22
70	$\frac{3}{8}$ in. teeth, 2 section 12 foot cut	\$15.44
90	$\frac{3}{8}$ in. teeth, 3 section 15 foot cut	\$22.36
105	$\frac{3}{8}$ in. teeth, 3 section 18 foot cut	\$24.66
120	$\frac{3}{8}$ in. teeth, 4 section 20 foot cut	\$30.49
140	$\frac{3}{8}$ in. teeth, 4 section 24 foot cut	\$32.54
30	Tooth section only no draw bar	\$6.52
35	Tooth section only no draw bar	\$7.13

F. O. B. Springfield, Ill.

Please Note—Prices are the same for both "U" bar and Pipe bar Harrows.

Guard Rail Harrows

Complete with Draw Bar

50	$\frac{3}{8}$ in. teeth, 2 section 7 $\frac{1}{2}$ foot cut	\$14.15
60	$\frac{3}{8}$ in. teeth, 2 section 9 $\frac{1}{2}$ foot cut	\$15.12
75	$\frac{3}{8}$ in. teeth, 3 section 11 $\frac{1}{2}$ foot cut	\$21.89
90	$\frac{3}{8}$ in. teeth, 3 section 14 $\frac{1}{2}$ foot cut	\$23.08
100	$\frac{3}{8}$ in. teeth, 4 section 15 foot cut	\$29.27
120	$\frac{3}{8}$ in. teeth, 4 section 19 foot cut	\$31.50
25	Tooth section only no draw bar	\$6.41
30	Tooth section only no draw bar	\$6.91


F. O. B. Springfield, Ill.

Terms on all above: Net Cash April 1st, 1927. Shipments after April 1st, Net 30 days. No discount from these prices.

Complete with three levers, with pole and eveners. The third lever is a center-pressure lever and is a regular part of the equipment. No extra charge for this lever. Discs polished and sharpened. Standards and upper half of bearing box one solid piece. This does away with bolted connections which often jar loose. Special oil-bolted hard maple bearings insure durability. Tongue-trucks are of the oscillating type. Will fit any Disc Harrow.

Hummer Disc Harrows

Now equipped with Galesburg Electric Heat-treated Disc Blades. Will last over twice as long without re-sharpening. Will bend without breaking. Edge will not turn or chip.



Please Note: We can equip with the old Galesburg disc blades, as long as they last, at from \$2.00 to \$3.50 per harrow less cost to you.

EQUIPPED COMPLETE WITH SCRAPERS, EVENER AND POLE.

8-16	Discs, cut 4 feet with two-horse hitch and pole	\$30.49
10-16"	Discs, cut 5 feet with two-horse hitch and pole	\$32.55
12-16"	Discs, cut 6 feet with three-horse hitch and pole	\$35.66
14-16"	Discs, cut 7 feet with four-horse hitch and pole	\$38.63
16-16"	Discs, cut 8 feet with four-horse hitch and pole	\$41.51
18-16"	Discs, cut 9 feet with four-horse hitch and pole	\$44.75
20-16"	Discs, cut 10 feet with four-horse hitch and pole	\$48.82

8-18"	Discs, cut 4 feet with two-horse hitch and pole	\$32.54
10-18"	Discs, cut 5 feet, with two-horse hitch and pole	\$34.99
12-18"	Discs, cut 6 feet with three-horse hitch and pole	\$38.23
Add to four-horse hitch in place of three-horse		\$1.62
14-18"	Discs, cut 7 feet with four-horse hitch and pole	\$42.15
16-18"	Discs, cut 8 feet with four-horse hitch and pole	\$45.53
Tongue Truck in place of pole, add		\$5.04
Tongue Truck and pole		\$6.19
Weight boxes		\$1.95

HUMMER TANDEM ATTACHMENT

Will attach to most makes of Disc Harrows. Can furnish Tractor Hitch.

12-16"	6 ft. cut	\$34.99
14-16"	7 ft. cut	\$38.23
16-16"	8 ft. cut	\$41.51



Terms: Net Cash April 1st, 1927.
Shipments after April 1st, Net 30 days.
No discount from these prices.
F. O. B. Springfield, Ill.

HUMMER ROTARY HOE

Terms: Net Cash June 1st, 1927.
Shipments after June 1st, Net 30 days.
No discount from these prices.



Made in two sizes:

7 ft. cut for 2-corn rows.
10½ ft. cut for 3-corn rows.

No. 29	7 ft. cut, with tongue truck	\$62.65
No. 43	10½ ft. cut, with tongue truck	\$93.60
	Transport truck	\$12.95
	3 Ho. Hitch	\$2.85
	4 Ho. Hitch	\$4.45

F. O. B. Springfield, Ill.

SUPERIOR CONSTRUCTION—Spiders or hoes are assembled in gangs of four and five, each gang having its own axle, and oil-soaked maple bearings. This lightens draft, and eliminates binding in turning or backing. The tongue truck is a regular part of our equipment and is as necessary to a rotary hoe as it is to a disc harrow.

The transport truck (optional equipment) is placed in rear, instead of on ends, and is operated by lever within easy reach of operator.

HUMMER REVERSIBLE DISC

With Extension Frame
for Orchard Cultivation.

6-16"	Discs, 3 ft., 2 ho. Ev. and Pole	\$26.03
8-16"	Discs, 4 ft., 2 ho. Ev. and Pole	\$28.87
10-16"	Discs, 5 ft., 2 ho. Ev. and Pole	\$30.49
8-18"	Discs, 4 ft., 2 ho. Ev. and Pole	\$30.10
10-18"	Discs, 5 ft., 2 ho. Ev. and Pole	\$31.72
	Extension frame, add	\$7.53
	Tongue Truck in place of pole	\$5.04
	Scrapers, per foot	\$0.47

F. O. B. Springfield, Ill.

Terms: Net Cash April 1st, 1927.
Shipments after April 1st, Net 30 days.
No discount from these prices.



HUMMER CORN PLANTER

THE "OLD RELIABLE"
FOR THIRTY YEARS



No. 1 Corn Planter

With open or concave wheels, pole, automatic disc marker. No double-ree or neck-pole. Strong and simple construction. Positive "force-drop" valve operation. Easily changed from Hill to Drill-drop. A "Tool-proof," accurate planter.

No. 1 Planter, open or closed wheels, 36 rods wire and automatic marker **\$46.80**

No. 1 Drill Attachment **\$3.24**

No. 10 Corn Drill only **\$32.55**

Fertilizer Attachment **\$15.05**

Cou No. 1 Attachment for Chuk Hower Planter **\$7.31**

F. O. B. Springfield, Ill.

Terms: Net Cash, June 1st, 1927.
Shipments after June 1st, Net 30 days.
No discount from these prices.

HUMMER ONE-ROW CORN PLANTER

Our No. 3 Drill is a rear wheel drive machine. The frame is constructed in one piece, connecting with the upper point of the runner at the clevis in front. The shoe is of simple design without the break pin feature used on the other drills. A hand drop rod runs from the lower valve in the shoe to the right hand handle, which can be locked to hold the valve open by means of the ring in the handle. The planting mechanism is operated by a chain drive, the large cast wheel in the rear acting both as the drive wheel and press wheel.

The clutch for throwing the driving sprocket in and out of gear is controlled by the small foot lever on the side of the frame. The handles can be adjusted for height.

The regular corn equipment provides for drilling corn 12½, 14½, 16½, 17, 18½, 21, 22 and 25 inches apart.

No. 3 With runner and press wheel **\$11.81**

No. 4 Same with fertilizer attachment (as illustrated) **\$14.22**

F. O. B. Springfield, Ill.



This

is

our

76th

year

—

1851—

1927

Good Implements at Genuine Factory Prices

With poles, neckyoke, eveners, shields and shovels. A perfect self-balancing cultivator, either with gangs in or out of ground, or walking or riding. Adjustable to wide or narrow rows. Choice of pin-break or spring-trip, either 4 or 6 shovel. Can furnish any style shovels.



No. 10 Combined Riding and Walking

With Pole, Neckyoke, Evener, Shields and Shovels

- 10A Steel Beam, 4-shovel Pin Break, Rd. Sleeve **\$34.56**
- 10B Steel Beam, 6-shovel Pin Break, Rd. Sleeve **\$35.39**
- 10C Steel Beam, 4-shovel Spg. Trip, Rd. Sleeve **\$36.61**
- 10D Steel Beam, 6-shovel Spg. Trip, Rd. Sleeve **\$38.02**

F. O. B. Springfield, Ill.

HUMMER TWO-ROW PIVOT AXLE CULTIVATOR

MORE ACRES PER DAY



Terms on Cultivators: Net Cash June 1st, 1927. Shipments after June 1st Net 20 days. No discount from these prices.

HUMMER LEVERLESS RIDING CULTIVATOR

With Pole, Neckyoke, Evener, Shields and Shovels

- 9A Steel Beam, 4-shovel Pin Break, Rd. Sleeve **\$31.73**
- 9B Steel Beam, 6-shovel Pin Break, Rd. Sleeve **\$32.55**
- 9C Steel Beam, 4-shovel Spg. Trip, Rd. Sleeve **\$34.17**
- 9D Steel Beam, 6-shovel Spg. Trip, Rd. Sleeve **\$35.79**

F. O. B. Springfield, Ill.

Standard for many years. Balance frame, adjustable axle. All levers within easy reach of operator. Width adjustment from 40 to 52 in. Furnished in 4 or 6 shovel, pin-break or spring-trip.



No. 15 Two-Row Pivot Axle

With 2 Poles, Neckyokes, Shields, 3-horse Evener and Shovels

- 15P Steel Beam, 8-shovel, Pin Break, Round Sleeve **\$61.02**
- 15Q Steel Beam, 12-shovel, Pin Break, Round Sleeve **\$63.04**
- 15R Steel Beam, 8-shovel, Spring Trip, Round Sleeve **\$65.09**
- 15S Steel Beam, 12-shovel, Spring Trip, Round Sleeve **\$69.16**
- 15T Steel Beam, 16-shovel, Pin Break, Eagle Claw **\$65.92**
- 15W 8-shovel surface gangs **\$61.02**

F. O. B. Springfield, Ill.

See this Cultivator. All adjustments made from driver's seat. More easily controlled than most single-row cultivators. Furnished in 8 or 12 shovels, pin-break or spring trip. Tongue truck if desired.

No. 7 Pivot-Axle

With Pole, Neckyoke, Evener, Shields and Shovels

- | | | |
|----|---|----------------|
| 7A | Steel Beam, 4-shovel
Pin Break, Rd. Sleeve | \$36.83 |
| 7B | Steel Beam, 6-shovel
Pin Break, Rd. Sleeve | \$38.02 |
| 7C | Steel Beam, 4-shovel
Spg. Trip, Rd. Sleeve | \$38.84 |
| 7D | Steel Beam, 6-shovel
Spg. Trip, Rd. Sleeve | \$40.86 |
| 7E | Steel Beam, 8-shvl. Pin
Break, Zig Zag E. Claw | \$38.23 |
| 7Z | Steel Beam, 8-shvl. Spg.
Trip, Zig Zag E. Claw | \$40.28 |

F. O. B. Springfield, Ill.

Axles can be locked, forming rigid axles. Adjustable to wide or narrow rows. Furnished in 4, 5 or 8 shovels, pin break or spring trip.



This in reality is a balance-frame, pivot axle cultivator. The axles pivot immediately with slightest foot pressure on gangs. Seat folds forward when making gang adjustments.

**HUMMER
PIVOT AXLE
CULTIVATOR**



No. 11 Surface

Complete with 4 Blades, Levellers and Fenders

- | | | |
|-----|------------------------------|----------------|
| 11A | Gopher Type, plain
Sleeve | \$31.32 |
|-----|------------------------------|----------------|

F. O. B. Springfield, Ill.

**HAMMOCK SEAT
CULTIVATOR**

A very successful and popular surface Cultivator. Simple in construction but with all desirable adjustments and attachments.

Furnished with blades, self-adjusting rake levellers and shields.

No. 18 Hammock-Seat

With Pole, Neckyoke, Evener, Shields and Shovels

- | | | |
|-----|---|----------------|
| 18A | Steel Beam, 4-shovel
Pin Break, Rd. Sleeve | \$34.56 |
| 18B | Steel Beam, 6-shovel
Pin Break, Rd. Sleeve | \$35.39 |
| 18C | Steel Beam, 4-shovel
Spg. Trip, Rd. Sleeve | \$36.61 |
| 18D | Steel Beam, 6-shovel
Spg. Trip, Rd. Sleeve | \$38.02 |
| 18E | Steel Beam, 8-shovel
Pin Brk., Eagle Claw | \$35.78 |

The oldest riding cultivator and still the most popular. Separate lift springs and depth springs. Balance frame and adjustable axle. Furnished in 4 or 5 shovel, pin-break or spring-trip, also 8-shovel eagle-claw or 10-shovel spring-tooth.



EASY TO HANDLE

HUMMER WALKING CULTIVATOR



No. 25 Walking, Adjustable Arch, Balance Frame.

With Pole, Neckyoke, Evener, Shields
and Shovels

25A	Steel Beam, 4-shovel Pin Break, Rd. Sleeve	\$22.79
25B	Steel Beam, 6-shovel Pin Break, Rd. Sleeve	\$23.58
25C	Steel Beam, 4-shovel Spg. Trip, Rd. Sleeve	\$25.20
25D	Steel Beam, 6-shovel Spg. Trip, Rd. Sleeve	\$26.42
25E	Steel Beam, 8-shovel Pin Brk., Eagle Claw	\$25.81

F. O. B. Springfield, Ill.

Hummer Pipe Beam Walking Cultivator

No. 25H

Parallel Pipe Beam 4 Shovel, Spring trip Adj. Arch Balance Frame	\$27.25
If Shovels not wanted, deduct	\$1.45
If Shields not wanted, deduct	\$0.40
Diverse Spring Tooth Attachment	\$7.31

F. O. B. Springfield, Ill.

Terms on Planters and Cultivators:
Net Cash June 1st, 1927. Shipments
after June 1st, Net 30 days. No discount
from these prices.

COTTON AND CORN CULTIVATOR



COTTON AND CORN PLANTERS



Double Pittman drive located inside of frame. Crank shaft
is of strong one-piece construction. Plate changes can be made
quickly and easily. Bearings are enclosed. Frame very sturdy
will not spring out of shape.

No. 5	Shovel Openers and Shovel Covers	\$12.60
No. 5A	Runner Opener and Shovel Covers	\$12.60
No. 5B	Runner Opener, Spoon Covers and Press Wheel	\$15.05

F. O. B. Springfield, Ill.



HUMMER MANURE SPREADER



Terms: Not cash in 6 months.
1% Discount on delivery.
F. O. B. Springfield, Ill.

Hummer No. 5 Solid Bottom, weight 1,460 lbs., 2-horse

\$110.70

**Auto Guide
Wide Tread
Light Draft
Low Bed**

**Double Beater
Wide Spread
Self Aligning Bearings
Steel Conveyor**

WOOD AND STEEL WHEEL FARM TRUCKS



Terms: Not 30 days.
All shipments F. O. B. Peru, Ill.

WOOD WHEEL

32"-36" Wood Wheel, Clipped Gear, Hickory Axles.....
36"-42" Wood Wheel, Clipped Gear, Hickory Axles.....

\$57.60
\$9.40

STEEL WHEEL


28"-32" Steel Wheel, Clipped Gear, Hickory Axles.....
32"-36" Steel Wheel, Clipped Gear, Hickory Axles.....

\$40.95
\$2.75

HUMMER CREAM SEPARATOR

With Self Balancing Bowl

"Your Cream Separator is no better than its bowl."



SELF BALANCING BOWL

1. Light Weight

Requires less power to turn than the heavier bowls of other makes. Easier to handle when cleaning and assembling. Low cost without sacrificing quality of performance or life of machine. Long life.

2. Few Parts

Number of parts has been reduced to minimum necessary to perform perfectly. Easier to clean.

3. Self Balancing

No vibration. Less wear on all moving parts, consequently longer life. Internal parts of bowl replaceable without rebalancing. Less cost of maintenance and repair of bowl and entire separator.

The self balancing bowl is one of the greatest steps in the development of centrifugal cream separators. If you have ever seen a gyroscopic top in motion, or a juggler spinning a plate on the end of a stick, you will understand the principle that governs the self balancing bowl. The shape of the self balancing bowl is such that the weight is located as far as possible from the axis of rotation, and when normal speed is reached, the bowl will assume its natural position of balance and cannot be moved from this position without considerable force. The spindle on which the bowl rests fits loosely into the bowl in order to allow the bowl to take up its natural balance.

This principle of design eliminates all vibration of the bowl at normal speed. A vibrating bowl cannot skim properly.

4. Fool Proof

Parts are so designed that they cannot go together other than proper way. Bowl nut will not take thread until pin of bowl shell is in notch of bowl course. Distributor and discs can go together in only one position.

5. Materials

All parts of special steel, heavily coated with finest quality tin.

It is in the bowl that the real work of separating the cream from the milk is done and it is there that the real quality of a separator is determined.

The most important quality of a cream separator bowl is its ability to skim.

The Skimming Quality of the Hummer Bowl is equal to or better than that of any cream separator on the market today.



No. 12	375 lb. capacity.....	\$36.00
No. 14	500 lb. capacity.....	\$43.20
No. 16	750 lb. capacity.....	\$50.40

Power Attachment 7.20
Electric Attachment, including Motor..... 20.15

F. O. B. Springfield Ill.

Terms: Net 30 days.

CULTIVATOR SHOVELS AT LOWEST PRICES

All shovels **our own make.** Order from this list.

	In Lots of 25 Sets		In Less Than 25 Set Lots	
	Assorted Sizes		Soft-Center	
	Crowfoot	Soft-Center	Crowfoot	Soft-Center
Set 4-5" x 10 1/2"	\$1.70	\$2.30	\$1.90	\$2.50
Set 6-3 1/2" x 9"	1.90	2.50	2.10	2.70
Set 8-3" x 7 1/2"	2.30	2.85	2.50	3.10
Set 4-7" Spear Point	1.70	2.30	1.90	2.50
Set 6-5" Spear Point	1.90	2.50	2.10	2.70
Pair 2" Bull Tongues	.57		.57	

Terms: Net Cash.

June 1st, 1927.

F. O. B. Springfield, Ill.

Don't forget your shovel order

Important—State in order which back is wanted. No. 1 Hinge Back for 1 1/8" round sleeve. No. 3 Open Back for slotted sleeve. No. 4 Slotted Back for 3/8" round sleeve.

(Confidential)

Dealers' Illustrated
Condensed Catalog

and

NET PRICE LIST

SHOWING **HUMMER**

Plows	Planters
Harrows	Cultivators
Disc Harrows	Spreaders
Rotary Hoes	Farm Trucks
Cream Separators	
Cultivator Shovels	

February 1st, 1927

Hummer Plow Works
Springfield, Illinois