




Wheel Rakes,

PATTEN & STAFFORD,

CANASTOTA, N.Y.

EXPLANATORY.

We build *New York Champion Rakes* of both wood and steel and with either thills or combination pole and thills. Our wheels are interchangeable, i. e., wood wheels can be used on steel rakes or steel wheels on wood rakes.

Our thills and combinations are also interchangeable, that is, either thills or combinations will fit all rakes.

Our 20th Century Improvement (which is fully described on page 5 of this pamphlet), is a valuable feature and is completely covered by patents so that other manufacturers who have attempted to imitate some of the other parts cannot use our new device, as we shall apply to the courts for protection and damage in case they attempt to infringe.

Our regular sizes are 8, 9, 10 and 12 ft., with number of teeth varied to the work required.

Before setting up rake, read carefully printed instructions on every axle.

INTRODUCTORY.

THE New York Champion Rake has been known for more than thirty years and has steadily grown in popularity with dealers and users.

By continuing to furnish rakes of the very best quality as to material and finish, we hope to be favored with the liberal patronage which we have heretofore enjoyed.

To obtain that degree of excellence which has made the "*New York Champion Rake*" the recognized and acknowledged standard in the United States and which has secured for it a constantly growing market in foreign countries, it has been necessary to go through all the various and costly stages of experiment and invention. Among the evidences of our success in thus producing a *Perfect Rake* are the counterfeits and attempted imitations put upon the market by other manufacturers and the fact that in *spite* of this *piracy* the demand for the original and *only genuine New York Champion Rake* is constantly increasing.

Our long experience in the manufacture of wheel rakes as a *specialty* and our extended trade enable us to know and meet the wants of rake users in all parts of the world.

We always aim to transact business in a manner that will merit the esteem and confidence of our customers.

Respectfully soliciting your valued patronage and assuring you that your orders will receive prompt and careful attention, we are,


Very truly yours,

PATTEN & STAFFORD.


OUR 20th CENTURY IMPROVEMENT.

Our 20th Century Improvement consists of a valuable device which effectually prevents the hooks or pawls catching into the ratchets after the rake is dumped.


It also enables the operator to hold up the teeth with either foot—that is, he can continue pressure on dump lever with right foot or use No. 7 foot lever, as heretofore, as he prefers. It also warns the operator (by slightly raising the dump lever) just when to remove his foot to allow the teeth to drop at the proper time. The improvement is simple and durable, being a latch fastened to cross-board in same way as the dump circle and adjacent thereto, and a catch attached to the axle in such a manner that when the rake is dumped and the foot pressure is continued, the hooks are thrown out and the teeth are held up until foot pressure is removed, when they drop instantly. The dump circle is so made that the dumping lever can be detached from latch and bolted to the dump circle and the rake dumped as formerly, if from any cause it is desirable to do so.



10-ft. Steel Rake with Combination Set up as a Pole.



Standard 8-ft. Wood Rake with Thills.




Enlarged View of Frame and Dumping Apparatus with New 20th Century Improvement.

 Some Parts for Wood Rakes and Steel Rakes are NOT Interchangeable. **PRINCIPAL PARTS OF**



Note that Nos. 3A and 4A are only for Long Wood Rakes with Trussed Axle. Nos. 1 and 2 Ratchets fit V
 **ORDER BY NUMBER AND NAME AND BE CAREFUL TO STATE WHAT**

NEW YORK CHAMPION RAKE. Those not shown below can be found in PRICE LIST.—See next page



Wood Wheels and Steel Wheels with Staggered Spokes. Nos. 1A and 2A are for old style STEEL Wheels.
OTHER EXTRA PARTS ORDERED ARE FOR WOOD RAKES OR STEEL RAKES.

PRICE LIST OF NEW YORK CHAMPION EXTRA PARTS.

Order by number and name and be careful to state whether extras ordered are for wood rakes or steel rakes.

0.	Axle arm cap for wood rake.	\$.10
1.	Ratchet, right hand, for wood wheel and new style steel wheel.	.40
2.	Ratchet, left hand, for wood wheel and new style steel wheel.	.40
1 A.	Ratchet, right hand, for old style steel wheel.	.40
2 A.	“ left hand, “ “ “ “	.40
3.	End band, right hand, for 8 ft. wood rake.	.50
4.	“ “ left hand, “ “ “ “	.50
3 A.	“ “ right hand, for wood rakes with truss.	.50
4 A.	“ “ left hand, “ “ “ “	.50
3 S.	“ “ right hand, for 8 ft. steel rake.	.50
4 S.	“ “ left hand, “ “ “ “	.50
3 S.T.	“ “ right hand, for steel rake with truss.	.50
4 S.T.	“ “ left hand, “ “ “ “	.50
0-5 S.	Dump circle for either wood or steel rakes.	.60
6 S.	Foot lever box on steel rakes.	.10
7.	Foot lever for both wood and steel rakes.	.50
8.	Foot lever box for wood rake.	.10
9.	Cleaner loop, for wood cleaner.	.25
10.	“ ferrule, for wood cleaner.	.10
11 A.	Center iron for wood rake.	.75
11 S.	“ “ “ steel rake.	.75
12.	Cleaner hook, for wood cleaner.	.15
13.	Seat standard loop for wood rake.	.10
13 A.	“ “ “ “ “	.10
13 S.	“ “ “ “ steel rake	.10
13 N.	“ “ “ “ and foot lever box for steel rake.	.20
15.	Thill hinge for both wood and steel rakes.	.25
16.	Hinge in axle for wood rake.	.20
16 S.	“ on axle for steel rake.	.20
17 A.	Connecting rod for both wood and steel rakes.	.30
18 A.	Foot dump for both wood and steel rakes.	.30
19.	Hinge for steel cleaner for wood rake.	.40
19 S.	“ “ “ “ steel rake.	.40
22.	Pole rest, upper, for wood rake.	.20
23.	“ “ lower, “ “ “	.25
24.	Axle arm for wood rake.	.60
24 S.	“ “ “ steel rake.	.60
25.	Linch pin.	.05
25 S.	“ “ for center hinge steel rake.	.05
26.	Seat standard pin.	.08
27.	Whiffletree hook for wood rake.	.10
27 S.	“ “ “ steel rake.	.10
28.	Tooth holder tie for wood rake.	.10
29.	Axle washer.	.50
30.	Seat casting.	1.00
31.	Dump rod center rest for wood rake.	.20
31 S.	“ “ “ “ steel “	.20
32.	Combinations pole hook for wood rake.	.25
32 S.	“ “ “ “ steel rake.	.25
33.	Upper plate for number 32.	.10
34.	Lower “ “ “ 32.	.10
35.	Truss casting for wood rake.	.30
35 S.	“ “ “ steel rake.	.30

86.	Combination clip, upper front.	.80
87.	" " upper rear.	.25
88.	" " lower front.	.10
89.	Clip for steel thills.	.15
40.	Cast block between steel thills.	.05
41.	Casting for hand lever on steel rake.	.20
42.	Foot dump latch.	.75
43.	Catch to foot dump latch on wood rake.	.50
44.	" " " " steel rake.	.50
45.	Box for Nos. 0-5 S. and 42, inner ends.	.20
46.	" " Nos. 0-5 S. and 42, outer ends.	.10
	Steel Cleaner head for 8 ft. rake.	1.00
"	" " " 9 ft.	1.10
"	" " " 10 ft.	1.25
"	" " " 12 ft.	1.50
	Cleaner spur.	.10
	Steel cleaner pin.	.25
	Steel cleaner complete for 8 ft. rake.	2.50
"	" " " 9 ft.	2.00
"	" " " 10 ft.	3.00
"	" " " 12 ft.	3.50
	Dump rod.	2.00
	Axle, wood, 8 ft.	1.50
"	" " 9 ft.	1.70
"	" " 10 ft.	1.90
"	" " 12 ft.	2.25
"	steel, 8 ft.	2.00
"	" " 9 ft.	2.25
"	" " 10 ft.	2.50
"	" " 12 ft.	3.00
	Tooth holder for 8 ft. wood rake.	1.00
"	" " " 9 ft.	1.10
"	" " " 10 ft.	1.25
"	" " " 12 ft.	1.50
	Tooth holder for 8 ft. steel rake.	1.50
"	" " " 9 ft.	1.75
"	" " " 10 ft.	2.00
"	" " " 12 ft.	2.50
	Spoke for steel wheel.	.20
"	" wood	.15
	Rim for steel wheel, 2 in. channel.	1.50
"	" wood " 2 pieces.	.80
	Hub for wood wheel.	1.00
"	" steel " large piece.	1.00
"	" " small piece.	.50
	Spool for wood rake.	.10
	Cross boards for shafts, each	.50
	Teeth, each	.30
	Seat, standard, wood.	.15
"	" for steel rake	.40
	Short spring for steel rake.	.20
	Steel spring for wood standard.	.80
	Whiffletree with hooks	.40
	Double whiffletrees, complete	1.25
	Hand lever for wood or steel rakes.	.25
	Wheel, wood.	4.00
"	steel.	5.00
	Thill, wood or steel.	1.00
	Stub thill, wood	.25
"	pole, steel, with hook	.50
"	" wood.	.40
	Steel frame, less thills.	8.00
	Thills complete with frame, wood or steel.	5.00
	Combinations complete with frame, wood or steel.	6.50
	Truss rod for 9, 10 and 12 ft. steel in one piece.	1.00
"	" " 9, 10 and 12 ft. wood in two pieces.	.70
	Seat cross piece.	.15

We Can Furnish Thousands of Testimonials Similar to the Following:

"The New York Champion is a good Rake; it's the best Alfalfa Rake ever introduced in this section."
LOVELOCK COMMERCIAL Co., Lovelock, Nev.

"We have sold several of the New York Champion Rakes this season and have taken pains to inquire how the Rakes suited. In every case they were well pleased with the Rake. 'Best they ever used.' They are good sellers."
RENO MERCANTILE Co., Reno, Nev.

"The Rake you sold me I have sold, and it has given entire satisfaction, as you know."
H. SHWARZ, Napa, Cal.

"There is one drawback in selling the New York Champion Rake. When a man buys one, you never get a chance to sell him another one if he dies in any kind of season, as they last a lifetime."
W. L. BAILEY, Franklin Forks, Pa.

"We have sold the New York Champion Rakes for several years and have found them an entire success. Farmers use it for raking corn stalks and say the flat pointed teeth make the best steel teeth for raking corn stalks they ever saw."
GERMAN & FRIEDMAN, Princeville, Ill.

"I voluntarily offer this testimonial for your New York Champion Rake. I desire to continue handling it, as it gives excellent satisfaction. I consider it the best general purpose rake ever placed in this section. It will do all you claim for it. My customers prefer it to any other."
A. HARRIS, Gardnersville, Nev.

"Every one wants the New York Champion; haven't known of any other kind being sold here. They are the highest point of perfection in the shape of a hay rake. This is no flattery, but genuine fact."
G. E. HURLBURT, Harpursville, N. Y.

"If imitation is an indication of a good article, your Rake is being highly recommended, as nearly every concern now has 'sled runner' teeth and agents claim they are just as good as New York Champion. But we think the original is the one deserving credit for what is worthy."
EAMES & TOWNE, Keene, N. H.

"I take pleasure in saying that I have handled Wheel Horse Rakes in large quantities for a number of years, and have handled nearly, if not all, the leading Rakes on the market at the present time, and I say without any hesitation or qualification, that the New York Champion Wheel Horse Rake is by far the best Rake on the market, having several superior advantages over all other Rakes."

D. W. BUSSARD, Cumberland, Md.

"I have sold rakes for some time and I never saw a rake that filled the bill as fully as your rake. It leads them all in being a sensible, perfect rake. Your rake will knock them all out in a trial. It is a Jeffries."

H. L. ROUNDS, LaFayette, N. Y.

"I have sold your New York Champion Rake for the past six years. It has given entire satisfaction. It lasts so long and needs scarcely any repairs, consequently, little money for agents."

S. R. LIPPINCOTT, Morrestown, N. J.

"The New York Champion Rake I bought of you this season is the best rake I ever used, and does the best work of any I ever had or saw. It runs very lightly."

MOSES LOWTHER, Wood Dale, Del.

"I have used three different kinds of self-dump rakes but consider the New York Champion the best. It will do all you claim for it."

A. V. RICE, Rock Elm, Wis.

"You may enter my order now for my season's needs of New York Champion Rakes. It is the best rake made."

L. W. MASON, Smethport, Pa.

"The rake purchased of your agent three years since proves every statement made by him. It is the best rake used in this section; in fact, my neighbors like to borrow it because it is so much better than theirs."

GEO. H. GLOVER, Somers, Ct.

"I sold to-day the last one of the rakes shipped me. They sell like hot cakes. Please ship me four more at once."

ENOCH MORR, West Salem, Ohio.

"Regarding the New York Champion Hay Rake, I will say that my customers who have bought, speak in very high terms of them, and I have arranged to handle them the coming season."

L. C. MARSH, Watseka Ill.

DURING THE HAYING SEASON

NEW YORK CHAMPION RAKES

And Extra Parts are kept in Stock at the Following Points:

R. B. DUNNING & CO.,	Bangor, Me.
KENDALL & WHITNEY,	Portland, Me.
GEO. B. HASKELL & CO.,	Lewiston, Me.
ROSS BROS.,	Worcester, Mass.
A. H. BRITTON & CO.,	Concord, N. H.
A. G. PEIRCE,	Burlington, Vt.
MONTGOMERY & CO.,	Harrisburg, Pa.
UNION STORAGE CO.,	Pittsburg, Pa.
ADAMS & HART,	Grand Rapids, Mich.
UNION TRANSFER & STORAGE CO.,	Detroit, Mich.
C. A. SPRINKEL & SON,	Harrisonburg, Va.
ILLINOIS WAREHOUSE CO.,	Peoria, Ill.
UNION TRANSFER & STORAGE CO.,	Madison, Wis.
SECURITY WAREHOUSE CO.,	Minneapolis, Minn.

W H Y

The NEW YORK CHAMPION RAKE is preferred to all others.

It is better than any other rake.

It has no coil springs nor trinkets of any kind in its dumping device.

It is simple, therefore durable and not liable to get out of order.

It has our patent tooth which does not tear up nor injure new seeding.

Its foot lever is so constructed that by pushing it forward the teeth can be held down to gather large windrows or (when up, by the same motion forward), they can be held up. This is a valuable and convenient feature.

Our 20th Century Improvement (shown on page 5), makes it easier to operate than any other rake in the market. There is no jar when teeth drop, therefore it is easy for horse and driver.


The spur pointing *downward* on each outside pin of our oscillating cleaner is the only device which effectually keeps the hay from rolling and working into the wheels. This spur and our flat pointed teeth are covered by patents and cannot be legally used by others.

It is fully guaranteed and warranted to please. It can be bought of the agent whose name appears on outside page, or directly of

PATTEN & STAFFORD,

Canastota, N. Y.

THE NEW YORK CHAMPION RAKE
Is of Acknowledged Superiority



**And is THE favorite of rake users in all parts
of the civilized world.**

FOR SALE BY