


REYNOLDS
SULKY, GANG
AND TRIPLE GANG
PLOWS

MONARCH PULVERIZER,

*VICTOR HORSE HOE,
EAGLE CORN PLANTER,
REYNOLDS SMOOTHING HARROWS.*




MANUFACTURED BY

REYNOLDS PLOW COMPANY,

BROCKTON, MASS.

Stores: { 71 Clinton St., Boston.
 { 23 West Randolph St., Chicago, Ill.

**REYNOLDS SULKY PLOW.**

THE REYNOLDS SULKY, GANG AND TRIPLE GANG PLOWS.

WE offer to the farmers the REYNOLDS SULKY, GANG AND TRIPLE GANG PLOWS as the BEST, LIGHTEST DRAFT, easiest handled, of any in use. Having spared no expense in perfecting them, we can warrant them to give entire satisfaction to all who want a PERFECT PLOW. As the beams to which the plows are attached swing from a common center, they are not affected by the horses swinging to or from the land, but a straight and even furrow is cut in every case, and all side strain and friction avoided, which greatly reduces the draft, and causes the plow to run very steady. This swinging movement — without which no plow is perfect — will be found only on the REYNOLDS PLOWS.


The depth of furrow is regulated, and also plows leveled or set at any angle required, by a hand lever INDEPENDENT OF THE WHEELS. The plows are raised out of the furrow, and fastened up by one motion of the lever, which also lowers the plows and locks them down when desired. This is easily

and quickly done, as it has a very powerful lifting device which has no dogs or ratchets, and operates independent of the wheels. In adjusting or lifting the plows no weight of carriage is lifted. Lifting the plows out of the furrows does not change the depth adjustment, and as the lifting device is self-locking, the plows are lifted out or lowered into the furrow in one-fourth the time of any other.


The plow carriage is so arranged as to be used either as **SULKY, GANG** or **TRIPLE GANG**; the change from one to the other can be made by simply changing beams.

THE PULVERIZING ATTACHMENT is put on in place of plow beams, cuts four feet wide and from two to eight inches deep, and is used for pulverizing land, previously plowed summer fallow, etc. Every farmer using our plows should have this attachment.


The plows are made in the most thorough manner, and every part is duplicated. They are sold either as **SULKY, GANG, TRIPLE GANG**, or combined, and are furnished with the best steel plows. Parties wanting a perfect Sulky, Gang, or Triple Gang Plow, should examine the "Reynolds" before buying elsewhere.



REYNOLDS GANG PLOW.



REYNOLDS
TRIPLE GANG PLOW.



Sulky, with Pulverizer Attachment.

(See 8th Page.)




Monarch Pulverizing Attachment.

THIS ATTACHMENT is put on in place of plow beams, cuts four feet wide and from two to eight inches deep, and is used for pulverizing land, previously plowed summer fallow, etc.

The depth is adjusted and also the teeth lifted out of the ground the same as the Sulky or Gang Plows. The teeth are of steel and tempered, ground sharp, and polished, and have a backward and outward curve, which makes the draft light, and most thoroughly pulverizes and levels the soil.

Every farmer using our plows should have this attachment.



REYNOLDS SMOOTHING HARROWS.


This Harrow is so constructed, as two or three sections or any number desired can be used. The sections are hinged together so as to work independently of each other, which makes it conform to any surface, and one section does not drag on the other. The teeth are duplex, are made of round steel, and tempered and fastened to the frame by a bolt; each pair of teeth slant rearwards and to the right and left, which makes the draft light, and a most thorough pulverizing and smoothing is effected. Each section has thirty teeth, or one to every 1 3-8 inch; the teeth are easily taken off and turned so as to wear on the opposite side, which keeps them sharp. This harrow is made of the best material, is very strong and durable, and is a perfect working implement.

**REYNOLDS PULVERIZER.**

MONARCH PULVERIZER.


IN offering the Monarch Pulverizer, we are confident it will more fully meet the wants of all farmers who believe in thorough cultivation than any other now in use. The teeth, or cutters, are so made that while the standard or upper part is wider than other makes, the bottom where the wear comes is twice as wide as the standard, making it much more durable and effective; and by their peculiar shape they lift, cut, turn and pulverize the soil, leaving it in the most perfect condition for seeding and growth of crops.

This machine is mounted on wheels four feet high, running on turned iron axle. The teeth are made of the best steel, tempered, ground sharp, and polished, and have a backward and outward curve. The teeth (thirteen in number) are arranged in two rows, and curve to the right and left, and cut six feet wide, and are adjusted by a lever to run at any depth required. It is very strong and durable, easily handled, and the lightest draft pulverizer in use.

**EAGLE CORN PLANTER.**

THE EAGLE CORN PLANTER.

THIS Corn Planter plants one row at a time, opening the furrow, dropping the seed and covering at one operation, and will plant from six to ten acres per day better than hand planting, in hills or drills. It is also used in planting peas, beans, ensilage, corn, etc., and with the *SEED DRILL ATTACHMENT* will plant all garden seeds that any drill can plant. The number of seeds dropped can be varied by using different sized outlets; also, the distance apart of hills are easily changed by means of adjustable catches or cams on the side of wheel. It is very simple in construction, easy to operate, is thoroughly made, and a first-class implement in every respect.

**VICTOR HORSE HOE.**

THE VICTOR HORSE HOE.

THIS Horse Hoe is an implement that will do all kinds of work perfectly that is required of a horse hoe in the cultivation of every hoed crop raised; also, in nurseries, vineyards, etc., and for pulverizing and leveling the soil for grain, root crops, etc.

When used with the Blades, it can be worked very close to the plants, as it lifts and thoroughly pulverizes, but does not throw any soil toward the plants, and leaves it level and very mellow, and the weeds thoroughly cut up. The rear blades are easily adjusted to any width rows, by setting them in or out on the cross-piece. By adjusting in this way the blades and standards are always in a direct line of draft, which makes it run very steady.

The Rake Attachment, when used, works the soil very fine, and shakes the weeds out, and leaves them on the surface in the best possible manner to be killed by the sun; the peculiar form and position of the rake causes it to vibrate and prevents its clogging. The rake is put on as seen in cut, and is easily adjusted to work in any width row or to any depth of penetration.

The Hilling Plows turn the furrows each way from the center, are adjusted for different width rows, and will do all that is required for hilling purposes. By putting the plows together at center of cross-piece, it makes a good double-mould Broad Plow for furrowing, ridging, etc. The Hilling Plows are put on the rear blades.



REYNOLDS SULKY PLOW.



MONARCH PULVERIZER.

A