

1895

1895

PRICE LIST

—OF—

REPAIRS

—FOR—

EMPIRE MOWERS



MANUFACTURED BY

SEIBERLING, MILLER & Co.

DOYLESTOWN, OHIO, U. S. A.

OBSERVE THESE DIRECTIONS

IN ORDERING REPAIRS.

1. Give us your Name, Postoffice, County and State.
2. Give us the full Catalogue Name, Letter and Number of part wanted.
3. Say whether we shall ship by Freight or Express, giving us the name of your Railroad Station or Express Office.
4. In ordering by telegraph, use the telegraphic cipher only; and be sure to spell the word exactly as it is in this book.
5. Say whether you have an *Improved* or *Big Six* Mower, and give width of cut.
 - (a) Improved—the drive wheel is number 32.
 - (b) Big Six—the drive wheel is number 437.
6. Our terms are strictly cash, and delay will be avoided by sending cash with order.
7. The last two leaves of this book are sample ordering blanks for your use.

Yours Respectfully,

SEIBERLING, MILLER & CO.

DOYLESTOWN, O., U. S. A.

Read Directions on Inside of Front Cover.

IMPROVED MOWER REPAIRS.

1

TERMS CASH.

Telegraphic Cipher.	Numbers and Names of Pieces.	On What Mch. Used.	When Used.	Price.
Acrollth.....	1 Gear Clutch.....	Imp.....	On all Manuf'd....	\$1 50
Across.....	3 Seat.....	".....	" " ".....	1 75
Acroter.....	4 Spur Wheel (55 double cogs).....	".....	" " ".....	4 10
Acrotic.....	7 Crank Wheel and Wrist.....	".....	" " ".....	2 50
Act.....	8 Outside Shoe, Mal. Iron.....	".....	" " ".....	1 50
Actian.....	14 Left Hand Pawl.....	".....	1887 and since.....	25
Actless.....	15 Right Hand Pawl.....	".....	" " ".....	25
Actual.....	32 Drive Wheel, narrow.....	".....	On all Manuf'd....	8 00
Actuator.....	38 Lld Hinge.....	".....	" " ".....	25
Acumen.....	48 Knife Cap, Mal. Iron.....	".....	" " ".....	15
Acute.....	49 Pitman Washer, Mal. Iron.....	".....	" " ".....	10
Adage.....	M51 Wood Lever Trigger.....	".....	" " ".....	20
Adamant.....	55 Mower Guard, Mal.....	".....	" " ".....	50
Adapt.....	172 Tongue Socket.....	".....	1882 and since.....	60
Addoom.....	321 Tilt Lever Trigger.....	".....	On all Manuf'd....	10
Adduce.....	402 Main Frame Lid.....	".....	" " ".....	2 50
Adleb.....	403 Tool Box.....	".....	" " ".....	1 00
Adenose.....	406 Drive Shaft Stay Washer.....	".....	" " ".....	10
Adhere.....	407 Tool Box Lid.....	".....	" " ".....	20
Adhesive.....	408 Brace Bar Washer, Mal.....	".....	" " ".....	10
Adit.....	411 Drive Wheel Nut.....	".....	" " ".....	25
Adjudge.....	413 Bevel Wheel (42 cogs).....	".....	" " ".....	4 00
Adjure.....	414 Bevel Pinion (12 cogs).....	".....	" " ".....	1 00
Adnate.....	419 Lift Lever Sheave Thimble.....	".....	1886 and since.....	15
Adnoun.....	420 Lift Lever Pawl.....	".....	" " ".....	25
Adnuty.....	421 Inside Shoe.....	".....	" " ".....	2 50
Adonize.....	424 Pitman Yoke, Mal. Iron.....	".....	" " ".....	75
Adoors.....	425 Pitman Box, Brass.....	".....	" " ".....	1 00
Adore.....	427 Right Pawl Flange.....	".....	1887 and since.....	1 25
Adown.....	428 Left Pawl Flange.....	".....	" " ".....	1 25
Adry.....	431 Knife Heel Support.....	".....	1888 and since.....	60
Advance.....	439 Swath Stick Socket.....	".....	1890 and since.....	40
Advice.....	446 Main Frame.....	Imp. only ..	1891 and since.....	18 00
Advocate.....	447 Main Frame Box.....	Imp.....	" " ".....	1 25
Advoke.....	448 Main Shift Lever.....	".....	" " ".....	35
Adward.....	452 Coupling Bar Knuckle.....	".....	" " ".....	25
Adz.....	SO Oil Hole Cover.....	".....	On all Manuf'd....	05
Aegis.....	X Spring Support, Mal.....	".....	1892 and since.....	10
Aeon.....	10 Chain Hook, Mal.....	".....	" " ".....	20
Aerate.....	11 Chain Pulley Support, Mal.....	".....	" " ".....	40

Read Directions on Inside of Front Cover.

2 IMPROVED MOWER REPAIRS—Continued.

TERMS CASH.

Telegraphic Cipher.	Numbers and Names of Pieces.	On What Mch. Used.	When Used.	Price.
Aerial.....	30 Chain Pulleys	Imp.....	1892 and since	\$0.40
Aerie.....	31 Rear Crank Shaft Box, Brass.....	"	" "	1 50
Aeronaut.....	432 Swather Support, Mal.....	"	" "	75
Aerosite.....	433 Swather Adjuster, Mal.....	"	" "	20
Aether.....	454 Bar Raising Treadle.....	Imp. only..	" "	2 00
Afar.....	455 Cutter Bar Coupling	Imp.....	" "	4 50
Afeared.....	456 Tilt Lever Ratchet.....	"	" "	1 00
Afable.....	457 Spring Lever, Mal.....	"	" "	40
Afair.....	458 Lift Chain Hook.....	"	" "	50
Afect.....	459 Tilt Lever Slide.....	"	" "	40
Affiance.....	460 Lift Lever Sheave, Mal.....	"	" "	1 25
Afile.....	461 Stay Hook, Mal.....	"	" "	50
Afirm.....	462 Spring Bracket, Mal.....	"	" "	50
Afix.....	463 Draw Rod Plate.....	"	" "	20
Aflict.....	264 Tilt Lever Casting.....	"	" "	30
Afford.....	265 Draw Rod Support.....	"	" "	50

Parts Not Numbered.

Afore.....	Neckyoke.....	Imp.....	On all Manuf'd....	\$1 00
Afraid.....	Doubletree, bevel butt.....	"	" "	2 00
Afreet.....	Pole, Wood only, bevel butt (12 ft. 1 in.).....	"	" "	1 50
Afresh.....	Pole, Complete, (12 ft. 1 in.).....	"	" "	2 00
Afric.....	Swath Stick.....	"	" "	15
After.....	Swath Board.....	"	" "	25
Aftward.....	Swather Complete, Board and Stick.....	"	" "	1 50
Again.....	Lift Lever, Wood only.....	"	" "	30
Agama.....	Lift Lever Complete (using No. 412 and 435) ..	"	" "	2 00
Agami.....	Whippletree. Wood only.....	"	" "	25
Agape.....	Whippletree, Complete.....	"	" "	60
Age.....	Pitman, Steel Rod only (25 inches).....	"	1886 and since	1 50
Agent.....	Pitman, Complete (using No. 424)	"	" "	3 35
Agger.....	Drive Shaft, 1½x47.....	Imp. only..	On all Manuf'd....	4 00
Aggrace.....	Crank Shaft, 1x25.....	" " ..	" "	1 25
Aggress.....	Bevel Shaft, 15-16x13½.....	Imp.....	" "	1 00
Aggrive.....	Seat Spring, 2 holes (36½ inches).....	"	" "	2 00
Agile.....	I. S. Shoe Spring, on No. 421 (20½ inches)	"	" "	1 50
Agist.....	O. S. Shoe Spring, on No. 8 (11½ inches).....	"	" "	1 00
Agminal.....	Brace Bar (31 in. between Shoulder).....	Imp. only..	" "	1 50

Read Directions on Inside of Front Cover.

IMPROVED MOWER REPAIRS—Continued.

3

TERMS CASH.

Parts Not Numbered.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used.	When Used.	Price.
Agnall.....	Brace Bar (18 in. long).....	Imp. only..	On all Manuf'd....	\$1 00
Agnatic.....	Tilt Lever, Wrot. only.....	Imp.	1890 and since.....	50
Agood.....	Lift Chain, Eye Bolt.....	"	On all Manuf'd....	50
Agrace.....	Knife Heel.....	"	" " "	1 00
Agree.....	Wrist Pin, 1x4.....	"	" " "	25
Agrief.....	Coupling Pin, 5/8x3 1/4.....	"	" " "	10
Aground.....	Lift Lever Bolt, Lock Nut, 1/2x4 1/2.....	"	" " "	10
Agulsh.....	Linch Pins, 3/8x2.....	"	" " "	05
Ahead.....	Flange Pins, 7-16x2 3/4.....	"	1891 and since.....	10
Ahole.....	Clutch Pins, 7-16 Square.....	"	On all Manuf'd....	10
Ahoj.....	Pitman Washer Pin, 1/4 Round.....	"	" " "	02
Allantus.....	Draw Rod Pin, 7-16x3 1/4.....	"	1890 and since.....	10
Allment.....	Bevel Shaft Pin, 1/4 Round.....	"	On all Manuf'd....	02
Almer.....	Brace Bar Coupling Pin, 5/8x4.....	"	1891 and since.....	10
Airbed.....	Clutch Washer Pin, 3/8x2 1/2.....	"	1885 and since.....	10
Airing.....	Seat Spring Bolt, Upper, 1/2x1 1/2.....	"	On all Manuf'd....	10
Airless.....	Seat Spring Bolt, Lower, 3/8x1 1/4.....	"	" " "	05
Aisle.....	Swath Casting Bolt, on No. 8, 3/8x2.....	"	" " "	05
Ajar.....	Pitman Shield Bolt, 3/8x1 1/4.....	"	" " "	05
Akin.....	Tongue Bolt, Front, 1/2x4 1/2.....	"	" " "	10
Aknee.....	Tongue Bolt, Rear, 1/2x4 3/4.....	"	" " "	10
Alack.....	O. S. Shoe Bolt, for No. 8, 1/2x1 1/4.....	"	" " "	10
Aland.....	I. S. Shoe Bolt, for No. 421, 1/2x1 3/8.....	"	" " "	10
Alarm.....	Pitman Shield, 1/8x12.....	"	" " "	75
Alas.....	Heel Rivets, per pound, 3-16x1.....	"	" " "	30
Alba.....	Section Rivets, per pound, 3-16x1 1/2.....	"	" " "	30
Albeit.....	Guard Plate Rivets, per pound, 3-16x1 1-16.....	"	" " "	30
Albino.....	Assorted Mower Rivets, per pound, all sizes..	"	" " "	30
Albite.....	Guard Plates, 1 1/4x2 5/8.....	"	" " "	10
Album.....	O. S. Shoe Plates, on No. 8.....	"	" " "	10
Alcalde.....	Guard Bolts, for No. 55, 3/8x1 3/8.....	"	" " "	03
Alcoran.....	Whippetree Hooks, Right or Left (Mal.).....	"	1890 and since.....	15
Alcove.....	Monkey Wrench.....	"	On all Manuf'd....	50
Alder.....	Cold Chisel.....	"	" " "	20
Aldine.....	Punch.....	"	" " "	15
Ale.....	Oil Can.....	"	" " "	15
Alegar.....	Lift Lever Rod (Wood Lever).....	Imp.....	" " "	20
Algebra.....	Doubletree Clips.....	"	" " "	10
Algol.....	End Neckyoke Ring.....	"	" " "	10
Algose.....	Center Neckyoke Eye.....	"	1890 and since.....	25

Read Directions on Inside of Front Cover.

4 IMPROVED MOWER REPAIRS—Continued.

TERMS CASH.

Parts Not Numbered.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used	When Used.	Price.
Alidade.....	Mower Bars Complete, using No. 421 ...	Imp.....	1886 and since....	18 00
Allen.....	Mower Bars, less Guards, using No. 421.	".....	" " " "	10 00
Alight.....	Mower Bars, less Shoes, Notched at End	".....	On all Manuf'd....	12 00
Alike.....	Mower Bars, Drilled only, Notched at End	".....	" " " "	5 00
Aliped.....	Trigger Spring (11 coll).....	".....	" " " "	10
Alish.....	Gear Shift Spring (3 coll).....	".....	" " " "	05
Alive.....	Tilt Dog Spring (8 coll), used in No. 459.....	".....	" " " "	10
Alkali.....	Pawl Flange Spring (3 coll).....	".....	" " " "	03
Alkoran.....	Pitman Set Screw (9-16x2 $\frac{3}{8}$), used in No. 424..	".....	" " " "	10
Alloy.....	Pitman Set Screw Nut	".....	" " " "	05
Alleviate.....	Rr.Crank Shaft Set Screw (1 $\frac{1}{2}$ x1) used in No. 446	".....	" " " "	05
Alley.....	Shoe Sole, Set Screw, 1 $\frac{1}{2}$ x $\frac{7}{8}$, used in No. 8.....	".....	" " " "	05
Alliance.....	Lift Chain, Long (1 Hook, 1 Long Link)....	".....	" " " "	60
Allocate.....	Lift Chain, Upper, Hook Bolt and 4 Links....	".....	" " " "	40
Allot.....	Treadle Lift Chain, 2 Hooks and 3 Links....	".....	" " " "	35
Allow.....	Spring Bracket Chain, using No. 10 Hook.....	".....	" " " "	40
Almadic.....	Lift Elbow Pin, 3 $\frac{1}{8}$ x2 $\frac{3}{4}$	".....	" " " "	10
Alms.....	Pulley Support Pin, 3 $\frac{1}{8}$ x1 $\frac{5}{8}$	".....	" " " "	05
Almena.....	Bar Stay Hook Pin, 3 $\frac{1}{8}$ x2.....	".....	" " " "	05
Almner.....	Bar Stay Hook Spring (7 coils).....	".....	" " " "	05

IMPROVED MOWER KNIVES AND SECTIONS.


Cutting Sections Only Counted.

17 Sections, 4 feet 3 inches. 18 Sections, 4 feet 6 inches, etc.

TERMS CASH.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used.	When Used.	Price.
Almond.....	Knife Section, 3x3 $\frac{3}{8}$	Imp.....	1876 and since....	\$0 10
Almost.....	Heel Blank, 4x3 $\frac{3}{8}$	".....	" " " "	10
Aloe.....	17 Sections, 3x3 $\frac{3}{8}$ } Wrot Head, using 4x3 $\frac{3}{8}$ Blank	Imp. only..	1886 and since....	4 00
Aloft.....	18 Sections, 3x3 $\frac{3}{8}$ } Wrot Head, using 4x3 $\frac{3}{8}$ Blank	" " " "	" " " "	4 00
Alone.....	20 Sections, 3x3 $\frac{3}{8}$ } Wrot Head, using 4x3 $\frac{3}{8}$ Blank	Imp.....	" " " "	4 00

ILLUSTRATED PARTS OF IMPROVED MOWER REPAIRS.



Read Directions on Inside of Front Cover.

6

BIG SIX MOWER REPAIRS.

TERMS CASH.

Telegraphic Cipher.	Numbers and Names of Pieces.	On What Mch. Used.	When Used.	Price.
Aloud.....	1 Gear Clutch.....	B.S.....	On all Manuf'd....	\$1 50
Alp.....	3 Seat.....	".....	" " ".....	1 75
Alpaca.....	4 Spur Wheel (55 double cogs).....	".....	" " ".....	4 50
Alpen.....	7 Crank Wheel and Wrist.....	".....	" " ".....	2 50
Alphabet.....	8 Outside Shoe, Mal. Iron.....	".....	" " ".....	1 50
Alpine.....	14 Left Hand Pawl.....	".....	" " ".....	25
Alsegno.....	15 Right Hand Pawl.....	".....	" " ".....	25
Also.....	38 Lid Hinge.....	".....	" " ".....	25
Altaic.....	48 Knife Cap, Mal. Iron.....	".....	" " ".....	15
Altar.....	49 Pitman Washer, Mal. Iron.....	".....	" " ".....	10
Altrant.....	M51 Wood Lever Trigger.....	".....	" " ".....	20
Althea.....	55 Mower Guard, Mal.....	".....	" " ".....	50
Altin.....	172 Tongue Socket.....	".....	1882 and since.....	60
Alveole.....	321 Tilt Lever Trigger.....	".....	1890 and since.....	15
Alveus.....	402 Main Frame Lid.....	".....	On all Manuf'd....	2 50
Alvine.....	403 Tool Box.....	".....	" " ".....	1 00
Alway.....	406 Drive Shaft Stay Washer.....	".....	" " ".....	10
Amain.....	407 Tool Box Lid.....	".....	" " ".....	20
Amass.....	408 Brace Bar Washer, Mal.....	".....	" " ".....	10
Amate.....	411 Drive Wheel Nut.....	".....	" " ".....	25
Abacus.....	419 Lift Lever Sheave Thimble.....	".....	" " ".....	15
Amber.....	420 Lift Lever Pawl.....	".....	" " ".....	25
Ambient.....	421 Inside Shoe.....	".....	" " ".....	2 50
Amble.....	424 Pitman Yoke, Mal. Iron.....	".....	" " ".....	75
Ambon.....	425 Pitman Box, Brass.....	".....	" " ".....	1 00
Amel.....	431 Knife Heel Support.....	".....	1890 and since.....	60
Amlot.....	437 Drive Wheel.....	B. S. only..	1889 and since.....	8 00
Amity.....	439 Swath Stick Socket.....	B. S.....	" " ".....	40
Amma.....	440 Bevel Wheel (42 cogs).....	B. S. only..	" " ".....	4 00
Amœbe.....	442 Bevel Pinion (12 cogs).....	" ".....	" " ".....	1 00
Amount.....	447 Main Frame Box.....	B. S.....	1891 and since.....	2 50
Amoval.....	448 Mower Gear Shift Lever.....	".....	" " ".....	35
Amphi.....	449 Mower Lift Flange.....	B. S. only..	" " ".....	1 50
Amuck.....	451 Mower Frame.....	" ".....	1890 and since....	18 00
Amuse.....	452 Mower Coupling Bar Knuckle.....	B. S.....	1891 and since.....	25
Anaben.....	80 Oil Hole Cover.....	".....	On all Manuf'd....	05
Anal.....	X Spring Support, Mal.....	".....	1892 and since.....	10
Analect.....	10 Chain Hook Support, Mal.....	".....	" " ".....	20
Anamese.....	11 Chain Pulley Support, Mal.....	".....	" " ".....	40
Ananas.....	30 Chain Pulley.....	".....	" " ".....	40

Read Directions on Inside of Front Cover.

BIG SIX MOWER REPAIRS—Continued.

7

TERMS CASH.

Telegraphic Cipher.	Numbers and Names of Pieces.	On What Mch. Used.	When Used.	Price.
Anapest.....	31 Rear Crank Shaft Box (Brass).....	B. S.....	1892 and since.....	\$1 50
Anarch.....	432 Swather Support, Mal.....	".....	".....	75
Anas.....	433 Swather Adjuster.....	".....	".....	20
Anatase.....	453 Bar Raising Treadle, Mal.....	B. S. only..	".....	2 00
Anatomy.....	455 Cutter Bar Coupling, Mal.....	B. S.....	".....	4 50
Anatron.....	456 Tilt Lever Ratchet.....	".....	".....	1 00
Anchor.....	457 Spring Lever, Mal.....	".....	".....	40
Ancient.....	458 Lift Chain Hook, Mal.....	".....	".....	50
Ancle.....	459 Tilt Lever Slide, Mal.....	".....	".....	40
Ancony.....	460 Lift Lever Sheave.....	".....	".....	1 25
Andean.....	461 Bar Stay Hook, Mal.....	".....	".....	50
Andron.....	462 Spring Bracket, Mal.....	".....	".....	50
Anear.....	463 Draw Rod Plate.....	".....	".....	20
Anecdote.....	464 Tilt Lever Casting.....	".....	".....	30
Anele.....	465 Draw Rod Support.....	".....	".....	50

Parts Not Numbered.

Anet.....	Neckyokey.....	B. S.....	On all Manuf'd.....	\$1 00
Annes.....	Doubletree.....	".....	".....	2 00
Anent.....	Pole, Wood only.....	{ B. S. same Imp. Pole	".....	1 50
Anew.....	Pole Complete.....	B. S.....	".....	2 00
Angel.....	Swath Stick.....	".....	".....	15
Angelot.....	Swath Board.....	".....	".....	30
Angerol.....	Swather, Complete, Board and Stick.....	".....	".....	1 50
Angola.....	Lift Lever, Wood only.....	".....	".....	30
Angry.....	Lift Lever, Complete (using No. 460).....	".....	".....	2 00
Anient.....	Whippletree, Wood only.....	".....	".....	25
Aniline.....	Whippletree Complete.....	".....	".....	60
Animal.....	Pitman Rod (25 inches).....	".....	".....	1 50
Animate.....	Pitman, Complete (using No. 424).....	".....	".....	3 35
Animist.....	Drive Shaft, 11½x51.....	B. S. only..	1890 and since.....	4 00
Anion.....	Crank Shaft, 1x26.....	".....	".....	1 25
Anise.....	Bevel Shaft, 16-16x135½.....	B. S.....	On all Manuf'd.....	1 00
Anker.....	Seat Spring (2 holes) 36½.....	".....	".....	2 00
Ankled.....	I. S. Shoe Spring on No. 421 (20½ in.).....	".....	".....	1 50
Anlace.....	O. S. Shoe Spring on No. 8 (11½ in.).....	".....	".....	1 00
Annex.....	Shoe Fender on No. 421.....	".....	".....	40
Annona.....	Brace Bar (32 in. between Shoulders).....	B. S. only..	".....	1 50
Annotate.....	Brace Bar Connection (19 in.).....	".....	".....	1 00

Read Directions on Inside of Front Cover.

8

BIG SIX MOWER REPAIRS—Continued.

TERMS CASH.

Parts Not Numbered.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used.	When Used.	Price.
Announce.....	Tilt Lever, Wrot. only.....	B. S.....	1888 and since.....	\$0 50
Annotta.....	Knife Heel No. 1779 (Long).....	".....	" ".....	1 00
Anser.....	Wrist Pin, 1x4.....	".....	" ".....	25
Ant.....	Coupling Pin, 5/8x3 1/4.....	".....	" ".....	10
Antebear.....	Lift Lever Bolt, Sprocket Nut, 1/2x4 1/2.....	".....	" ".....	10
Anteal.....	Tilt Connection Clip.....	".....	On all Manuf'd.....	20
Antecede.....	Tongue Bolt, Front, 1/2x4 1/2.....	".....	" ".....	10
Antecian.....	Tongue Bolt, Rear, 1/2x4 3/4.....	".....	" ".....	10
Antefact.....	Pitman Shield Bolt, 3/8x1 1/4.....	".....	" ".....	05
Antelope.....	Seat Spring Bolt, Upper.....	B. S.....	On all Manuf'd.....	10
Antenna.....	Seat Spring Bolt, Lower, 3/8x1 1/4.....	".....	" ".....	05
Antepast.....	Swath Casting Bolt on No. 8, 3/8x2.....	".....	" ".....	05
Antevert.....	O. S. Shoe Bolt for No. 8, 1/2x1 1/4.....	".....	" ".....	10
Anthem.....	I. S. Shoe Bolt for No. 421, 1/2x1 3/8.....	".....	" ".....	10
Antic.....	Linch Pins, 3/8x2.....	".....	" ".....	05
Antidote.....	Flange Pins, 7-16x2 3/4.....	".....	1891 and since.....	10
Antiphon.....	Clutch Pins, 7-16 Square.....	".....	On all Manuf'd.....	10
Antique.....	Pitman Washer Pin, 1/4 Round.....	".....	" ".....	02
Antistus.....	Draw Rod Pin, 7-16x3 1/4.....	".....	1890 and since.....	10
Antlion.....	Bevel Shaft Pin, 1/4 Round.....	".....	On all Manuf'd.....	02
Antre.....	Brace Bar Coupling Pin, 5/8x4.....	".....	1891 and since.....	10
Antrose.....	Clutch Washer Pin, 3/8x2 1/2.....	".....	1888 and since.....	10
Anvil.....	Pitman Shield, 1/2x12.....	".....	On all Manuf'd.....	75
Anxious.....	Heel Rivets (per pound), 3-16x1.....	".....	" ".....	30
Any.....	Section Rivets (per pound), 3-16x1 1/2.....	".....	" ".....	30
Aorta.....	Guard Plate Rivets (per pound), 3-16x1 1-16.....	".....	" ".....	30
Apace.....	Assorted Rivets, (per pound), all sizes.....	".....	" ".....	30
Apanage.....	Guard Plates, 1 1/4x2 3/8.....	".....	" ".....	10
Apatlate.....	O. S. Shoe Plates.....	".....	" ".....	10
Ape.....	Guard Bolts for No. 55, 3/8x1 3/8.....	".....	" ".....	03
Apeak.....	Whippletree Hooks, Mal.....	".....	" ".....	15
Aperture.....	Center Neckyoke Eye.....	".....	1890 and since.....	25
Aphis.....	End Neckyoke Rings.....	".....	On all Manuf'd.....	10
Aphorist.....	Doubletree Clips.....	".....	" ".....	10
Apical.....	Doubletree Draw Rod Eye.....	".....	1891 and since.....	20
Apish.....	Lift Lever Rod (Wood Lever).....	".....	On all Manuf'd.....	20
Aplon.....	Monkey Wrench.....	".....	" ".....	50
Aplustre.....	Cold Chisel.....	".....	" ".....	20
Apoud.....	Punch.....	".....	" ".....	15
Apodon.....	Oil Can.....	".....	" ".....	15

Read Directions on Inside of Front Cover.

BIG SIX MOWER REPAIRS—Continued.

9

TERMS CASH.

Parts Not Numbered.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used.	When Used.	Price.
Apodal.....	Trigger Springs (11 coils).....	B. S.....	On all Manuf'd....	10 10
Apogean.....	Gear Shift Lever Springs (3 coils).....	".....	" " ".....	05
Apollo.....	Tilt Dog Spring (8 coils).....	".....	" " ".....	10
Apology.....	Pawl Flange Spring (3 coils).....	".....	" " ".....	03
Apostil.....	Pitman Set Screw, used in No. 424 (9-16x23/8).....	".....	" " ".....	10
Apotome.....	Pitman Set Screw Nut.....	".....	" " ".....	05
Appair.....	Rear Crank Shaft Box Set Screw (1/2x1).....	".....	" " ".....	05
Appall.....	O. S. Shoe Sole Set Screw (1/2x7/8).....	".....	" " ".....	05
Apparent.....	Mower Bar Complete, using No. 421.....	".....	" " ".....	18 00
Appay.....	Mower Bar, less Guards, using No. 421.....	".....	" " ".....	16 00
Appeach.....	Mower Bar, less Shoes, Notch, No. 421.....	".....	" " ".....	12 00
Appellor.....	Mower Bars Drilled, Notched End....	".....	" " ".....	5 00
Appense.....	Lift Chain, Long, 1 Hook, 1 Long Link.....	".....	1892 and since.....	60
Appete.....	{ Lift Chain, Upper, (Hook Bolt and 4 Links).....	".....	" " ".....	40
Appear.....	{ Treadle Lift Chain (2 Hooks and 3 Links).....	".....	" " ".....	35
Applause.....	{ Spring Bracket Chain (using No. 10 Hook).....	".....	" " ".....	40
Applier.....	Lift Elbow Pin (3/8x23/4).....	".....	" " ".....	10
Appoint.....	Pulley Support Pin (3/8x15/8).....	".....	" " ".....	05
Apporter.....	Bar Stay, Hook Pin (3/8x2).....	".....	" " ".....	05
Appraise.....	Bar Stay, Hook Spring (7 coils).....	".....	" " ".....	05

BIG SIX KNIVES AND SECTIONS.

Cutting Sections Only Counted.

20 Sections, 5 feet.

23 Sections, 6 feet.

Telegraphic Cipher.	Names of Pieces.	On What Mch. Used.	When Used.	Price.
Apprest.....	Knife Section (3x33/8).....	B. S.....	On all Manuf'd....	\$9 10
Approach.....	Heal Blank (4x33/8).....	".....	" " ".....	10
Apprompt.....	20 Sec. Knife (3x33/8).....	".....	" " ".....	4 00
Approve.....	23 Sec. Knife (3x33/8).....	".....	" " ".....	4 00

NOTE.—If more money is sent than your repairs come to, the surplus will be returned by mail.

~~Read~~ Read Directions on Inside Front Cover Before Ordering.

(Give your Town, County, State and Date.)

(State if wanted by Express, Freight, or Mail.)

189.....

SEIBERLING, MILLER & CO.,
DOYLESTOWN, O. }

GENTLEMEN:—Please send me

by.....the following Repairs
for my Empire.....

(Give style and size machine you have.)

which I purchased of your agents,

Messrs. at.....

in the year 18..... Ship to address given below.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

For which I enclose
in payment of same.

[SIGN HERE.]

To.....

Town.....

County.....

State.....

NOTE.—If more money is sent than your repairs come to, the surplus will be returned by mail.

 Read Directions on Inside Front Cover Before Ordering.

(Give your Town, County, State and Date.)

(State if wanted by Express, Freight, or Mail.)

189

SEIBERLING, MILLER & CO.,
DOYLESTOWN, O. }

GENTLEMEN :—Please send me

by the following Repairs
for my Empire

(Give style and size machine you have.)

which I purchased of your agents,

Messrs. at

in the year 18 Ship to address given below.

For which I enclose

in payment of same.

[SIGN HERE.]

To

Town

County

State

DOYLESTOWN, OHIO,

IS LOCATED NEAR THE FOLLOWING RAILROADS:

NEW YORK, PENNSYLVANIA & OHIO R. R.

Erie R. R. System.

BALTIMORE & OHIO R. R. (Akron Division.)

CLEVELAND, LORAIN & WHEELING R. R.

The Following Express Companies have Offices Here:

UNITED STATES,

WELLS, FARGO & CO.

And Connections with all other Express Companies.

We much prefer to have our patrons state by which Railroad or Express Company they wish us to ship their goods.

Respectfully,

SEIBERLING, MILLER & CO.

