

TIGER


SELF-DUMP

Sulky Hay Rake



MANUFACTURED
BY
THE STODDARD MFG CO
DAYTON, OHIO, U.S.A.

1893. **THE TIGER.** 1893.
KING OF RAKES.



SHOWING THE IMPROVEMENTS FOR THE 1893 TRADE.

THE TIGER

Is a "self-operating" or "horse-dump" rake, and anyone who can drive can rake with it as well as the strongest man, as the horse does all the hard work. The rake discharges its load by simply pressing the foot upon a treadle arranged for that purpose, and the teeth are thereby locked to the rotating axle, and after being tilted and the contents discharged by the movement of the horse, are automatically released and resume their work. The axle is $1\frac{1}{4}$ inch wrought iron, extending from wheel to wheel. *We are the only manufacturers of the Tiger Rake; so do not be deceived by the many imitations of the Tiger by their being represented as "just like the Tiger," or "the Tiger improved," but buy the genuine with our name on it, and you will get the best in the market.*


THE NEW FEATURES ARE:

- | | | |
|------------------------------------|-----------------------|---------------------|
| A Balanced Head. | A Divided Lever. | A Solid Dump Wheel. |
| A Continuous Head. | Steel Cleaner Sticks. | |
| Steel Seat and Seat Standard. | | |
| A Combined One and Two-Horse Rake. | An All Steel Rake. | |

THE TIGER RAEK

WITH PLASTER SOWER ATTACHMENT

For Broadcasting Plaster, Ashes, Bone-Dust, Lime, and
Fertilizers.



As nearly all farmers use more or less Plaster or other dry fertilizers every season, they will find our Plaster Sower attachment to the Tiger Rake a very valuable implement to accomplish this work. It will sow Plaster, Ashes, Bone-Dust, Lime, and all Fertilizers, in any quantity desired.


IT SOWS A BREADTH OF SIX AND ONE-HALF FEET.

It is very simple, easily managed, strong, durable, and is easily and quickly attached to or removed from any Eight-Foot Tiger Rake made previous to 1892.

EVERY FARMER SHOULD HAVE ONE.


THE TWELVE-FOOT TIGER HAY RAKE,

WITH THIRTY-TWO STEEL TEETH.



The Head has a Truss Rod running full width, so that there is no Danger of Sagging.

The Platform and Wheels are made EXTRA HEAVY, so that the Rake throughout is exceedingly strong.



The above cut shows the Combined Pole and Shaft features used on all sizes of Tiger Rakes.

CAN BE QUICKLY ADJUSTED FOR ONE OR TWO HORSES.

THE ALL METAL

TIGER SELF=DUMP HAY RAKE.

POINTS OF SUPERIORITY.

1. Tubular thills or shafts gracefully curved to insure greatest comfort to horse. Adjustable for one or two horses.

2. Metal platform, firmly riveted together, no bolts to get loose, or platforms to become shaky, rot, or warp.

3. Spring steel seat support, with large comfortable steel seat.

4. Steel angle cleaner bar, able to stand the severe strain to which it will be subjected. The rake will never sag, as the steel will be just as good and strong after five or ten years' service as when new.

5. Tempered oval steel cleaners fastened in cleaner bar with nut. They will not break nor pull out.

6. Flanged steel tooth guide and angle steel head. No splitting or warping.

7. Solid dump wheels, with our old reliable lifting latch, which cannot be equaled for efficiency.

8. Steel wheel, with $1\frac{3}{4}$ inch tire, 16 spokes. Our own make.

9. A divided lever, which obviates all danger to the operator.

10. A convenient hand-dumping lever to use when needed.

11. A lever connection with five changes for different heights of teeth to suit any kind of work.

12. The trip chain is convenient for children, so that any boy or girl who can drive a horse can use the Rake.

1893.

1893.

THE SOLID STEEL TIGER SELF-DUMP HAY RAKE.



GEORGE TYLER & CO.,
GENERAL AGENTS FOR NEW ENGLAND,
43 and 45 South Market Street,
BOSTON, MASS.

Manufacturers and Jobbers of

Agricultural Implements, Road Machinery,
Wind Engines, Tanks, Pumps, and
Fittings, Harness, Carriages,
Road Wagons, and
Carts, Etc.