

Bryant Farm Supply

G. A. Kelly Plow Co.
ESTABLISHED 1860

PRICE LIST
No. 853

Our biggest Asset is the good will of our customers. Our ambition is to build this asset by continuing our policy of building farm tools of the highest quality best suited for our section of the country and which will move through merchants at reasonable prices and profits. We solicit your criticism and co-operation in following these general policies and terms as outlined on pages 40 and 41.

INDEX

	Page		Page
BOLTS	14	MIDDLE BREAKERS—	
BOTTOMS	38	Black Land — Steel	3
Clevises	25	Sandy Land — Steel	3
COULTERS—		NECKYOKES	29
Jumping	19	PLANTERS—	
Cutting	19	Bean Hopper	6
CULTIVATORS—		Dandy — Walking	6
Texas Maid—Walking	7	PLOWS — Disc	3
Boss Spring Tooth		Boss — Chilled	16
and Repairs	22	Tripper — Chilled	16
ATTACHMENTS—		No. 50 Series Chilled	4
Dandy Spring Tooth	8	Repairs	12-13-14
Trucker, 5 Shovel	23	No. 60 Series—	
Sled Lister	7	Pony and Repairs	17
Disc Attachment	7	No. 20 Dandy	4
DISTRIBUTORS—		No. 80 Pearl	2
Fertilizer	24	No. 90 Black Diamond	2
DOUBLETREES	28-29	Garden	18
EVENERS, Sets	28	New Ground	17
FENDERS — Jones-Box	21-22	Terrace Plows & Wings	2
GAUGE WHEELS	22-23	RUDDERS — For Stocks	21
HANDLES—		SPRING TEETH	22
Plow and		SINGLETREES	28-29
Stocks	13-16-17-21-27	Singletree Repairs	27
HARROWS—		STALK CUTTER	9
Disc — Reversible	5	STEEL SHAPES	30-39
Fore Trucks	5	STOCKS—	
Spike Tooth — Section	10	Georgia and Texas	20
Orchard — 14 Tooth	23	Steel Beam Double	19
Grass Hog — Spg. Tooth	8	Sweep Stocks—	
HEEL BOLTS	19	Steel Beam	20
		Repairs for Stocks	21

GUARANTEE AND TERMS	40-41
STAPLE PLOW GOODS	15 to 39



Steel Plows

No. 80 Series

No. 80 Series PEARL PLOWS FOR MIXED LAND

Chilled Landside, Solid Steel Moldboards
Crucible Steel Share.

	Cut	Wt.	Price
No. 83 Pearl Plow	9 in.	88	\$34.10
No. 84 Pearl Plow	10 in.	97	39.80
No. 86 Pearl Plow	12 in.	104	46.45

Repairs on pages 12-13


No. 90 Series BLACK DIAMOND PLOWS

For Black and Sticky Land

Hardened Soft Center Steel Moldboards. Crucible Steel Landside
and Share.

Same sizes and prices as 80 series above subject to stock on hand.

Kelly Terrace Plows




	Cut	Wt.	Price
No. 184 Mixed Land with Offset Hitch	10 in.	120	\$48.20
No. 184 Extra Terrace Wing		28	17.20
Offset Hitch Clevis Bar and Brace		7	2.63

Other sizes Terrace Plows subject to stock on hand.

Other sizes Terrace Wings subject to stock on hand.

No. 200 Series Dandy Middleburster



Steel Beam and Steel Bottom		Cut	Wt.	Price
No. 210 Dandy Middleburster		10 in.	82	\$32.35
No. 212 Dandy Middleburster		12 in.	79	35.30
No. 214 Dandy Middleburster		14 in.	85	38.95
No. 216 Dandy Middleburster		16 in.	87	41.05

No. 400 BLACK DIAMOND MIDDLEBURSTERS

(Steel Beam) For Black or Sticky Land


Hardened Soft Center Moldboard. Crucible Steel Share

	Cut	Wt.	Price
No. 410 Middleburster	10 in.	92	\$42.65
No. 412 Middleburster	12 in.	105	47.10
No. 414 Middleburster	14 in.	118	50.35
No. 416 Middleburster	16 in.	120	55.15

Note: 18, 20, 22 and 24 inch Shares can be furnished, will fit above Middleburster except 10 inch.

The Kelly Pony

Disc Plow




KELLY PONY DISC PLOWS

With V or Flat Tire Wheels

	Wt.	Price
No. 1 Single Disc, 20 in. with 2 H. H.	436	\$141.10
No. 2 Double Disc, 20 in. with 3 H. H.	551	165.95
Disc Blades	15	7.40
3 Horse Hitch instead of 2 Horse Hitch, add	18	5.75
4 Horse Hitch instead of 3 Horse Hitch, add	20	7.65
Extra—3 Horse Hitch	35	8.50
Extra—4 Horse Hitch	55	16.25

Steel Beam Chilled Plows




STEEL BEAM CHILLED PLOWS PLAIN SHARE

No. 50 Series—

	Cut	Approx. Wt.	Price Each
No. 52 Plain Share	8 in.	69	\$21.50
No. 53 Plain Share	9 in.	80	25.75
No. 54 Plain Share	10 in.	83	29.95
No. 55 Plain Share	11 in.	105	35.45
No. 56 Plain Share	12 in.	110	38.75

For No. 51 Plows see page 16.

No. 20 Series Dandy Plows



No. 20 DANDY SERIES STEEL BEAM PLOWS

This series is a light all-steel general purpose Plow, made in two sizes only, seven and eight inch.


The shares and moldboards are $\frac{1}{4}$ -in. high carbon plow steel.

Landsides are reversible, made of $\frac{1}{16}$ x2 $\frac{1}{2}$ " plow steel.

	Cut	Wt.	Price
No. 21	7 in.	64	\$21.60
No. 22	8 in.	66	23.20

KELLY QUICK SET

Reversible Disc Harrow




DISC HARROWS—WITHOUT SCRAPERS

With Pole—Hitch and Neckyoke

	Wt.	Price
No. 316, 3 ft. cut, 6 16-in. discs, 2 H. H. Quick Set.....	290	\$93.00
No. 318, 3 ft. cut, 6 18-in. discs, 2 H. H. Quick Set.....	308	96.25
No. 416, 4 ft. cut, 8 16-in. discs, 2 H. H. Quick Set.....	324	99.60
No. 418, 4 ft. cut, 8 18-in. discs, 2 H. H. Quick Set.....	340	107.95
Note: For 3 H. H. instead of 2 H. H. add.....	16	5.75
For 4 H. H. instead of 2 H. H. add.....	35	11.30
Extra 3-Horse Hitch	29	8.50
Extra 4-Horse Hitch	48	16.25
Pole and Neck Yoke if not wanted, deduct.....	23	4.45
Two Wheel Fore Truck	56	17.40

Dandy Walking Planters



Dandy with sword
opener, spoon coverers
and press wheel

DANDY HILL OR DRILL DROP PLANTERS With Sword Opener, Spoon Coverers and Press Wheel


	Wt.	Price
No. 25 Dandy without hill drop	129	\$50.60
No. 35 Dandy with hill drop	131	54.90

DANDY PLANTERS WITH SHOVEL EQUIPMENT

	Wt.	Price
No. 21 Dandy without hill drop, without press wheel.....	99	\$46.40
No. 31 Dandy with hill drop, without press wheel.....	101	50.60
For press wheel on planter add		7.25

	Wt.	Price
Seed Hopper Assembly, less Seed Plates	17	\$13.50
Set of 9 Seed Plates for Cotton and Grain with cut off.....	10	5.75
Peanut Plates, per set (3 plates and brush)	4	4.40
Press Wheel Attachment Complete, as Extra	23	7.00
Spring Trip covering standards less blade, each		3.80
Spring Trip, instead of friction trip coverers, add		3.00
Hill Drop Attachment		4.25
Inner Bean Hopper, complete	11	10.90

Kelly Texas Maid Walking Cultivator



Prices Include Fenders—No Shovels

No. 1 Straight Frame, 4 Spring Trips. Parallel	Wt.	Price
Beams and Curved Outside Shanks	322	\$123.80
No. 11 Straight Frame, 4 Spring Trips. Parallel		
Beams and Pivot Outside Shanks	336	124.95
No. 21 Balance Frame, 4 Spring Trips. Parallel		
Beams and Curved Outside Shanks	288	124.95
No. 41 Balance Frame, 4 Spring Trips. Parallel		
Beams and Pivot Outside Shanks	305	126.30
If fenders are not wanted, deduct from list price		1.25
Specify flat or concave tire wheels.		
	Wt.	Price
No. 1 Spring Trips—Quick adjusting, curved, each	14.5	\$ 6.35
No. 3 Spring Trips—Quick adjusting, straight, each	12	5.60
No. 41 Extension, with Clamps—Makes adjustable rear trip of No. 3 straight trip, each		4.80

Nos. 21 and 41 Subject to Stock on Hand.

Kelly Reversible Disc Gang Attachment

Fits All Walking Cultivators


	Wt.	Price
No. 12 Disc Attachment, 6-12" discs	72	\$32.75
No. 14 Disc Attachment, 6-14" discs	84	35.95

Kelly Sled Lister Cultivator

Furnished with Fender—Without Knives

	Wt.	Price
No. 2 One row sled Cultivator, 6-12" discs	184	\$65.30

Dandy Spring Tooth Attachments For Cultivators



New—Adjustable “Crosshead” Type

This new, all steel attachment is very strongly built. It differs from most “crosshead” attachments, in that it has an extra wide range of adjustments. It adjusts with a wrench. There is no “lost motion” to teeth, as they are clamped between heavy cross bars.


	Wt.	Price
No. 21 Adjustable “cross head” Attach. with 10 plain teeth	58	\$26.60
No. 22 Adjustable “cross head” Attach. with 10 teeth and with detachable points	65	27.30
No. 23 Adjustable “cross head” Attach. with 10 teeth with detachable points with backs	71	34.85



“The Grass Hog” No. 9 Spring Tooth Harrow

	Wt.	Price
No. 9—9 Tooth—One Sec. with Handles	144	\$39.70

Kelly Stalk Cutter



THE KELLY STALK CUTTER is built to be durable and dependable and pays for itself many times, by the way it cuts the stalks which can be turned under to improve the soil.

THE OPEN CENTER DRUM, formed by the heads and blades, does not become clogged with weeds and stalks.

THE DRUM HEADS have long bearing spindles securely fastened to them. These spindles are housed by dust proof boxes, which contain WOOD BEARINGS made of hard maple and are lubricated by means of hard oil grease cups.

A LOOSE RING on the outer side of each head acts as a sand band for the boxes and prevents vines and grass winding around them. THE PRESSURE SPRINGS and lifting rods are connected to the boxes in a way that provides a fixed pressure to the drum, yet permits it to follow the irregularities of the land.

BLADES are 26 inches long, double edged, made of the best quality Knife Steel.

Blade Lug

The blades rest on it instead of the bolt. It takes all the strain and prevents shearing of bolt as is common where a bolt only is used.

All blades are double edged and reversible. The slot in blade is for bolt and lug.




NO. 7 STALK CUTTERS (Steel Frame)

Equipped with Doubletree and Neckyoke, 36-in. Flat or Concave Tire Wheels. Specify

	Wt.	Price
No. 7, Seven Knife Stub Axle.....	507	\$134.10

Kelly Spike Tooth Drag Harrow



Closed Ends Guard Rail Harrows

A DRAG HARROW appears to be a simple thing of itself, yet there are many reasons why careful consideration must be given to every part which enters into the construction. The Kelly Drag Harrow, after years of field experience, is now firmly established as being good in every respect for reasons as follows:

Sufficient flexibility for rough or uneven ground.

Braced strongly to hold teeth in alignment.

Tooth U-Bars made of steel having resiliency equal to spring steel.

Teeth hard, but not breakable.

Springs on levers to absorb shocks and release teeth when passing over stumps, rocks or other obstructions.

Clamps, made of steel which firmly hold teeth to the bar.

Ends of bars protected with guard rail which prevents damage.

Runner shaped tooth at every corner of each section for transporting.

Lever quadrant of design to give strength to lever.

Levers within easy reach of driver.

DRAG HARROWS — SPIKE TOOTH

No.	Wt.	Price
25 1 Sec.; 25 $\frac{1}{8}$ Teeth Less Draw Bar.....	100	\$30.10
30 1 Sec.; 30 $\frac{1}{8}$ Teeth Less Draw Bar.....	113	31.80
50 2 Sec.; 50 $\frac{1}{8}$ Teeth with Draw Bar.....	219	67.90
60 2 Sec.; 60 $\frac{1}{8}$ Teeth with Draw Bar.....	246	69.60
90 3 Sec.; 90 $\frac{1}{8}$ Teeth Less Draw Bar.....	345	95.40
Draw Bar, Complete, for 25T Section.....	9	3.80
Draw Bar, Complete, for 30T Section.....	10	4.25
Draw Bar, Complete, for 50T Sections.....	19	7.65
Draw Bar, Complete, for 60T Sections.....	20	8.35
Draw Bar, Complete, for 90T Sections.....	45	12.60

Sundry Parts for Kelly Plows

(Not listed in general price list of plow repairs)

	Price
Handle bracket, R. H.—Nos. 21-22-61-62-63 O.S. plows, S.B.	\$.44
Handle bracket, L. H.—Nos. 21-22-61-62-63 O.S. plows, S.B.	.49
Handle bracket, R. & L. one pc.—Nos. 21-61 plows, S.B.	.94
Handle bracket, R. & L. one pc.—Nos. 22-62-63 plows, S.B.	.94
Handle bracket, R. & L. one pc.—Nos. 64-65	.94
Handle bracket, R. H.—No. 61 plow, W.B.	.44
Handle bracket, R. H.—Nos. 62-63 W.B. plows	.44
Handle bracket, R. H.—Nos. 64-65 plows, S.B. O.S.	.49
Handle bracket, L. H.—Nos. 64-65 plows, S.B. O.S.	.57
Handle bracket, R. H.—No. 1 Boss steel wing plows	.57
Handle lug, R. H.—No. 51, Steel wing plow	.38
Handle bracket, R. H.—No. 52 plow, S.B.	.44
Handle bracket, R. H.—Nos. 53-54-55-56-34-35 plows, S.B.	.49
Handle bracket, L. H.—Nos. 53-54-55-56-34-35-36 plows, S.B.	.49
Handle bracket, R. H.—Nos. 36-91-92 plows, S.B.	.57
Handle bracket, L. H.—Nos. 91-92 plows, S.B.	.57
Handle bracket, R. H.—No. 93 plow, S.B.	.49
Handle bracket, L. H.—No. 93 plow, S.B.	.57
Handle bracket, R. H.—No. 94 plow, S.B.	.49
Handle bracket, L. H.—No. 94 plow, S.B.	.55
Handle bracket, R. H.—Nos. 95-96 plows, S.B.	.49
Handle bracket, L. H.—Nos. 95-96 plows, S.B.	.57
Handle bracket, R. H.—Nos. 81-82 plows, S.B.	.49
Handle bracket, L. H.—Nos. 81-82 plows, S.B.	.57
Handle bracket, R. H.—Nos. 83-84 plows, S.B.	.49
Handle bracket, L. H.—Nos. 83-84 plows, S.B.	.57
Handle bracket, R. H.—Nos. 85-86-88 plows, S.B.	.49
Handle bracket, L. H.—Nos. 85-86-88 plows, S.B.	.57
Handle bracket, R. H.—For terrace plow wings	.49
Brace between handles, S.B. plows	.94
Hdl. to beam brace, R. H. S.B. plows. (Give plow No.)	.44
Hdl. to beam brace, L. H. S.B. plows. (Give plow No.)	.38
Hdl. to beam brace, R. or L. S.B., M.B. (Give M.B. No.)	.49
Hdl. to beam brace, R. H. W.B. plows. (Give plow No.)	.44
Strap for beam handles W.B. plows	.19
Handle bolt clip for one bolt	.19
Handle bolt clip for two bolts	.19
U bolt—frog-beam—Boss M.B., S.B.	.49
Plate for U-bolt—Boss M.B.	.19
½-in. Temper rod—14½-in.—Boss M.B. handles	.49
½-in. Temper rod—17¼-in.—B.D., M.B. handles	.57
½-in. Temper rod—9½-in.—Nos. 36-37-56 handles	.38
Channel Washer for steel beams—¾-in. bolt	.19
Channel Washer for steel beams—½-in. bolt	.19
Frog for No. 300—3-piece M.B. bottom	2.95

NOTE: In ordering above parts, give number of plow or M.B.

Repair Parts for Chilled and Steel Plows

PLOW NAME AND NUMBER	Chilled Pt.		Steel Pt.		Landside	
	Wt.	Price	Wt.	Price	Wt.	Price
No. 21 Dandy			3.0	1.81	4.5	1.56
No. 22 Dandy			4.0	2.11	4.5	1.56
No. 52 Series	3.0	.82	3.1	4.46	5.7	1.43
No. 53 Series	3.5	.89	4.2	4.73	6.4	1.92
No. 54 Series	4.5	1.02	4.5	5.23	6.5	2.18
No. 55 Series	5.2	1.18	5.6	5.57	8.0	2.30
No. 56 Series	6.0	1.43	5.9	5.67	9.5	2.54
No. 34 Series	4.5	1.02	5.0	5.23	7.6	1.99
No. 35 Series	6.0	1.18	6.5	5.57	8.1	2.30
No. 36 Series	7.0	1.43	7.0	5.67	10.7	2.68
No. 37 Series	8.5	1.61	8.5	6.30	11.3	2.98
No. 109 Middleburster	3.5	1.43	3.5	3.05	3.3	1.43
No. 110 Middleburster	3.8	1.43	4.1	3.05	3.3	1.43
No. 112 Middleburster	6.5	1.56	5.9	3.42	3.3	1.43
No. 114 Middleburster	6.7	1.61	7.2	3.60	3.3	1.43
No. 116 Middleburster	7.7	1.81	7.4	4.22	3.3	1.43
No. 210 Middleburster	5.6	1.43	4.6	3.05	2.5	1.43
No. 212 Middleburster	6.0	1.56	5.5	3.42	2.5	1.43
No. 214 Middleburster	7.2	1.61	7.0	3.60	2.5	1.43
No. 216 Middleburster	8.0	1.81	8.0	4.22	2.5	1.43
No. 81 Pearl Plow			4.5	3.05	5.7	2.11
No. 82 Pearl Plow			4.6	3.55	5.7	2.11
No. 83 Pearl Plow			6.5	4.10	8.0	2.80
No. 84 Pearl Plow	8.0	1.81	6.8	4.54	8.0	2.80
No. 85 Pearl Plow			7.0	5.08	8.5	3.30
No. 86 Pearl Plow			7.6	5.08	8.5	3.30
No. 88 Pearl Plow			7.8	5.64	8.5	3.30
No. 90 Blk. Diamond Plow			4.2	2.68	3.2	1.81
No. 91 Blk. Diamond Plow			4.5	3.05	3.2	1.81
No. 92 Blk. Diamond Plow			4.7	3.55	3.2	1.81
No. 93 Blk. Diamond Plow			5.7	4.10	3.7	2.18
No. 94 Blk. Diamond Plow			6.8	4.54	4.0	2.18
No. 95 Blk. Diamond Plow			7.0	5.08	4.5	2.54
No. 96 Blk. Diamond Plow			7.8	5.08	4.5	2.54
No. 410 B.D. Middleburster			6.0	4.41		
No. 412 B.D. Middleburster			8.0	4.91		
No. 414 B.D. Middleburster			9.5	5.28		
No. 416 B.D. Middleburster			10.0	5.54		
No. 418 B.D. M.B. Point Only			10.8	7.57		
No. 420 B.D. M.B. Point Only			11.5	8.58		
No. 422 B.D. M.B. Point Only			12.0	9.75		
No. 424 B.D. M.B. Point Only			13.0	10.73		
SUNDRY PLOW REPAIRS	Rudder Knife Price		Rudder Complete Price		Heel Slide Price	
B.D. Middleburster	\$ 1.18		\$4.24		\$.51	
DANDY Middleburster	.62					
Boss Middleburster	.62					
Pearl Plow					\$.51	


NOTE: Boss Tripper and No. 51 Plow Repairs, page 16.
No. 60 Series Plow Repairs, page 17.

Steel Moldboard		Cast Moldboard		Frog		Pr. Handles		Beam	
Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price
5.0	3.23			4.0	2.98	6.0	2.68	20.0	8.00
6.5	4.04			4.5	3.16	6.0	2.68	20.0	8.00
		9.5	3.35	10.2	4.16	6.0	2.98	24.0	6.03
		10.8	4.34	11.5	4.67	10.0	4.04	30.0	8.00
		11.0	5.34	12.0	4.97	10.0	4.47	31.0	8.00
		15.2	5.96	15.0	5.34	10.0	4.47	36.0	9.93
		16.6	6.27	17.5	5.78	10.0	4.47	40.0	9.93
		11.3	5.46	12.5	4.91	10.0	4.47	31.0	8.00
		14.9	5.90	15.5	5.16	10.0	4.47	36.0	9.93
		17.5	6.40	15.5	5.90	10.0	4.47	40.0	9.93
		20.1	8.13	20.0	7.64	10.0	4.47	40.0	9.93
		7.0	2.54	16.5	6.53	8.0	4.47	25.0	6.37
		7.0	2.54	16.5	6.53	8.0	4.47	25.0	6.37
		8.0	3.42	20.5	8.58	8.0	4.47	36.0	9.93
		8.0	4.10	20.5	8.58	8.0	4.47	40.0	9.93
		9.0	4.41	20.5	8.58	8.0	4.47	40.0	9.93
4.5	2.80	4.5	2.54	15.0	6.03	7.0	4.04	25.0	6.37
5.0	3.67	5.0	3.16	15.0	6.03	7.0	4.04	30.0	8.00
6.0	4.72	6.0	3.67	15.0	6.03	7.0	4.04	30.0	8.00
7.3	5.59	7.3	4.16	15.0	6.03	7.0	4.04	30.0	8.00
7.0	5.02			6.5	4.72	7.0	4.47	23.0	6.03
8.0	6.03			6.5	4.72	7.0	4.47	30.0	8.00
9.0	7.94			8.5	6.03	8.0	4.47	34.0	9.06
11.0	8.82			8.5	6.03	8.0	4.47	36.0	9.93
12.5	10.13			9.0	6.03	9.0	4.47	40.0	9.93
13.0	10.56			9.0	6.03	9.0	4.47	40.0	9.93
15.5	11.43			9.0	6.03	9.0	4.47	40.0	9.93
7.0	5.78			6.0	4.04	7.0	4.47	23.0	6.03
8.0	6.53			7.0	4.72	7.0	4.47	23.0	6.03
9.2	7.64			7.0	4.91	7.0	4.47	30.0	8.00
10.5	9.63			8.0	5.41	8.0	4.47	34.0	9.06
11.5	10.56			8.5	5.54	8.0	4.47	36.0	9.93
13.0	11.86			9.0	6.03	9.0	4.47	40.0	9.93
13.5	11.86			9.0	6.03	9.0	4.47	40.0	9.93
6.2	6.27			9.0	6.37	15.0	4.47	30.0	8.00
7.2	6.53			10.0	6.37	15.0	4.47	40.0	9.93
7.7	7.02			10.0	6.37	15.0	4.47	48.0	13.04
8.0	8.44			10.0	6.37	15.0	4.47	48.0	13.04

Other Sundry Plow Repairs, page 11.

Note—Following items are with Bolts: Steel Points, Series 80, 90, 100, 200, 400. Steel and Chilled Wings—Series 30, 50, 80, 90, 200, 400 (except No. 51). Landsides, Series 30, 50, 80, 90 (except No. 51).

Extra Bolts




Style of Head	Size	USED ON	Approximate Weight Per 100
No. 1— $\frac{1}{2}$ x1 $\frac{1}{2}$		No. 52 to 56 Landsides	16
No. 1— $\frac{1}{2}$ x2		No. 30 & 50 Series Landsides	19
No. 1— $\frac{1}{2}$ x2 $\frac{1}{4}$		Nos. 36, 37, 56 Landsides	21
No. 1— $\frac{1}{2}$ x3		Black Diamond M-B Frog	24
No. 3— $\frac{3}{8}$ x $\frac{7}{8}$		Pony S-B-Plow Point	7
No. 3— $\frac{3}{8}$ x1		Boss M-B. B-D Plows and M-B Steel Share	8
No. 3— $\frac{3}{8}$ x1 $\frac{1}{4}$		Dandy, Boss M-B Steel Share and Landsides, Pearl & Black Diamond	8
No. 3— $\frac{3}{8}$ x1 $\frac{1}{2}$		Landsides, Pearl B-D and M-B	8
No. 3— $\frac{3}{8}$ x2 $\frac{1}{2}$		Cultivator Shovel Bolt	12
No. 3— $\frac{1}{2}$ x1 $\frac{3}{4}$		Pearl & B-D Landsides Bolt	18
No. 4— $\frac{1}{2}$ x $\frac{7}{8}$		Landsides, Nos. 1 & 51 Plows	4
No. 4— $\frac{1}{2}$ x1		Nos. 2, 3, 4, 5 L'sides and Sp. Teeth	5
No. 4— $\frac{1}{2}$ x1 $\frac{1}{4}$		2-H Points, Landsides & Sp. Teeth	6
No. 4— $\frac{1}{2}$ x4 $\frac{3}{4}$		Side Harrow Beam Bolt	16
No. 4— $\frac{1}{2}$ x5 $\frac{1}{4}$		Boss Cultivator Beam Bolt	20
No. 4— $\frac{3}{8}$ x2		Hdl. to Std. Nos. 1 & 2 Plows	11
No. 4— $\frac{3}{8}$ x2 $\frac{1}{4}$		Hdl. to Std. 2-H, 51, 52	12
No. 4— $\frac{1}{2}$ x1 $\frac{1}{4}$		Point Nos. 1, 51 to 56, 34 & 35 and Nos. 1, 34, 35, 36 Wing Bolt	11
No. 4— $\frac{1}{2}$ x1 $\frac{1}{2}$		Point, and Wing 2-H Plows & M-B	12
No. 10— $\frac{1}{2}$ x1 $\frac{1}{4}$		Drag Harrow End Clip	10
T-Head— $\frac{1}{2}$ x1		Drag Harrow Inner Clip	10
Crge.— $\frac{1}{2}$ x3 $\frac{1}{2}$		Georgia Handles	12
Crge.— $\frac{1}{2}$ x4		Georgia Handles	10
Crge.— $\frac{1}{2}$ x4 $\frac{1}{2}$		Texas Handles	11
Crge.— $\frac{3}{8}$ x1		Boss Scratcher Point	7
Crge.— $\frac{3}{8}$ x1 $\frac{1}{4}$		Boss Scratcher Tooth	8
Crge.— $\frac{3}{8}$ x1 $\frac{1}{2}$		General Purpose	9
Crge.— $\frac{3}{8}$ x2		General Purpose Handle and Wing	10
Crge.— $\frac{3}{8}$ x3		General Purpose Handle and Beam	13
Crge.— $\frac{3}{8}$ x3 $\frac{1}{4}$		Handle and Beam, 2-H	14
Crge.— $\frac{3}{8}$ x3 $\frac{1}{2}$		Handle and Beam, 2-H	15
Mach.— $\frac{1}{2}$ x5 $\frac{3}{4}$		Beam and Std., No. 1 Plows	30
Mach.— $\frac{1}{2}$ x1 $\frac{1}{2}$		Stalk Cutter Blades	18
Mach.— $\frac{1}{2}$ x6 $\frac{1}{2}$		Beam and Std., No. 2 Boss and Tripper	44
Mach.— $\frac{3}{8}$ x7		Beam and Std., 3, 4, 5, 6 WB MB	76

WING NUTS

$\frac{1}{4}$ " for Wrenches	
$\frac{3}{8}$ " for Planter Hoppers	
$\frac{1}{2}$ " for Boss Cultivator	

The Following Pages List

**The Genuine
AND ONLY**



“BOSS”

“TRIPPER”

and

“No. 51”

Series

of

Famous Plows and Repairs

Also Full Line of Kelly Staple Plow Goods


Steel Shapes — Stocks — Harrows

Fertilizer Distributors

Steel and Wood Singletrees

Etc.

No. 51 Steel Beam Chilled Plow



STEEL BEAM CHILLED PLOW

	Cut	Wt.	Price
No. 51	7 in.	56	\$20.90

BOSS AND TRIPPER WOOD BEAM PLOWS


No. 1 Boss	7 in.	37	\$12.80
No. 1 Tripper	7 in.	37	12.80
No. 2 Tripper	8 in.	51	16.45
No. 2 Boss	8 in.	56	15.40
No. 4 Boss	10 in.	79	20.60
No. 6 Boss	12 in.	81	20.90

REPAIR PARTS FOR BOSS, TRIPPER AND NO. 51 PLOWS

	Chilled Pt.	Steel Pt.	Landside	Mold- board	Standard	Beams	Handles Pr.
No. 1 Boss	\$.59	\$2.15	\$.49	\$2.37	\$3.95	\$2.57	\$2.57
No. 1 Tripper	.59	2.15	.49	2.37	3.95	2.57	2.57
No. 2 Tripper	1.00	2.65	1.00	3.39	4.37	4.00	3.15
No. 2 Boss	1.00	2.65	1.00	3.39	5.33	4.00	3.15
No. 3 Boss	1.40	4.43	1.40	4.37	6.37	4.37	4.00
No. 4 Boss	1.46	4.67	1.40	4.85	6.37	4.37	4.00
No. 5 Boss	1.64	4.90	1.52	5.15	7.75	5.33	4.24
No. 6 Boss	1.76	5.22	1.52	5.82	7.75	5.33	4.24
No. 51	.71	2.15	.59	2.67	3.95	5.51	2.98

Steel Moldboard for No. 51 Plow.....\$3.89

No. 60 Pony Series Plows and Repairs



Steel Beam

Hard steel moldboard, share and landside with adjustable heel

		Wt.	Steel Beam
Pony (61)	7"	60	\$21.70
AO (62)	8"	66	23.10
BO (63)	9"	67	24.30
CO (64)	10"	77	26.25
DO (65)	11"	79	29.30
EO (66)	12"	84	34.05

REPAIRS FOR PONY PLOWS

	Pony	AO	BO	CO	DO	EO
Steel Share	\$2.00	\$2.10	\$2.35	\$2.65	\$3.10	\$3.50
Steel Moldboard for W-B Plow	2.45	3.10	3.75			
Steel Moldboard for S-B Plow	2.45	3.10	3.75	5.00	5.60	7.10
Outside Landside	.87	.94	.94	1.24	1.24	1.24
Inside Landside	.99	.99	.99	1.29	1.29	1.29
Slip Heel	.34	.34	.34	.40	.40	.40
Wood Beam	3.40	3.40	3.84			
Steel Beam	6.70	7.10	7.10	8.40	8.40	8.40
Handles	3.60	3.60	3.60	3.89	3.89	3.89

Extra Handles Priced Without Braces.

For Braces on SB Wood Handles, add, per pair \$1.15.

Handle Brace and Rod for WB Plows, Extra .75.

One Steel Handle inside of two wood handles, same list as above.

Handle Rod 25c. Wrench 25.

NOTE—

Pony W.B. and S.B. Landsides Interchange.

AO and BO S.B. Landsides Interchange.

Pony, AO and BO W.B. Handles Interchange.

Pony, AO and BO S.B. Handles Interchange.

W.B. and S.B. Moldboards Do Not Interchange.

NEW GROUND PLOW, ONE HORSE

With One 10-in. Shovel

	Wt.	Price
No. 1 W.B. New Ground Plow	39	\$16.98

Kelly Garden Plow No. 12



Priced with turn shovel only. If other tools are wanted, specify "A" combination and add to price.

Individual tools can be ordered by tool number at individual prices.

Plows

	Wt.	Price
No. 12 Kelly, 24-in., Wheel with Turn Shovel	16	\$7.60

Tool Combinations

A—Reversible Shovel and Sweep	1.02
-------------------------------------	------

Individual Tools



No. 1



No. 2



No. 3



No. 4



No. 6




No. 7

Tool No.

1. Turn Shovel	.51
2. Reversible Shovel	.51
3. Bull Tongue	.40
4. Wing Sweep	.51
6. 5-Prong Weeder Attachment	2.26
7. Corn Shovel	.51
Pair Wood Handles with Round	2.31
24-inch Wheel and Bushing	2.48

Steel Beam Double Shovel Plows



No. 3 Illustrated, showing
Adjustable, malleable pin break foot.

STEEL BEAM DOUBLE SHOVEL PLOWS

No.	Wt.	Price
2—With adj. BP Foot, No Blades, $1\frac{3}{4} \times \frac{3}{4}$ Beam	42	\$15.55
3—With adj. BP Foot, with Blades, $1\frac{3}{4} \times \frac{3}{4}$ Beam	48	16.90
18—With Solid Beam Foot, with Blades, $1\frac{3}{4} \times \frac{3}{4}$ Beam	45	15.55


KNIFE COULTERS Priced Per 100 Pounds

	Wt.	Price
No. 1 $1\frac{1}{2} \times \frac{1}{2} \times 24$ in. Cutting, cwt.	5	\$24.05
No. 2 $1\frac{1}{2} \times \frac{1}{2} \times 24$ in. Jumping, cwt.	5	24.05
No. 3 $2 \times \frac{1}{2} \times 26$ in. Cutting, cwt.	7	24.05
No. 4 $2\frac{1}{2} \times \frac{1}{2} \times 26$ in. Reversible, cwt.	10	24.05
No. 5 Clamp for Wood Beam, cwt.	3	28.10
No. 6 Clamp for Steel Beam, cwt.	6	\$28.10

HEEL BOLTS All Round Tail Nuts


	Wt. Doz.	Price Per Doz.
$2\frac{3}{4} \times \frac{5}{8}$ Thin Nut, 275 to Keg	7	\$ 4.71
$3\frac{1}{2} \times \frac{5}{8}$ Thin Nut, 225 to Keg	12	5.27
$4\frac{1}{2} \times \frac{5}{8}$ Thin Nut, 150 to Keg	9	6.09
$2\frac{3}{4} \times \frac{5}{8}$ Thick Nut, 250 to Keg	9	5.27
$3\frac{1}{2} \times \frac{5}{8}$ Thick Nut, 200 to Keg	10	5.69
$4\frac{1}{2} \times \frac{5}{8}$ Thick Nut, 125 to Keg	12	6.79

Plow Stocks



No. 1 Georgia Stock

(Beam $1\frac{3}{4} \times 3\frac{1}{2} \times 47$ in.)
(Standard $1\frac{3}{4} \times \frac{7}{8}$ in.)



No. 1 Texas Stock

(Beam $1\frac{3}{4} \times 3\frac{1}{2} \times 47$ in.)
(Standard $1\frac{3}{4} \times \frac{7}{8}$ in.)

PLOW STOCKS—WOOD BEAM

	Beam	Hdle.	Ft.	Wt.	Price
No. 1 Georgia	$1\frac{3}{4} \times 3\frac{1}{2} \times 47$	Bent	$\frac{7}{8}$	20	\$7.50
No. 1 Texas (Car.)	$1\frac{3}{4} \times 3\frac{1}{2} \times 47$	Strt	$\frac{7}{8}$	23	9.00


All stocks are equipped with "T" Washer and Round Tail Heel Bolts.
Stocks with $\frac{1}{4}$ " standards subject to stock.

MIDDLEBURSTER STOCKS WITH RUDDERS

	Beam	Hdle.	Ft.	Wt.	Price
No. 3 Texas M. B. W/Rudder.....	$2\frac{1}{8} \times 4\frac{1}{2} \times 56$	Strt	$\frac{3}{8}$	40	\$13.60

For Above Without Rudder — Deduct \$1.25

STEEL BEAM SWEEP STOCKS



No.		Wt.	Price
11	Quick Crank Adjustment	74	\$21.40

Repairs for Plow Stocks


Beams	Length	Wt.	Price
No. 1A Georgia	42 in.	5	\$1.98
No. 1 Georgia	47 in.	6	2.25
No. 2 Georgia and Texas	54 in.	11	3.03
No. 1 Universal	47 in.	6	2.25
No. 1 Texas (Carolina)	47 in.	5	2.70
No. 3 Texas and Georgia	56 in.	10	3.64
No. 10-11 Sweep Stock		31	6.67

Handles		Wt.	Price
No. 1A 1-2-3 Georgia, 42 in. Doz. pairs		54	\$21.03
No. 1 Texas (Carolina), No Braces	Per Pair	5	2.65
No. 2-3 Texas, No Braces	Per Pair	6	3.65
No. 10-11 S.B. Sweep Stock	Per Pair	6	3.65

Braces and Bolts for Texas Handles, add 57c per pair.

Feet—With Bolts	Size	Wt.	Price
No. 1 Georgia and Texas	$\frac{5}{8}$ in.	9	\$3.18
No. 3 Georgia, W. Rudder	$\frac{3}{8}$ in.	14	5.08
No. 3 Texas, W. Rudder	$\frac{3}{8}$ in.	14	5.08
No. 11 Sweep Stock	$\frac{3}{8}$ in.	10	3.12
Extra Rudder Attachment, complete		6	2.54

	Wt.	Price
Ratchets for Beams, per dozen	3	\$ 1.24
Toe Pieces, for Feet, per dozen	4	3.05
Handle Clip Washers, per dozen	2	.55
Tee Washers (Mall.), per dozen	3	4.16
Handle Braces (Texas), per dozen pairs	20	6.79
Rudder Knives, per dozen	8	8.32
Wrought Washers, for $\frac{5}{8}$ in. bolt, per dozen		.84
Texas (Jones) Fenders, with Clamps, per dozen	72	26.05





Boss Hook Cultivator Hook Adjustment

BOSS SPRING TOOTH CULTIVATORS

No.	5-Tooth Wood Beam	Wt.	Price
5H1, 5 No. 1 Teeth, hook adjustment		43	\$18.10

Repairs for Spring Tooth Cultivators




BOX FENDER FOR SPRING TOOTH CULTIVATOR

	Wt.	Price
Teeth, No. 1, plain, regular point	3.12	\$1.22
Box Fenders	7.	3.30
Lever, comp., for 5 and 7L, Cultivator, pair	8.	3.35
Clevis, No. 7L	2.	.99
Beam, plain, for any Boss Cultivator	6.	2.31
Handles for any Boss Cultivator, pair	5.	2.70
Gauge Wheel for Boss Cultivator	7.	2.99

Points for Spring Teeth listed on page 30.

No. 14X Orchard Harrow



With Expansion Lever

The frame is channel steel. The expansion lever gives it adjustability to quickly change width of frame.

Handles are double braced as shown in cut.

The diamond reversible teeth are double pointed.

Gauge wheel furnished at extra cost.

ORCHARD HARROWS

No.	Wt.	Price
14XL, 14 Tooth, Lever Adjustment	51	\$22.10



No. 5X Trucker Cultivator

With Expansion Lever



Gauge Wheel

NO. 5 TRUCKER CULTIVATORS

No.	Wt.	Price
5XL, 5 Shovel, Lever Adjustment	53	\$21.70

	Wt.	Price
Gauge Wheel for 5X and 14X	5	\$ 2.99

Rivets

Specify size. All sizes. Per pound	\$.34
--	--------

Shaker Fertilizer Distributors



	Wt.	Price
No. 8 Shaker Distributor Wood Beam and Hopper	73	\$21.60
No. 9 Shaker Distributor Steel Beam and Hopper	69	24.40

The No. 1 Kelly Distributor



FERTILIZER DISTRIBUTORS

	Wt.	Price
No.1 Kelly, Iron Wheel, chain drive	67	\$20.95


REPAIR PARTS FOR DISTRIBUTORS

	Price
Hopper Complete No. 1	\$10.53
Hopper Complete No. 711	8.82
Hopper Complete with Base No. 711	12.97


Kelly Plow Clevises



No 1 W.B.



No 2 W.B.



No 3 W.B.



No B. CROSS
BAR & PIN



No 7L
W.B.



No 22 W.B.



No S.B. 1
CROSS BAR



No S.B. 1



No S.B. 2



No S.B. 2
CROSS BAR



No 1
STRAIGHT



No 2
SHACKLES



No 1
TWISTED





No 2
SHACKLES


	Wt. Doz.	Price Doz.
No. 1 Kelly for No. 1 Plows and Stocks	10.00	\$5.97
No. 1 Straight Shackles	6.00	2.98
No. 2 Straight Shackles	7.50	4.47
No. 1 Twisted Shackles	5.28	2.98
No. 2 Twisted Shackles	8.00	4.47

	Wt. Each	Price Each
No. 2 Kelly for No. 2 Plows	2.58	\$1.24
No. 3 Kelly for Nos. 3 to 6 Plows and Middlebursters	3.56	1.74
No. 7L Kelly for Boss Cultivators	1.81	.99
No. 22 Clevises, for N. G. Plow and No. 2 & 3 Stocks	1.67	.99
No. SB1 Clevis complete, used on all Steel Beam Plows 9" and smaller and on Dandy M. B.	4.10	1.73
No. SB2 Clevis complete, used on all Steel Beam Plows 10" and larger and on B. D. Bursters ..	4.50	1.92
No. SB1 Clevis Jaws, per pair	2.26	.95
No. SB2 Clevis Jaws, per pair	2.34	1.02
No. SB1 Cross Bar and Pin, for SB1 & 2 Jaws	1.50	.63
No. SB2 Cross Bar and Pin with Offset Hitch	6.50	2.71
No. B Malleable Cross Bar and Pin	1.25	.57

Kelly Specialties



DOUBLETREE STEEL CLEVISES




STEEL WRENCHES

Large $\frac{1}{2}$ " x $\frac{5}{8}$ " Medium $\frac{3}{8}$ " x $\frac{1}{2}$ " Small $\frac{1}{4}$ " x $\frac{5}{16}$ "



Orchard Harrow Teeth



Harrow Teeth
Sizes $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ "



Tee Head Bolts



Cultivator Washers



O. G. Washers
Sizes $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ "



Clamp for Harrow Teeth



Seat for Orchard Harrow Teeth



Clamp Bolt




Serrated Washers
Double Shovel Plows



Cultivator Wedge Bolt

	List Price
O. G. Washers $\frac{1}{2}$ " per 100 lbs.	\$22.07
O. G. Washers $\frac{5}{8}$ " and $\frac{3}{4}$ " per 100 lbs.	19.87
For prices on balance of page see Repair Catalog No. 853R.	




STRAIGHT HANDLES, WHITE DRESSED

	Wt.	Price
1¼x2x4 Ft.	32	\$7.94
1¼x2x4½ Ft.	34	8.60
1¼x2x5 Ft.	38	8.86

For Handles Side Bend, add 50c per dozen.

Rounds, all sizes (white), each	\$.22
Rounds, all sizes (painted or varnished), each	.24

Wrought Welded Singletree Irons



Center Clips

Per 100 Pcs.	Price
1½" No Ring	\$21.27
1½" With Ring	27.95
1½" With Ring	42.67
1½" With Ring	50.52

End Clips With Hooks

Per 100 Pcs.	Price
¾" with 1½" Hooks	\$28.43

Swivel Center Loops




M11 for Singletrees, per 100	\$42.10
M37 for Doubletrees, per 100	50.05

Hooks for Steel Trees




No. 14 for Single, per 100	\$23.70
No. M28 for Double, per 100	26.30

Single, Double and Triple Trees




No. 7R Short Strap


No. 9R Full Strap



No. 50 Singletree



No. 54 Doubletree



No. 58 Tripletree Set

No.	Wood Trees	Wt. Doz.	Price
7R	Oak Singletree 26" Short Strap W. Ring	46	\$16.52
7	Oak Singletree 26" Short Strap no Ring	42	15.58
9R	Oak Singletree 26" Full Strap W. Ring	52	18.15
9	Oak Singletree 26" Full Strap no Ring	48	17.07

Steel Trees

50	Singletree, 26" swivel center loop	55	23.70
54	Doubletree, 36" swivel center loop	96	36.60
57	Set, Doubletree and 2 No. 50 Singletrees, per set	19	6.47
58	Tripletree, per set	39	14.43
41"	Doubletree for No. 58 Tripletree, each	12	3.98
28"	Equalizer Bar for No. 58 Tripletree, each	6	2.13

Wagon and Implement Neckyokes and Trees



No. 32 Full Strap



No. 36 Oak or Hickory



No. 39 Oak or Hickory

WAGON SINGLETREES—PAINTED RED

Regular

No.	Center Clip	Ring	Strap	Hooks	Wt.	Price Doz.
30 34" Long Strap	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ " S.	$\frac{7}{8}$ "	85	\$26.82
32 30" Full Strap	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ " S.	$\frac{7}{8}$ "	95	29.90
32 34" Full Strap	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ " S.	$\frac{7}{8}$ "	95	31.00
32 36" Full Strap	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ " S.	$\frac{7}{8}$ "	100	31.56

WAGON DOUBLETREES—PAINTED RED

	Wt.	Price Doz.
36 Full Ironed 2x4x48"	176	\$37.93
37 Blank 2x4x48"	100	23.03

WAGON NECKYOKES—PAINTED RED

	Wt.	Price Doz.
39 Full Ironed, 38" Standard Size Irons	84	\$34.68

IMPLEMENT TREES

Not Illustrated

	Wt.	Doz.	Price
40 Singletrees, 27" malleable hooks, center hook	36		\$13.14
41 Singletrees, 27" malleable hooks, plain center	28		11.92
43 Doubletrees, 2x4x42", 2 steel clevises	100		26.83
44 Doubletrees, 2x4x42", flat end straps	100		26.83
45 Neckyoke, 42" with center eye bolts	63		25.33
47 Hitch Set, 2 No. 41 S. T., 1 No. 44 D. T., set	13		4.97

Standard List of Kelly Plow Shapes and Sweeps

Patterns and sizes not listed have been eliminated. When 3/16" steel is not available, 1/4" sweeps will be furnished at 1/4" prices.

SCRATCHER POINTS

	Wt.	Price Ea.
No. 3 Point with Back Tumbled and Blued.....	1.30	\$1.14
No. 12 Point—one hole 2x7x1 ³ / ₈ —Blk.	.70	.39
No. 13 Point—3 hole 2½x7x1 ³ / ₈ —T&B	.80	.70



No. 3




No. 12



No. 13

NO. 15 CULTIVATOR AND PLANTER BLADES

Reversible Points
8" Long without Bolts
Tumbled and Blued



Size ¼"x	1"	1¼"	1½"	2"
Wt. 100 Pcs.	52	68	75	81
Price 100 Pcs.	\$30.53	32.34	33.61	35.09

Size ⅜"x	2½"	3"	3½"	4"
Wt. 100 Pcs.	86	98	111	118
Price 100 Pcs.	\$36.74	39.66	44.39	48.95

NO. 20 CORN SHOVEL Square Hole, Black, ¼" Only

Size	Wt.	Price
4 x 7	1.4	\$.55
5 x 7	1.7	.62
6 x 8	2.3	.86
7 x 9	3.0	1.01
8 x 10	3.9	1.17
9 x 10	4.4	1.32
10 x 12	5.5	1.79




Kelly Steel Shapes

NO. 23 MEMPHIS SHOVEL and

NO. 24 GEORGIA SHOVEL Square Hole, Black, ¼" Only

Size	Wt.	Price
6 x 9	2.1	\$.86
7 x 9	2.5	.92
8 x 9	2.8	1.00
10 x 10	3.8	1.27
12 x 10	4.3	1.39




No. 23 Memphis No. 24 Georgia

NO. 31 TURN SHOVEL

R or L—One Hole, Black 5/16"


Size	Wt.	Price
5 x 9	4.8	\$1.44
6 x 10	6.0	1.67
7 x 10	6.5	1.85



NO. 33 TURN SHOVEL

R or L—Three Holes, T&B ¼"

Size	Wt.	Price
5"	5.0	\$2.15
6"	6.0	2.37
7"	6.8	2.70




NO. 40 BULL TONGUE

Slotted Hole, Black, ⅝"

Size	Wt.	Price
2 x 8	1.4	\$.56
2½ x 8	1.8	.62
3 x 8	2.0	.65
3 x 9	2.4	.70
3½ x 8	2.5	.70
3½ x 9	2.8	.80
4 x 9	3.1	.88




Kelly Steel Shapes



NO. 34 TURN SHOVEL—R & L HAND
W/Backs & Bolts—T&B, ¼"


Size	Wt.		Price	
	Each	Each	Pair	
5"	5.0	\$2.37	\$4.74	
6"	6.0	2.88	5.76	

NO. 46 BOWMAN HEEL SWEEP
Sharpened, Tapered Wings, ¼"



Size	Wt.	Price
10"	1.7	\$.69
12"	2.0	.77
14"	2.3	.85
16"	2.7	.98
18"	3.0	1.12
20"	3.5	1.27
22"	3.8	1.46
24"	4.2	1.55
26"	4.5	1.67
30"	5.2	1.82

NO. 47 HEEL SWEEP
Bevel Edge, Black, 2½ x ¼"



Size	Wt.	Price
10"	2.0	\$.64
12"	2.3	.69
14"	2.8	.77
16"	3.3	.85
18"	3.6	.98
20"	4.5	1.06
22"	5.0	1.21
24"	5.3	1.33
26"	5.7	1.56
28"	6.5	1.67
30"	6.9	1.85

"GO-DEVIL" KNIVES
Hi-Carbon

	Wt.	Price Per Pr.
24" x 3 with 1¾" bevel	10.0	\$2.45
42" x 3 with 1¾" bevel	16.5	4.30
48" x 3 with 1¾" bevel	20.0	4.80
54" x 3 with 1¾" bevel	22.5	5.00
60" x 3 with 1¾" bevel	25.0	5.40

Kelly Steel Shapes


NO. 51 STAR HOLMAN SWEEP, 3/16"

NO. 52 SOLID SWEEP, 3/16"

One Hole, Black, Sharp Point

For 3 holes add \$.03 each


Size	Wt.	Price
8 x 7	1.7	\$.69
10 x 8	2.2	.76
12 x 9	3.2	.92
14 x 9	3.6	1.08
16 x 10	4.5	1.21
18 x 10	5.0	1.44
20 x 12	7.0	1.90



NO. 51H HI-CARBON SWEEPS


Varnished and Sharp 3-Holes

Size	Wt.	Price
8 x 7 x $\frac{3}{16}$	1.7	\$.88
10 x 8 x $\frac{3}{16}$	2.2	.99
12 x 9 x $\frac{3}{16}$	3.2	1.21
14 x 9 x $\frac{3}{16}$	3.6	1.38
16 x 10 x $\frac{3}{16}$	4.5	1.71
18 x 10 x $\frac{3}{16}$	5.0	2.04
20 x 12 x $\frac{3}{16}$	7.0	2.49



NO. 53 ALABAMA SWEEP T&B


Size	Wt.	Price
10 x 8—One Hole $\frac{3}{16}$	2.2	\$.83
12 x 9—One Hole $\frac{3}{16}$	3.2	.99
14 x 9—One Hole $\frac{3}{16}$	3.7	1.16
16 x 10—One Hole $\frac{3}{16}$	4.5	1.32
18 x 10—One Hole $\frac{3}{16}$	5.0	1.65
18 x 12—One Hole $\frac{1}{4}$	8.0	2.15
20 x 12—One Hole $\frac{1}{4}$	9.0	2.37
24 x 12—Two Hole $\frac{1}{4}$	10.8	2.86
28 x 14—Two Hole $\frac{1}{4}$	14.7	4.07
32 x 14—Two Hole $\frac{1}{4}$	17.0	4.79




NO. 54 CULT SOLID SWEEP

Three Holes, T&B, 3/16"

Size	Wt.	Price
8 x 7	1.4	\$.77
10 x 8	2.1	.83
12 x 9	3.1	.99
14 x 9	3.6	1.16
16 x 10	4.5	1.32
18 x 10	4.9	1.65
20 x 12	6.9	2.09




Kelly Steel Shapes



NO. 56 NELSON SWEEP

Six Holes, T&B, 1/4"

Size	Wt.	Price
18"	11.1	\$3.03
20"	12.2	3.63
22"	14.0	4.24
24"	15.1	4.54
26"	16.7	4.84
Wings, pr.	8.0	2.04



NO. 57 PLANTER SWEEP


One Hole, Center Stud 1/4", Sharpened and Varnished

Size	Wt.	Price
14"	5.7	\$2.83
16"	7.0	3.18
18"	9.0	3.47
20"	10.4	3.82
22"	12.6	4.10
24"	13.5	4.44

NO. 57H PLANTER SWEEP

Hi Carbon, One Hole, Center Stud Sharp. & Var. 1/4"


Wt.	Price
5.7	\$3.30
7.0	3.63
9.0	4.02
10.4	4.40
12.6	4.73
13.5	5.12



NO. 58 WILLIAMS SWEEP

5 Holes, Hi Carbon, Center Stud Sharpened and Varnished, 1/4"

Size	Wt.	Price
18"	10.0	\$4.51
20"	12.5	4.77
22"	13.6	5.40
24"	14.9	5.92
26"	16.5	6.61
Wings, pr. 1/8"	3.4	1.27
Wings, pr. 3/8"	6.3	1.85



NO. 60 CULTIVATOR SWEEP

Three Holes, T&B, 1/4"

Size	Wt.	Price
6"	1.9	\$.89
8"	2.6	.96
10"	3.5	1.30
12"	4.6	1.62
14"	5.4	1.90
16"	6.0	2.04

Kelly Steel Shapes

NO. 65 CULTIVATOR SWEEP

Three Holes, T&B

Size	3/16"		1/4"	
	Wt.	Price	Wt.	Price
6".....	1.2	\$.77	1.6	\$.83
8".....	1.7	.83	2.2	.94
10".....	2.3	.94	3.0	1.05
12".....	2.9	1.16	3.8	1.27
14".....	3.5	1.49	4.6	1.65
16".....	---	---	5.5	1.98



NO 66X ORIGINAL McGREGOR SWEEP

Three Holes, Hi Carbon, Ridge Back
Tumbled, Sharpened & Varnished

Size	3/16"		1/4"	
	Wt.	Price	Wt.	Price
6".....	1.0	\$1.16	1.6	\$1.22
8".....	1.2	1.27	2.2	1.42
10".....	2.0	1.47	3.0	1.59
12".....	2.5	1.79	3.8	1.90
14".....	3.0	2.20	4.6	2.31



NO 166X ORIGINAL McGREGOR Three Holes, Tapered Wing, Tumbled, Sharpened & Varnished

Size	Wt.	Price
6 x 1/4	1.3	\$1.22
8 x 1/4	1.7	1.42
10 x 1/4	2.7	1.59
12 x 1/4	3.0	1.90
14 x 1/4	3.3	2.31



NO. 70L CULTIVATOR SWEEP

Three Holes, Hi Carbon, Tumbled
Sharpened, Varnished

Size	3/16"		1/4"	
	Wt.	Price	Wt.	Price
4".....	.8	\$.95	1.0	\$1.05
6".....	1.1	1.00	1.4	1.10
8".....	1.4	1.15	1.8	1.30
10".....	2.2	1.30	2.8	1.50
12".....	2.7	1.45	3.4	1.70
14".....	3.5	1.80	4.4	2.10
16".....	4.2	2.25	5.3	2.65




Kelly Steel Shapes

NO. 4-40 GOLDEN ARROW SWEEP

Hi Carbon, Sharpened, Tumbled

Varnished, 3-hole 4" to 20"


2-hole 24" to 40"



Size	Wt.	Price
4" x $\frac{3}{16}$ "	.8	\$1.00
6" x $\frac{3}{16}$ "	1.2	1.06
8" x $\frac{3}{16}$ "	1.5	1.21
10" x $\frac{3}{16}$ "	2.2	1.33
12" x $\frac{3}{16}$ "	3.0	1.53
4" x $\frac{1}{4}$ "	1.2	1.11
6" x $\frac{1}{4}$ "	1.6	1.16
8" x $\frac{1}{4}$ "	2.1	1.36
10" x $\frac{1}{4}$ "	2.9	1.53
12" x $\frac{1}{4}$ "	3.9	1.80
14" x $\frac{1}{4}$ "	4.8	2.20
16" x $\frac{1}{4}$ "	5.3	2.80
18" x $\frac{1}{4}$ "	6.3	3.40
20" x $\frac{1}{4}$ "	7.2	4.30
22" x $\frac{1}{4}$ "	8.5	4.75
24" x $\frac{1}{4}$ "	10.5	5.35
28" x $\frac{1}{4}$ "	12.0	6.70
30" x $\frac{1}{4}$ "	14.5	8.30
36" x $\frac{1}{4}$ "	18.4	10.20
40" x $\frac{1}{4}$ "	22.0	12.00

NO. 71 FARQUHAR SWEEP


One Hole, T & B, $\frac{3}{16}$ "



Size	Wt.	Price
10" x 8"	2.1	\$.83
12" x 9"	2.7	.98
14" x 9"	3.5	1.13
16" x 11"	4.4	1.38
18" x 11"	5.2	1.65
20" x 12"	5.7	2.02
24" x 12"	8.5	2.49

NO. 72 HAIMAN-DIXON SWEEP

One Hole, T&B, $\frac{1}{4}$ "




Size	Wt.	Price
16"	65	\$2.66
18"	7.0	3.23
20"	7.7	3.70
22"	8.0	4.10
24"	8.8	4.39

Kelly Steel Shapes

NO. 75 VALLEY SWEEP Three Holes, T&B, 1/4"

Size	Wt.	Price
18" -----	6.2	\$2.53
20" -----	67	2.75
24" -----	7.5	3.08
28" -----	8.8	3.74



NO. 80 DOUBLE SHOVEL BLADE Two Holes, T&B, 1/4"

Size	Wt.	Price
5" x 11" -----	2.8	\$.98
6" x 11" -----	3.2	1.10



NO. 81 CALF TONGUE Two Holes, T&B, 1/4"

Size	Wt.	Price
2 1/2" x 10" -----	1.7	\$.66
3 " x 10" -----	1.9	.83



NO. 86 DIAMOND POINT SHOVEL Twisted, R&L or Straight, with or without backs, 2 or 3 holes, T&B, 1/4"

Size	With Back		No Back	
	Wt.	Price	Wt.	Price
3 1/2" -----	3.0	\$1.62	2.3	\$1.05
4" -----	3.7	1.74	2.7	1.12
5" -----	4.3	1.85	3.3	1.27
6" -----	5.0	1.97	4.0	1.33




Subject to Stock on Hand.

GENERAL EXTRAS


For Blued finish on shapes weighing up to 5 lbs. add 3c each to list price of Black; for 5 lbs. or over add 5c to each list.

Kelly Steel Shapes



NO. 300 3-Pc. M. B. BOTTOM
Polished and Varnished

Size	Bottoms		Shares	
	Wt.	Price	Wt.	Price
10".....	20.0	\$15.70	4.8	\$3.93
12".....	22.6	16.52	5.7	4.21
14".....	23.0	17.27	6.0	4.51
16".....	24.0	18.25	7.1	5.20



NO. 500 LONE STAR M. B. BLADE
One or Three Hole, T & V, 1/4"


Size	Wt.	Price
8".....	7.4	\$3.70
10".....	9.5	4.15
12".....	13.5	5.45
14".....	14.5	6.00

NO. 600 BOSS LISTER BOTTOM

High Carbon Steel—Polished and Varnished—Adjusting Wedges on
Frog—Fits All Foot Pieces

Bottoms

No.	Size	Wt.	Price Each
608	8 in.	12.0	\$12.56
610	10 in.	16.0	12.88
612	12 in.	18.1	13.68
614	14 in.	20.0	14.15
616	16 in.	21.4	14.90
618	18 in.	22.0	15.71
620	20 in.	22.5	16.12




EXTRA SHARES WITH BOLTS

Shares Interchange on all Bottoms 10" and Larger

Size, Share—No.	608	610	612	614	616	618	620
Weight, each	3.3	4.6	5.3	6.1	6.3	8.0	8.5
Price, each	\$3.76	3.93	4.21	4.57	5.20	5.31	5.67

KELLY CAP ROCK SWEEP
Two Holes, Hi Carbon, ¼"
Tumbled, Sharpened & Varnished
Blue Shank



Size	Wt.	Price
14"—16 For 16" Std.	---	\$2.37
16"—16 For 16" Std.	---	2.97
18"—16 For 16" Std.	---	3.52
14"—22 For 22" Std.	---	2.37
16"—22 For 22" Std.	---	2.97
18"—22 For 22" Std.	---	3.52

NO. 220 TEXAS SPECIAL SWEEP
Hi Carbon, Tumbled and Varnished

Size	Wt.	Price	Wt.	Price
4"	.8	\$.88	1.0	\$.94
6"	1.0	.94	1.5	.99
8"	1.37	1.05	1.75	1.10
10"	2.7	1.16	2.5	1.21
12"	2.7	1.21	3.3	1.43
14"	---	---	4.5	1.76



GUARANTEE AND TERMS

We guarantee every implement we make against defects in either material or workmanship.

All prices are subject to change without notice.

Latest price list will be forwarded upon request at any time.

All prices are F. O. B., Longview, Texas.

Claims for shortage or damage must be made within ten days from receipt of goods.

Terms are cash within 10 days from date of invoice unless otherwise mutually agreed upon.

In ordering implements, be sure that each one is suited to the soils and conditions of your territory. If in doubt, communicate with us so that you will not purchase any implement that does not fit your needs. We are vitally interested in the satisfactory service of every implement we sell.

In ordering repair parts, always specify the name or number and size of implement as well as the letter and number of the particular part needed as shown in the Repair Part Catalog. Unless these items are thus specified it is very difficult for us to send the part needed with any certainty that it is the one required.

We sincerely appreciate letters from our customers concerning the performance of Kelly Implements, and we wish to assure every dealer and every farmer in the Southwest that his choice of Kelly Implements will result in profit and satisfaction.

List prices and discounts stated herein apply to "at once" shipments only. Future or delayed shipments shall be subject to any increase in price as may be necessary due to increased cost of material, labor or Federal regulations.

Acceptance and delivery of all orders shall be contingent upon our ability to secure materials and labor, and subject to all Governmental Regulations and to other things beyond our control.



G. A. KELLY PLOW COMPANY

Longview, Texas

SHIPMENTS

Our shipping receipt from Railroad, Express Company or any common carrier relieves us of responsibility and places it with the Carrier. In no instance is payment of invoices subject to arrival of goods at destination. While all claims for loss or damage should be filed with the Agent of the Carrier at destination, we will, upon request of the buyer, take pleasure in rendering them all the assistance in our power, but such action on our part does not in any wise release the buyer from full payment of invoices when due.

SHORTAGE

No claim to be made or allowed if order is shipped short any portion or for damage for delay in shipment or on account of shipment by any other than specified route.

REPLACEMENT

On any claim made under our guarantee for breakage, parts must be returned to us at our request or be held for our inspection. We reserve the right to furnish new ones in place of same.

No allowance will be made for plow shares or shovels after same have been in blacksmith's forge.

No claims to be made for repairing done elsewhere than at our factory.

Hardened plow parts, molds, shares, shovels and landsides are not warranted against breakage.

Goods are not to be returned to us except upon our written order.

Weights shown are approximate only and are not guaranteed.

WARRANTY ON IMPLEMENTS

All goods listed herein are warranted to be good material and workmanship and to do well the work for which they are intended when properly set up and operated.



G. A. KELLY PLOW COMPANY

STEEL PLOW SHAPES
S I N G L E T R E E S
C U L T I V A T O R S
P L A N T E R S
H A R R O W S
S T O C K S
P L O W S

G. A. KELLY PLOW CO.
Longview, Texas