



REVISED
PRICE LIST No. 69

Effective September 15, 1950

Farm Tools, Inc.

Home Office—Mansfield, Ohio, U. S. A.

Vulcan Plow Division

Evansville, Indiana

**Manufacturers of Plows,
HARROWS, SEEDERS and
PULVERIZERS**

A complete line of Farm Tools
Prices Subject to Change Without Notice
Destroy all previous lists.

VULCAN CHILLED PLOWS, STEEL BEAM

No.		List
6N	R. H.	\$16.80
7N	R. H.	21.00
9N	R. H.	26.80
10N	R. H.	29.40
11N	R. H.	32.55
12N	R. and L.	35.70
13N	L. H.	37.80

VULCAN CHILLED PLOWS, STEEL BEAM WITH STEEL SLAT MOLDBOARDS

7N-X	R. H., with Steel Slat Moldbd.	\$24.65
10N	R. H., with Steel Slat Moldbd.	38.85
11N	R. H., with Steel Slat Moldbd.	40.45
11N-X	L. H., with Steel Slat Moldbd.	40.45
12N	R. H., with Steel Slat Moldbd.	43.05
12N	L. H., with Steel Slat Moldbd.	43.05
13N-X	L. H., with Steel Slat Moldbd.	47.25
134	L. H., with Steel Slat Moldbd.	49.35

ROSE CLIPPER STEEL PLOWS STEEL BEAM

7N	R. H.	\$23.10
8N	R. H.	24.60
9N	R. H.	28.10
10N	R. H.	32.80
11N	R. H.	35.90
12N	R. H.	38.35

ROSE CLIPPER STEEL PLOWS STEEL BEAM

With Steel Saddle, Soft Center Steel Moldboard.

10NX	SC	RC	R. H.	\$36.00
12NX	SC	RC	R. H.	40.65

MIDDLE BREAKER PLOWS MIXED LAND STEEL BEAM

			With 1 Point Chilled	With 1 Point Steel
108	Steel	Mold	\$27.30	\$28.10
110X	Steel	Mold	28.90	30.45

MIDDLE BREAKER PLOWS MIXED LAND STEEL BEAM Cont.

	With 1 Point Chilled	With 1 Point Steel
112X Steel Mold	\$33.60	\$35.70

No. 108 Plow only can be furnished with Cast Moldboards when specified, at same price as with Steel Moldboards.

VULCAN NEW GROUND PLOWS WOOD BEAM

10	Vulcan New Ground. R.	\$36.40
----	----------------------------	---------

VULCAN HILLSIDE PLOWS, STEEL BEAM

6	Vulcan with Steel Mold	\$23.65
8	Vulcan with Steel Mold	26.50
10	Vulcan with Steel Mold	36.75
12	Vulcan with Steel Mold	44.10

VULCAN HILLSIDE PLOWS, WOOD BEAM

8	Vulcan with Steel Mold	\$26.50
10	Vulcan with Steel Mold	36.50

For special heavy work No. 8 and No. 9 Rose Clipper Plows can be furnished with two bolts holding the Point on the Saddle.

When ordering Points for these two sizes of Plows, be sure and state whether Points with two bolt holes or Points with one bolt hole are desired. Points with two bolt holes will be marked with the letter "X" in addition to the usual number.

STEEL POINTS

VULCAN

No.		List
5	Vulcan, R. H.	\$ 2.60
6	Vulcan, R. H.	2.75
7	Vulcan, R. H.	3.05
8	Vulcan, R. H.	4.60
9	Vulcan, R. H.	4.90
*10	Vulcan, R. and L.	5.60
*11	Vulcan, R. and L.	5.60
*12	Vulcan, R. and L.	6.70
13	Vulcan, R. and L.	7.15
14	Vulcan, R. and L.	8.05
16	Vulcan, R. H.	11.20

ROSE CLIPPER

No.		List
6	Rose Clipper, plain, R. H.	\$ 2.50
7	Rose Clipper, plain, R. H.	2.65
8	Rose Clipper, plain, R. H.	2.65
9	Rose Clipper, plain, R. H.	3.30
10	Rose Clipper, plain, R. H.	4.15
11	Rose Clipper, plain, R. and L.	4.35
12	Rose Clipper, plain, R. and L.	4.55
10NX	SC RC Soft Center Steel	
	Plain R. H.	5.60
12NX	SC RC Soft Center Steel	
	Plain R. H.	6.05
6	Rose Clipper, cutter, R. H.	3.85
7	Rose Clipper, cutter, R. H.	4.15
8	Rose Clipper, cutter, R. H.	4.40
9	Rose Clipper, cutter, R. H.	4.85
10	Rose Clipper, cutter, R. H.	6.15
11	Rose Clipper, cutter, R. and L.	6.15
12	Rose Clipper, cutter, R. and L.	6.40

No.	SCOTCH CLIPPER	List
12	Scotch Clipper, crucible, R. and L.	\$6.45
13	Scotch Clipper, crucible, R. and L.	6.70
14	Scotch Clipper, crucible, R. and L.	6.70

No.	OLD URIE	List
	Pansy, Old Urie, plain, R. H.	2.40
	Pet, Old Urie, plain, R. H.	2.40
0	Old Urie, plain, R. H.	2.65
1	Old Urie, plain, R. H.	2.90
1½	Old Urie, plain, R. H.	2.90
	Pansy, Old Urie, cutter, R. H.	3.40
	Pet, Old Urie, cutter, R. H.	3.40
0	Old Urie, cutter, R. H.	3.70

STEEL POINTS—Continued

No.		List
1	Old Urie, cutter, R. H.	3.80
1½	Old Urie, cutter, R. H.	4.05
	Old Urie Scraper, fits all Old	
	Urie plows	4.40

BLACK LAND

307	Black Land	\$3.20
308	Black Land	3.75
309	Black Land	3.85
CB-9	Steel Point	4.20
CB-10	Steel Point	4.90

No. MIDDLE BREAKER MIXED LAND List

108	Mixed Land Middle Breaker	\$2.50
110	Mixed Land Middle Breaker	3.40
	1102—12" Point for No. 110 Plow	3.75
112	Mixed Land Middle Breaker	4.85
114	Mixed Land Middle Breaker	5.30

No. MIDDLE BREAKER BLACK LAND List

210	Black Land Middle Breaker	\$4.85
212	Black Land Middle Breaker	5.30

No. VICTORIA SULKY List

12	Victoria Sulky, crucible, R. & L.	\$7.05
13	Victoria Sulky, crucible, R. & L.	7.35
14	Victoria Sulky, crucible, R. & L.	7.35

No. VULCAN SULKY List

B72	Vulcan Sulky, crucible, R. H.	\$7.05
B74	Vulcan Sulky, crucible, R. H.	7.35
512	Vulcan Sulky, crucible, L. H.	7.05
514	Vulcan Sulky, crucible, L. H.	7.35

No. HILLSIDE List

8	Hillside	\$5.30
10	Hillside	7.45
12	Hillside	8.75

No. ROADSTER List

12	Roadster	\$9.25
12	Roadster, with shin	12.10
	Roadster, shin only	3.05

No. PONY STEEL SERIES List

Pony Plain, R. H.	\$1.15
A. O. Plain, R. H.	1.50
B. O. Plain, R. H.	1.80
C. O. Plain, R. H.	2.00

No. WAMPUS List

6	Wampus, Plain	\$1.40
7	Wampus, Plain	1.50
8	Wampus, Plain	1.80

Cutter Points for the Scotch Clipper Series are \$1.80 higher list than plain points.

*Steel cutter points are made for these three sizes (right hand only) at an advanced list of \$1.40 each.

CHILLED POINTS

VULCAN

No.		List
5	Vulcan Corg. Deep Suck, R. H.	\$.60
6	Vulcan Corg. Deep Suck, R. H.	.60
* 7	Vulcan Com. or Deep Suck, R. H.	.70
* 8	Vulcan Com. or Deep Suck, R. H.	.85
* 9	Vulcan Com. or Deep Suck, R. H.	1.10
*10	Vulcan Common or Deep Suck, R. & L.	1.20
*11	Vulcan Common or Deep Suck, R. & L.	1.30
Above points, in Right Hand only, can be furnished in Concave pattern.		
*12	Vulcan Common or Deep Suck, R. & L.	1.40
*13	Vulcan Common or Deep Suck, R. & L.	1.50
*14	Vulcan Common or Deep Suck....	1.70
16	Vulcan Corg., R. H.	2.80
7	Vulcan Scraper Point	1.25

ROSE CLIPPER

No.		List
*10	Rose Clipper, R. H.	\$1.30
*11	Rose Clipper, R. and L.	1.50
*12	Rose Clipper, R. and L.	1.60
10	Rose Clipper, cutter, R. H.	2.35
11	Rose Clipper, R. & L., Cutter.....	2.55
12	Rose Clipper, cutter, R. and L.	2.80

SCOTCH CLIPPER

No.		List
*12	Scotch Clipper, R. and L.	\$2.35
*13	Scotch Clipper, R. and L.	2.45
*14	Scotch Clipper, R. and L.	2.50

OLD URIE

No.		List
Pansy		\$.65
Pet		.65

MIDDLE BREAKER

No.		List
108	Vulcan Middle Breaker	\$1.05
110	Vulcan Middle Breaker	1.25

CHILLED POINTS—Continued

MIDDLE BREAKER Cont.

No.		List
112	Vulcan Middle Breaker	\$1.40
114	Vulcan Middle Breaker	1.75

VICTORY SULKY

No.		List
*12	Victoria Sulky, R. and L.	\$2.25
*13	Victoria Sulky, R. and L.	2.40
*14	Victoria Sulky, R. and L.	2.50

VULCAN SULKY

No.		List
B72	Vulcan Sulky, R. H.	\$2.25
B74	Vulcan Sulky, R. H.	2.50
512	Vulcan Sulky, L. H.	2.25
514	Vulcan Sulky, L. H.	2.50

HILLSIDE

No.		List
6	Hillside Corg.	\$.85
8	Hillside Corg.	1.20
10	Hillside Corg.	1.50
12	Hillside Corg.	1.85

ROADSTER

No.		List
12	R. H. with Shin	\$2.15

SUBSOILER

No.		List
2	Inch	\$1.05
4	Inch	1.25
10	Inch for Middle Breaker	1.30
212	Peanut Digger	1.70
214	Peanut Digger	1.85
924	Peanut Digger, Steel Face	8.60
	Potato Digger Point only	3.85

*These sizes furnished "Plain" or "Corrugated".

Nos. 10, 11 and 12 Rose Clipper chilled points will not fit Nos. 46, 56 and 65.

STEEL MOLDBOARDS

No.	ROSE CLIPPER	List
6	Rose Clipper, R. H.	\$5.15
7	Rose Clipper, R. H.	5.80
8	Rose Clipper, R. H.	6.55
9	Rose Clipper, R. H.	7.55
10	Rose Clipper, R. H.	8.50
11	Rose Clipper, R. and L.	9.40
12	Rose Clipper, R. and L.	11.30

No.	SCOTCH CLIPPER	List
12	Vulcan Scotch Clipper, R. and L.	\$11.65
13	Vulcan Scotch Clipper, R. and L.	12.60
14	Vulcan Scotch Clipper, R. and L.	13.65

No.	OLD URIE	List
	Pansy, Old Urie, R. H.	\$3.70
	Pet, Old Urie, R. H.	3.70
0	Old Urie, R. H.	4.85
1	Old Urie, R. H.	5.35
1½	Old Urie, R. H.	5.85

No.	PONY STEEL SERIES	List
	Pony R. H.	\$3.05
	A. O. R. H.	3.45
	B. O. R. H.	4.25

No.	WAMPUS	List
6	Wampus	\$2.25
7	Wampus	2.40
8	Wampus	2.80

No.	BLACK LAND	List
307	Black Land, R. H.	\$7.10
308	Black Land, R. H.	8.00
309	Black Land, R. H.	8.80
CB-9	Black Land, R. H.	10.10
CB-10	Black Land, R. H.	11.90

No.	MIDDLE BREAKER (Black Land)	List
210	Middle Breaker, per pair	\$11.90
212	Middle Breaker, per pair	13.70

No.	MIDDLE BREAKER (Mixed Land)	List
108	Vulcan Middle Breaker, per pr.	\$ 6.15
110	Vulcan Middle Breaker, per pr.	8.40
112	Vulcan Middle Breaker, per pr.	10.40
114	Vulcan Middle Breaker, per pr.	12.20

STEEL MOLDBOARDS—Continued

No.	HILLSIDE	List
6	Hillside	\$3.85
8	Hillside	5.90
10	Hillside	8.00
12	Hillside	11.65

No.	ROADSTER	List
12	Right Hand	\$11.65

No.	NEW GROUND	List
7	Vulcan New Ground, R. H.	\$8.00
9	Vulcan New Ground, R. H.	9.65
10	Vulcan New Ground, R. and L.	11.65
12	Vulcan New Ground, R. H.	13.45

VICTORIA SULKY

No.		List
12	Victoria Sulky, R. and L.	\$11.65
13	Victoria Sulky, R. and L.	12.60
14	Victoria Sulky, R. and L.	13.45

VULCAN SULKY

No.		List
B72	R. H.	\$11.05
B74	R. H.	12.80
512	L. H.	11.05
514	L. H.	12.80

CHILLED MOLDBOARDS

No.		List
5	Vulcan R. H. Shin Mold	\$1.00
5	Vulcan R. H. Small size	1.95
5	Vulcan R. H. Regular	2.25
5X	Vulcan R. H. Large	2.25
6	Vulcan R. H. Small size	2.25
6	Vulcan R. H. Regular	2.35
6N	Vulcan R. H. Special Small size....	1.50
6N	Vulcan R. H. Medium	1.95
6N	Vulcan R. H. Regular	2.35
7	Vulcan R. H.	2.80
8	Vulcan R. H.	3.40
9	Vulcan R. H.	4.20
10	Vulcan R. and L.	5.00
11	Vulcan R. and L.	5.90
12	Vulcan R. and L.	6.40
13	Vulcan R. and L.	6.50
14	Vulcan R. and L.	7.05
16	Vulcan R. H.	8.65

MIDDLE BREAKER

108	Cast Moldboards (per pair)	\$4.40
-----	----------------------------------	--------

MOLDBOARDS—Continued**TERRACING MOLDS**
For Vulcan Chilled Plows

		List
Nos. 8, 9, 10 and 11	R. H. only	\$2.80

EXTRA STEEL SLAT MOLDBOARDS
COMPLETE

6N-X	Vulcan R. H. Steel Slat	\$5.90
* 7N-X	Vulcan R. H. Steel Slat	7.40
* 9N	Vulcan R. H. Steel Slat	12.80
* 10N	Vulcan R. H. Steel Slat	13.70
* 11N	Vulcan R. H. Steel Slat	13.70
* 11N-X	Vulcan L. H. Steel Slat	13.70
* 12N	Vulcan R. H. Steel Slat	16.50
* 12N	Vulcan L. H. Steel Slat	16.50
13N-X	Vulcan L. H. Steel Slat	18.05
134	Vulcan L. H. Steel Slat	19.25

*These sizes can be fitted on "N" Series Plows built with Chilled Mold.

PARTS FOR STEEL SLAT MOLDBOARDS

*New Style Parts marked with letter "X" taken only upon Plows built after Jan. 1930.

FOR No. 6N-X SB VULCAN PLOW

New		List
6NX	Steel Slat Moldboard, only	\$4.20
6NX	Moldboard Backing	.75
6NX	Spreader Brace	.45
6NX	Moldboard Support Bracket	.55

FOR No. 7N-X SB Vulcan Plow

Old—New		List
S22-S22X	Top Slat	1.05
S23-S23X	Second Slat	.85
S24-S24X	Third Slat	.85
S25-S25	Lower Slat, Old Style only ..	.85
S26-S26	Shin Plate	1.80
S27-S27X	Slat Support	1.50
S28-S28X	Mal. Handle Bracket	1.15

FOR No. 9N SB Vulcan Plow

Old		
S15	Top Slat	\$1.25
S16	Second Slat	1.05
S17	Third Slat	1.05
S18	Lower Slat	1.05
S19	Shin Plate	2.00
S20	Slat Support	1.95
S21	Mal. Handle Bracket	1.50
S10	Spreader Brace	.45

PARTS FOR STEEL SLAT MOLDBOARDS —Continued

FOR No. 10N RH SB VULCAN PLOW

Old—New		List
S1-S1X	Top Slat	\$2.05
S2-S2X	Second Slat	1.75
S3-S3X	Third Slat	1.75
S4-S4X	Lower Slat	1.60
S5-S5	Shin Plate	2.75
S6-S6X	Slat Support	1.75
S7-S7	Mal. Handle Bracket	1.40
S8-S8	Spreader Brace	.45

FOR No. 11N RH SB VULCAN PLOW

Old—New		List
S11-S11X	Top Slat	\$2.05
S12-S12X	Second Slat	1.75
S13-S13X	Third Slat	1.75
S14-S14X	Lower Slat	1.60
S5-S5	Shin Plate	2.75
S6-S6X	Slat Support	1.75
S7-S7	Mal. Handle Bracket	1.40
S9-S9	Spreader Brace	.45

FOR No. 11N-X LH SB VULCAN PLOW

Old—New		List
S55-S55X	Top Slat	\$2.05
S56-S56X	Second Slat	1.75
S57-S57X	Third Slat	1.75
S58-S58X	Lower Slat	1.60
S59-S59	Shin Plate	2.75
S60-S60X	Slat Support	1.75
S61-S61	Mal. Handle Bracket	1.40
S62-S62	Spreader Brace	.45

FOR No. 12N RH SB VULCAN PLOW

Old—New		List
S37-S37X	Top Slat	\$2.25
S38-S38X	Second Slat	1.80
S39-S39X	Third Slat	1.80
S40-S40X	Lower Slat	1.75
S41-S41	Shin Plate	2.90
S42-S42X	Slat Support	2.05
S43-S43	Mal. Handle Bracket	1.50
S44-S44	Spreader Brace	.45

PARTS FOR STEEL SLAT MOLDBOARDS

—Continued

FOR No. 12N LH SB VULCAN PLOW

Old—New		List
S29-S29X	Top Slat	\$2.25
S30-S30X	Second Slat	1.80
S31-S31X	Third Slat	1.80
S32-S32X	Lower Slat	1.75
S33-S33	Shin Plate	2.90
S34-S34X	Slat Support	2.25
S35-S35	Mal. Handle Bracket	1.50
S36-S36	Spreader Brace	.45

FOR No. 13N-X LH SB VULCAN PLOW

No.		List
S-47	Top Slat	\$2.65
S-48	Second Slat	1.85
S-49	Third Slat	1.85
S-50	Lower Slat	1.80
S-46	Shin Plate	3.20
S-51	Slat Support	2.90
S-52	Mal. Handle Bracket	1.80
S-53	Spreader Brace	.45

FOR No. 134 LH SB VULCAN PLOW

No.		List
S-64	Top Slat	\$2.65
S-65	Second Slat	1.85
S-66	Third Slat	1.85
S-67	Lower Slat	1.80
S-46	Shin Plate	3.20
S-51	Slat Support	2.90
S-52	Mal. Handle Bracket	1.80
S-53	Spreader Brace	.45

SHIN PIECES

No.	FOR VULCAN PLOWS	List
9	R. H.	\$.60
10	R. and L.	.65
11	R. and L.	.65
12	R. and L.	.70
13	R. and L.	.70
14	R. and L.	.75

ROADSTER

No.		List
12	Steel	\$2.80

LANDSIDES**WAMPUS, With Heel**

No.		List
6	Wampus	\$.85
7	Wampus	.85
8	Wampus	.85

PONY STEEL SERIES

No.		List
	Pony, AO, BO, Outside Landside	\$.85
	Pony, AO, BO, Inside Landside	1.15
	Pony, AO, BO, Landside Sets	2.25

SCOTCH CLIPPER

No.		List
12	Vulcan Scotch Clipper, R. and L...	\$2.40
13	Vulcan Scotch Clipper, R. and L...	2.40
14	Vulcan Scotch Clipper, R. and L...	2.40

LANDSIDES

No.	VULCAN	List
5	Vulcan, R. H.	\$.85
6	Vulcan, R. H.	.90
7	Vulcan, R. H.	1.15
8	Vulcan, R. H.	1.40
9	Vulcan, R. H.	1.70
10	Vulcan, R. and L.	1.95
11	Vulcan, R. and L.	2.05
12	Vulcan, R. and L.	2.35
13	Vulcan, R. and L.	2.45
13-X	Vulcan Slat, L. H.	2.45
134	Vulcan Slat, L. H.	2.45
14	Vulcan, R. and L.	2.55
16	Vulcan, R. H.	2.75

 When ordering Landsides for Vulcan Chilled Plows, ALWAYS say whether for Wood or Steel Beam as there is a difference.

OLD URIE

No.		List
	Pet, Old Urie, R. H.	\$1.10
0	Old Urie, R. H.	1.40
1	Old Urie, R. H.	1.40
1½	Old Urie, R. H.	1.40

BLACK LAND

No.		List
307	Black Land	\$4.40
308	Black Land	4.40
309	Black Land	4.40
CB-9	Black Land	3.40
CB-10	Black Land	3.40

STEEL LANDSIDE PLATES

No.	ROSE CLIPPER	List
6	Rose Clipper, R. H.	\$1.20
7	Rose Clipper, R. H.	1.40
8	Rose Clipper, R. H.	1.50
9	Rose Clipper, R. H.	1.80
10	Rose Clipper, R. H.	2.55
11	Rose Clipper, R. and L.	2.75
12	Rose Clipper, R. and L.	2.90

**STEEL LANDSIDES FOR ROSE CLIPPER
PLOWS WITH STEEL SADDLE**

10NX SC RC	Rose Clipper, R. H.	\$2.80
12NX SC RC	Rose Clipper, R. H.	2.90
Heel, Only, for No. 10 and No. 12NX SC RC		
Rose Clipper Plow With Steel Saddle....		.70

No.	SCOTCH CLIPPER	List
12	Vulcan Scotch Clipper, R. and L.	\$3.40
13	Vulcan Scotch Clipper, R. and L.	3.40
14	Vulcan Scotch Clipper, R. and L.	3.85

SADDLES

No.	VULCAN	List
5	Vulcan, R. H.	\$2.65
6	Vulcan, R. H.	3.55
6N	Vulcan, R. H.	3.55
7	Vulcan, R. H.	4.05
8	Vulcan, R. H.	4.65
9	Vulcan, R. H.	5.40
10	Vulcan, R. and L.	5.90
11	Vulcan, R. and L.	6.00
12	Vulcan, R. and L.	6.10
13	Vulcan, R. and L.	6.40
14	Vulcan, R. and L.	7.10
134	Vulcan, L. H. (for Slat Mold Plow)	7.10
16	Vulcan, R. H.	8.35

No.	ROSE CLIPPER	List
6	Rose Clipper, R. H., with Heel	\$4.05
7	Rose Clipper, R. H., with Heel	3.40
8	Rose Clipper, R. H., with Heel	4.40
9	Rose Clipper, R. H., with Heel	5.15
10	Rose Clipper, R. H., with Heel	6.45
11	Rose Clipper, R. and L., with Heel..	6.65
12	Rose Clipper, R. and L., with Heel..	7.45

**ROSE CLIPPER STEEL SADDLES,
ONLY—NO HEEL**

10NX SC RC	Rose Clipper, R. H.	\$5.60
12NX SC RC	Rose Clipper, R. H.	5.60

SADDLES—Continued

No.	SCOTCH CLIPPER	List
12-13-14	Scotch Clipper, R. and L.	\$6.65

No.	WAMPUS	List
6	Wampus	\$4.25
7	Wampus	4.25
8	Wampus	4.25

No.	PONY	List
Pony and AO		\$1.40
BO		1.50

No.	BLACK LAND	List
307-8-9	Black Land	\$6.05
CB-9	Landside Bar and Frog	3.85
CB-10	Landside Bar and Frog	3.85

No.	VICTORIA SULKY	List
12, 13 & 14	Victoria Sulky, R. & L.	\$8.80
14	Victoria Sulky for chilled base, R. and L.	10.80

No.	VULCAN SULKY	List
B49	Vulcan Sulky, R. H.	\$6.65
B50	Vulcan Sulky, R. H.	7.45
B52	Vulcan Sulky, R. H.	8.35
B53	Vulcan Sulky, L. H.	8.35
B54	Vulcan Sulky, R. H.	9.20
B55	Vulcan Sulky, L. H.	9.20
B72	Vulcan Sulky, R. H.	10.95
512	Vulcan Sulky, L. H.	10.95
B74	Vulcan Sulky, R. H.	10.95
514	Vulcan Sulky, L. H.	10.95

MIDDLE BREAKER (Black Land)

No.		List
210	Middle Breaker	\$6.05
212	Middle Breaker	6.05

No.	MIDDLE BREAKER (Mixed Land)	List
108	Vulcan Middle Breaker, with Heel	\$4.80
110	Vulcan Middle Breaker, with Heel	5.60
112	Vulcan Middle Breaker, with Heel	5.90
114	Vulcan Middle Breaker, with Heel	7.10
110-X-MB	w-Heels and Steel Rudder	6.10
112-X-MB	w-Heels and Steel Rudder	6.40
114-X-MB	w-Heels and Steel Rudder	7.45

STANDARDS

No.	VULCAN	List
7	Vulcan, R. H.	\$4.15
8	Vulcan, R. H.	5.05
9	Vulcan, R. H.	5.85
10	Vulcan, R. and L.	6.50
11	Vulcan, R. and L.	6.50
12	Vulcan, R. and L.	6.60
13	Vulcan, R. and L.	7.10
14	Vulcan, R. and L.	7.10
16	Vulcan, R. H.	8.35

No.	OLD URIE	List
	Pansy, Old Urie, R. H.	\$3.95
	Pet, Old Urie, R. H.	4.15
0	Old Urie, R. H.	3.95
1	Old Urie, R. H.	3.95
1½	Old Urie, R. H.	3.95

No.	NEW GROUND	List
7	Vulcan New Ground, R. H.	\$5.30
9	Vulcan New Ground, R. H.	5.85
10	Vulcan New Ground, R. and L.	6.40
12	Vulcan New Ground, R. H.	7.10
8	Single Shovel	5.30

No.	HILLSIDE	List
6	Hillside, S. B.	\$4.00
8	Hillside, W. B.	5.35
8	Hillside, S. B.	5.35
10	Hillside, W. B.	7.05
10	Hillside, W. B., New Style	7.05
10	Hillside, S. B.	7.05
12	Hillside, S. B.	8.60

No.	ROADSTER	List
12	Right Hand	\$12.40

No.	SUBSOILER	List
	Subsoiler	\$8.80

No.	BEAMS	Wood	Steel
5	Vulcan	\$	\$6.45
6	Vulcan		7.15
7	Vulcan	4.85	8.00
8	Vulcan	4.85	8.80
9	Vulcan	5.85	9.65
10	Vulcan	5.85	9.65
11	Vulcan	5.85	11.40
12	Vulcan	6.45	11.40
13	Vulcan	7.70	13.30

BEAMS—Continued

No.		List	
		Wood	Steel
14	Vulcan	\$7.70	\$13.30
16	Vulcan	7.70	13.30
14	Vulcan Scotch Clipper	7.70	13.30
6	Rose Clipper		7.10
7	Rose Clipper	4.85	8.65
8	Rose Clipper	4.85	9.65
9	Rose Clipper	5.85	9.65
10	Rose Clipper	5.85	11.65
11	Rose Clipper	5.85	11.65
12	Rose Clipper	6.45	13.20
6	Vulcan Wampus		7.70
7	Vulcan Wampus		7.70
8	Vulcan Wampus		8.05
	Pony, AO	3.85	6.45
	BO	4.85	7.10
307	Black Land		10.25
308	Black Land		11.10
309	Black Land		11.10
CB-9			10.95
CB-10			10.95
108	Middle Breaker		9.25
110	Middle Breaker		10.05
112	Middle Breaker		11.05
114	Middle Breaker		11.90
210	Middle Breaker		12.75
212	Middle Breaker		12.75
	Pansy, Old Urie	4.40	
	Pet, Old Urie	4.40	
0, 1, & 1½	Old Urie	4.85	
7	Vulcan New Ground	4.85	
9	Vulcan New Ground	5.40	
10	Vulcan New Ground	5.85	
12	Vulcan New Ground	5.85	
6	Vulcan Hillside		7.15
8	Vulcan Hillside	4.40	7.15
10	Vulcan Hillside	5.40	10.40
12	Vulcan Hillside		10.40
12	Vulcan Roadster	8.65	
	Vulcan Single Shovel	4.85	
	Victoria Double Shovel	Short	4.85
		Long	5.85
	Vulcan Double Shovel	Short	3.75
		Long	4.85
	Subsoiler		9.25

HANDLES

PAIRS PAIRS SETS SETS SETS
 N Series Old Style Wood "N" Old
 Loose Loose Beam Series Style
 Handles Handles

No.						
5-6-6N	Vulcan	\$3.40	\$3.40		\$3.70	\$3.70
7-8	Vulcan	3.40	3.45	4.40	3.70	3.85

HANDLES—Continued

9	Vulcan		3.40	3.45	5.40	3.95	4.35
*10-11	Vulcan		3.40	3.45	5.40	3.95	4.35
*12-13-14	Vulcan		3.45	3.45	5.85	4.40	5.15
16	Vulcan			3.45	5.85		4.85
7N-X	Vulcan Slat		3.40			3.70	
11N-XL	Vulcan Slat		3.40			3.80	
13N-XL	Vulcan Slat		3.45			4.35	
134 L	Vulcan Slat		3.45			4.35	
6	Rose Clipper		3.40	3.40		3.70	3.70
7-8	Rose Clipper		3.40	3.45	4.85	3.70	3.95
9	Rose Clipper		3.40	3.45	5.85	3.70	4.35
10	Rose Clipper		3.40	3.45	5.85	3.95	4.35
*11	Rose Clipper		3.40	3.45	5.85	3.95	4.35
*12	Rose Clipper		3.40	3.45	5.85	3.95	4.85

PAIRS	SETS	SETS
Loose	Wood	Steel
Handles	Beam	Beam

12-13-14	Scotch Clipper	\$3.85	\$6.20	\$4.85
307-8-9	Black Land	3.40		3.85
CB-9-10	Black Land	3.40		4.85
108-110	Middle Breaker	3.40		3.80
112-114	Middle Breaker	3.45		3.95
210-212	Middle Breaker	3.45		3.80
6	Vulcan Wampus			3.40
7	Vulcan Wampus			3.40
8	Vulcan Wampus			3.40
	Pansy, Old Urie	3.40	3.80	
	Pet, Old Urie	3.40	4.35	
0-1	Old Urie	3.40	4.35	
1½	Old Urie	3.40	4.85	
7	New Ground	3.40	4.85	
9	New Ground	3.40	5.30	
*10	New Ground	3.45	5.85	
12	New Ground	3.45	5.85	
6	Hillside	3.40		3.95
8	Hillside	3.40	4.35	4.35
10	Hillside	3.40	4.85	4.85
12	Hillside	3.40		6.00
Vulcan	Single Shovel	3.40	6.00	
12	Roadster	2.75		3.10
Vulcan-Victoria	Double			
	Shovel	3.40	4.85	
	Subsoiler	3.40		4.85

*These sizes made in both Right & Left Hand.

JOINTERS

Kind	List
"Regular" R. or L., for Wood Beam	\$7.30
"Special" R. or L., for Wood or Steel	8.75
"Model O" Steel Shank, R. H. only	
for Wood or Steel	8.75

JOINTERS—Continued

"Universal" Steel Shank, L. H. or	
R. H. Steel Beam	8.00
"Hillside" for Nos. 10 and 12	
Hillside Plow	9.30
Sulky Plow Jointer	9.30

JOINTER PARTS**"Universal" Steel Shank Jointer**

No.		List
J6R	Mold, R. H.	\$.70
J7L	Mold, L. H.	.70
J8R	Point, R. H.	.60
J9L	Point, L. H.	.60
J20	Saddle, R. H.	1.95
J30	Saddle, L. H.	1.95
J31R	Shank, R. H.	2.75
J31L	Shank, L. H.	2.75
J33	Inside Clamp Block and Set	
	Screw, R. H.	1.80
J34	Outside Clamp Block, R. H.	1.05
J35	Inside Clamp Block and Set	
	Screw, L. H.	1.80
J36	Outside Clamp Block, L. H.	1.05
J37	Steel Clip, R. or L.	.55

"Regular" Jointer

No.		List
1	Bracket, R. H.	\$3.85
2	Standard, R. H.	2.90
3	Bracket, L. H.	3.85
4	Standard, L. H.	2.90
J6R	Mold, R. H.	.70
J7L	Mold, L. H.	.70
J8R	Point, R. H.	.60
J9L	Point, L. H.	.60

"Special" Jointer

No.		List
2	Standard, R. H.	\$2.90
4	Standard, L. H.	2.90
5	Frame, R. or L.	4.35
J6R	Mold, R. H.	.70
J7L	Mold, L. H.	.70
J8R	Point, R. H.	.60
J9L	Point, L. H.	.60
10	Beam Cap for Wood Beam	.40
11	Beam Cap for Steel Beam	.40
A	Front Beam Bracket for Wood Beam	1.40
B	Rear Beam Bracket for Wood Beam	1.40
C	Front Beam Bracket for Steel Beam	1.40
D	Rear Beam Bracket for Steel Beam	1.40

"Model O" Steel Shank Jointer

No.		List
J6R	Mold, R. H.	\$.70
J8R	Point, R. H.	.60
J20	R. Saddle	1.95

JOINTER PARTS—Continued

J21	R. Shank	2.90
J24	Clamp Cap	.75
J25	Clamp Clip	.55
J26	R. Shank for Gang Jointer	3.40
J27	Special Clamp Bolt, $4\frac{1}{4} \times \frac{1}{2}$. Each	.40
J28	Clamp Block	1.95
J29	Clamp Ring	1.95

“Hillside” Jointer

No.		List
H 1	Point and Mold Combined	\$1.05
H 2	Standard	.90
H 3	Collar	.60
H 4	Bracket	2.50
H 5	Shifting Rod for No. 10	.65
H 5½	Shifting Rod for No. 12	.65
H 6	Adjustment Casting	.65
H 7	Rod Holder	.40
H 8	Handle Brace Attachment	.40
H 9	Latch for No. 10 H. S. Plow	1.95
H13	Latch for No. 12 H. S. Plow	2.05

**GAGE WHEELS
Complete**

Kind	List
“Regular” for Wood or Steel Beam	\$3.30
“Regular” Double Standard for Roadster	5.40
“Hillside” for Steel Beam	3.30
“Hillside” Small for No. 6 and No. 8 Steel Beam....	3.20

When ordering “Regular” Gage Wheels say whether for Wood or Steel Beam.

**GAGE WHEEL PARTS
“REGULAR”****Wood and Steel Beam**

No.		List
1	Standard Wrought	\$1.50
2	Stirrup for W. B. Clamp, Old Style	.40
3	Stirrup for S. B. Clamp, Old Style	.40
4	Wheel	1.40
5	Block for W. B. Clamp	.40
6	Block for S. B. Clamp	.40
7	Cap for W. B. or S. B. Clamp, Old Style.....	.40
8	Beam Clip for W. B. or S. B. Clamp, Old Style	.40
9	Bolt	.35
10	Hub	.40
11	Cap for W. B. or S. B. Clamp, Old Style.....	.40
12	Clip for W. B. Clamp only, New Style	.40
13	Stirrup for S. B. Clamp, New Style	.40
14	Stirrup for W. B. Clamp, New Style	.40

Steel Beam Hillside

GW 4	Wheel	\$1.40
GW15L	Beam Clip	.40
GW15R	Beam Clip	.40
GW16	Standard, each	.65
No. 9	Bolt for Hub	.35
No. 10	Hub	.40

NEW GROUND COULTERS—Complete

	Single Shovel	\$6.55
7	New Ground	6.55
9	New Ground	8.65
10	New Ground Right Hand	8.65
10X	New Ground Left Hand	8.65
12	New Ground	8.65

NEW GROUND COULTER PARTS

No.		List
1	Draft Rod for Nos. 10 and 12	\$1.05
2	Draft Rod, No. 9	1.05
3	Draft Rod, No. 7 and S. S.	1.05
4	Blade for Nos. 9, 10 and 12	4.85
4X	Blade for No. 10 Left Hand	4.85
5	Blade for No. 7	3.85
6	Blade for Single Shovel	3.85
7	Stirrup for No. 7 and S. S.	.65
8	Stirrup for No. 9	.70
8X	Stirrup for Nos. 10 and 12	.70
9	Cast Clip, No. 7 and S. S.	.60
10	Cast Clip, Nos. 9, 10 and 12	.65
11	Coulter Sleeve for No. 7 and S. S.	1.20
12	Coulter Sleeve for Nos. 9, 10 and 12	1.80
12X	Coulter Sleeve for No. 10 Left Hand	1.80
13	Beam Block for No. 7 and S. S.	.20
14	Beam Block for Nos. 9, 10 and 12	.40

ROLLING COULTERS

12	Inch, complete	\$10.60
13	Inch, complete	11.35
15	Inch Special for Sulky Plows	14.60
15	Inch Coulter (1¼" Standard) w/Jtr. Attach. for Sulky or Tractor Gang	16.60

KNIFE COULTER

	Knife Coulter with Clamp for Walking Plow	\$5.85
	Clamp complete for above Knife Coulter	1.05
	Stirrup for above Knife Coulter	.70
	Clip for above Knife Coulter	.45
	Blade only for above Knife Coulter	4.85

FOR 12 AND 13 INCH VULCAN COULTERS

SC15	12" Blade only	\$3.95
SC16	16" Blade only	4.40
SC6	Stem	1.50
SC7	Clamp Box	.75
SC8	Clamp Wedge	.20
SC9	Clamp Ring	1.05
SC10	Clamp Clip	.35
SC13	Male Hub	.55
SC14	Female Hub	.55
No. 3	Malleable Yoke	1.95
No. 23	Cone	.20
	9/16" x 5" Hub Bolt	.35
	½" x 2¾" Clamp Bolt	.40
	½" x 4¼" Clip Bolt	.20
	Clamp Assembly, Complete	2.55

LIST PRICES ON CLEVISES AND PARTS

See catalog for illustration of clevises and list showing plows on which various clevises are used.

No.		List
6	H. C. Clevis Complete	\$1.40
8	H. C. Clevis Complete	1.40
10	H. C. Clevis Complete	1.50
12	H. C. Clevis Complete (except lever)	4.40
101	Clevis Complete	.60
103	Clevis Complete	1.15
106	Clevis Complete	1.15
110	Clevis Complete	1.40
120	Clevis Complete	1.50
135	Clevis Complete	1.50
190	Clevis Complete	3.45
210	Clevis Complete	1.50
212	Clevis Complete	3.45
226	Clevis Complete	2.65
304	Clevis Complete	.70
326	Clevis Complete	3.45
	Roadster Clevis Complete	3.45
97	Cross Clevis and Pin	.75
210	Cross Clevis and Pin	.55
212	Cross Clevis and Pin	.75
226	Cross Clevis and Pin	.65
326	Cross Clevis and Pin	1.05
190	Clevis Jaws, per pair	1.80
210	Clevis Jaws, per pair	.75
226	Clevis Jaws, per pair	1.80
1	Straight End Shackle	.35
2	Straight End Shackle	.45
3	Twist End Shackle	.35
4	Twist End Shackle	.45
5	Twist End Shackle	.60
8	Swivel End Shackle	.65
6	Clevis Brace	.45
	All Size Clevis Wrenches	.45
	All Size Clevis Pins	.35

HILLSIDE PLOW REPAIRS.

Frogs:

No. 6	\$1.20	No. 10	\$ 2.40
No. 8	1.45	No. 12	2.90

Latch:

No. 6	\$.85	No. 10	\$1.20
No. 8	1.05	No. 12	1.40
Latch Spring, all sizes			.45

Shoe:

No. 6	\$1.05	No. 10	\$1.75
No. 8	1.30	No. 12	2.15
Heel, No. 8 Wood Beam			.60
Heel, No. 10 Wood Beam, O. S.			.60

Yoke:

No. 6	\$.85	No. 10	\$1.60
No. 8	1.20	No. 12	1.80
Brace Rod for Mold			.65
Beam Spreaders, per pair			.60
No. 12 Hillside Shifting Lever			2.90
No. 6 and 8 Handle and Beam Brace			.55
No. 10 and 12 Handle and Beam Brace			.65

For prices on Hillside Points, Molds, Standards Beams and Handles, see under proper headings.

LIST of PARTS for VULCAN SULKY PLOW

No.	Name of Part	Material List
A22	Weed Hook Stirrup Clip	C \$.65
A27	Clevis Jaw	M 1.85
A28	Cross Clevis	M 1.60
A29	Clevis Brace	M .65
A30	Clevis Pin	M .70
A31	Clevis for Doubletree	M 2.40
A35X	Coulter Yoke	M 4.35
A36	Coulter Hub	C .75
A37	Coulter Cone	C .45
A36X	Coulter Hub	C .75
A37X	Coulter Cone	C .45
A39P	15" Coulter Blade	S 5.35
A40X	Coulter Shank	S 3.40
A52	Pawl Spring	S .45
A61	Cushion Spring	S 1.60
A68	Weed Hook	S 2.25
A69	Weed Hook Stirrup	S .65
A80	Coulter Set Collar and Screw	M .60
A93	Spacer w-2 Rivets for A-97	.55
A94	Coulter Hub, New Style	.75
A95	Coulter Hub Cone, New Style	.45
A97	Steel Coulter Yoke w-A-93	3.05
A129	Coulter Blade only	5.35
F55	Blade w-Bolt for Jointer Attachment ...	2.55
F124	Arm for Jointer Attachment	1.85
F125	Saddle w-Set Screw for Jointer Attachment	1.15
B21	Land Lever Quadrant (Left Hand only) M	3.45
B22	Land Lever Quadrant (Right Hand only) M	3.45
B23	Land Axle Set Collar and Screw	M .60
B24	Coulter Clamp Box	M .70
B25	Coulter Clamp Cap	C .75
B26	Front Furrow Axle Sleeve	C 3.45
B27	Rear Wheel Box	C 5.05
B28	Nut for Rear Wheel (Left Hand thread) C	.60
B29	Nut for Rear Wheel (Right Hand thread) C	.60
B30	Rear Wheel Spindle	C 3.40
B31	Rear Wheel	C 5.05
B32	Rear Wheel Cap	C .85
B33	Furrow Axle Sand Cap	C .70
B34	Furrow Axle Sand Cap	C .70
B35	Land Axle Sand Cap	C 1.10
B36	Land Axle Sand Cap	C 1.10
B33X	Furrow Axle Sand Cap	C .70
B34X	Furrow Axle Sand Cap	C .70
B35X	Land Axle Sand Cap	C 1.15
B36X	Land Axle Sand Cap	C 1.15
B38	Pivot Quadrant	M 1.50
B39	Lever Spring Bracket	M .60
B40	Pivot Lever Axle Block	C .70
B41	Pivot Lever Spring	S .45
B43	Wrought Steel Beam Washer	S .45
B44	Foot Rest Clip for Right Hand only	C .60
B44L	Foot Rest Clip for Left Hand only	C .60
B49	Moldboard Brace for B49 Sulky	S .60
B50	Moldboard Brace for B50 Sulky	S .60
B52	Moldboard Brace for B52 Sulky	S .60
B54	Moldboard Brace for B54 Sulky	S .60
B72	Moldboard Brace for B72 Sulky	S .60
B74	Moldboard Brace for B74 Sulky	S .60
B101	Flat Sulky Beam, Right and Left Hand S	14.10
B102	Old Style Sulky Beam, Right Hand only S	18.05
B103	Furrow Frame Bar, Rear 12 in., 14., and 16 in	S \$3.40

LIST of PARTS for VULCAN SULKY PLOW

(Continued)

No.	Name of Part	Material	List
B103½	Furrow Frame Bar, Rear 9 in., and 10 in.	S	3.10
B104	Furrow Frame Bar, Front 12 in., 14 in., and 16 in.	S	3.40
B104½	Furrow Frame Bar, Front 9 in., and 10 in.	S	3.10
B105	Land Frame Bar, Rear (for Right Hand)	S	5.35
B105½	Land Frame Bar, Rear (for Left Hand)	S	5.40
B106	Land Frame Bar, Front (for Right Hand)	S	4.05
B106½	Land Frame Bar, Front (for Left Hand)	S	4.05
B108	Furrow Axle	S	6.75
B109	Land Axle, Right and Left Hand	S	6.05
B110	Furrow Lever	S	5.30
B111	Land Lever	S	4.05
B112	Pivot Lever	S	3.10
B113	Furrow Truss Rod	S	3.45
B114	Furrow Lever Quadrant	M	2.00
B115	Furrow Lever Quadrant Brace	S	.60
B116	Furrow Lever Bracket	S	2.55
B118	Furrow Lever Bracket Brace	S	.60
B119	Furrow Lever Link	S	.55
B120	Lever Pawl	S	.35
B121	Pawl Case	S	.45
B122	Land Lever Pawl Rod	S	.60
B123	Furrow Lever Pawl Rod	S	.60
B124	Cushion Spring Rod	S	.65
B125	Cushion Spring Rod Clip	S	.60
B127	Seat	S	3.10
B128	Seat Spring	S	2.80
B129	Seat Spring Bracket, Left Hand	S	2.55
B130	Seat Spring Bracket, Right Hand	S	2.55
B131	Rear Wheel Bracket, Left Hand	S	2.55
B132	Rear Wheel Bracket, Right Hand	S	2.55
B133	Rear Wheel Bracket Brace, Left Hand	S	1.50
B134	Rear Wheel Bracket Brace, Right Hand	S	1.50
B135	Rear Wheel Outside Scraper, Left Hand	S	.75
B136	Rear Wheel Outside Scraper, Right Hand	S	.75
B137	Rear Wheel Inside Scraper, Left Hand	S	.60
B138	Rear Wheel Inside Scraper, Right Hand	S	.60
B139	Rear Wheel Lock Hook Clip, Left Hand	S	.45
B140	Rear Wheel Lock Hook Clip, Right Hand	S	.45
B141	Rear Wheel Hook, Right and Left Hand	S	.60
B142	Land Wheel, Complete with Box and Cap Nut, Right and Left Hand	S	12.20
B143	Furrow Wheel, Front, complete with Box and Cap Nut, Right and Left Hand	S	10.00
B146	Foot Rest, Right Hand only	S	3.05
B141L	Foot Rest, Left Hand only	S	3.05
B149	Furrow Lever Quadrant, Right Hand only	M	5.90
B149L	Furrow Lever Quadrant, L. H. only	M	5.90
B150	Furrow Axle Swivel, R. and L. Hand	M	5.40
B151	Lower Axle Outer Bearing, Right Hand	M	1.15
B151L	Lower Axle Outer Bearing, Left Hand	M	1.15
B152	Coulter Shank Clamp, Right Hand	S	1.15
B152L	Coulter Shank Clamp, Left Hand	S	1.15
B153	Upper Crank Axle	S	2.00
B154	Lower Crank Axle	S	2.00
B155	Crank Axle Lever	S	5.35
B156	Pawl Rod for Crank Lever	S	.55
B157	Steel Hand Grip	S	.60
B158	Steel Hand Grip Pivot	S	.20
B159	Pivot Axle	S	5.30

LIST of PARTS for VULCAN SULKY PLOW

(Continued)

No.	Name of Part	Material	List
B161	Pivot Axle Lever	S	3.05
B162	Pivot Axle Lever Spring	S	.45
B489	Lever Grip	S	.45
N72	Cap Nut for Land and Furrow Wheel	C	1.40
SB618	Box for Land and Furrow Wheel	C	1.85
W263	Beam Washer	S	.45
"S" Steel, "C" Cast, "M" Malleable			

VULCAN STALK CUTTER REPAIRS

No.	Name of Part	List
A-31	Clevis only	\$ 2.40
BR-1	6-Knife Head, Right	9.85
BR-2	6-Knife Head, Left	9.85
BR-3	7-Knife Head, Right	10.95
BR-4	7-Knife Head, Left	10.95
BR-5	9-Knife Head, Right	12.10
BR-6	9-Knife Head, Left	12.10
BR-7	Cutter Head Bearing	.60
BR-8	Cutter Head Bearing Box, Right	2.90
BR-9	Cutter Head Bearing Box, Left	2.90
BR-10	Dust Cap for BR-8 and BR-9	.55
BR-11	Spring Rod Collar and Set Screw	.75
H-85-86	Wheel Box Clamps, per pair	1.25
K-17	Wheel Box and Lock Nut	1.60
KR-63	Wheel Box Cap for J-1-W	.85
J-1-W	Wheel Box and Lock Nut only	2.05
J-1-W	Wheel Box complete with Lock Nut and KR-63 Cap	3.05
X-763	Wheel Clamp Corner Bracket	1.20
00	Oil Cup	.60
285	9-Knife Single Head, Right	14.05
285	9-Knife Single Head, Left	14.05
379	Wrench	.75
761	Arch and Sand Box Cap	.60
765	Cutter Head Axle Washer	.45
766	Cutter Head Sand Band	.70
771	Lever Sector	2.50
772	Lever Arm	1.95
773	Lever Plunger	.60
774	Lever Plunger Socket	1.25
775	Lever Latch	.60
777	Foot Rest	4.85
778	Cutter Head Box, Old Style	3.05
779	Cutter Head Box, Old Style	3.05
783	Wheel Axle Washer	.60
1423	Double Edge Blade Washer	.60
1561	8-Knife Single Head, Left	13.45
1562	8-Knife Single Head, Right	13.45
1563	Single Head Axle Washer	.45
	Axle, Double Head, with Nuts	1.85
	Axle, Single Head	7.75
	Axle, Wheel Arch	8.05
	Blade, Double Edge, 22 $\frac{5}{8}$ "	1.85
	Blade, Double Edge, 26 $\frac{1}{2}$ "	2.00
	Eveners Complete, 2-Horse Wood	7.55
	Evener Main Piece, 2-Horse	3.80
	Hook, Stalk	4.20
	Latch, Lever	.45
	Lever Only, Lifting	3.20
	Lever Complete, Lifting	5.85
	Neckyoake Complete	4.15
	Pole Only	8.20

VULCAN STALK CUTTER REPAIRS

(Continued)

No.	List
Rod, Lever Latch	.45
Rod, Lifting Spring	1.25
Seat, Pr. Steel	3.05
Singletree Complete	1.50
Spring, Lever Plunger	.45
Spring, Lifting Spring Rod	1.25
Spring, Seat	2.85
Wheel Complete, with J-1-W Wheel Box and KR-63 Cap	13.45

MISCELLANEOUS

	List
Beams, wood, rough:	
One-horse	\$3.40
Two-horse	4.85
Beam Clamp, complete, for fastening wood beam to standard (Stirrup .55, cap .30)	1.05
Beam Cap for No. 10 and 12 New Ground	1.05
Beam Spreader for Vulcan and Victoria Double Shovel	.60
Bolts:	
Points, Molds, Landsides, Saddles, Handle Braces, each	.10
Beam and Handle Brace on all Wood Beam Plows, each	.15
Beam and Standard on all Wood Beam Plows, each	.25
Braces for "N" Series, all sizes:	
Spreader (mold to land)	.40
Mold and Handle Connection	1.05
Land and Handle Connection	.70
Handle and Beam Braces, per pair	1.05
Diagonal Handle Brace	.60
Braces (Miscellaneous):	
Handle and Wood Beam, one horse	.75
Handle and Wood Beam, two horse	1.25
Handle and Wood Beam, Special for Orchard Plow	1.50
Spreader, for Molds and Handles, all sizes (Old Style)	.40
Spreader Brace for No. 210-212 Black Land Middle Breaker	1.05
Heel Brace, Right, for No. 210-212 B. L. Middlebreaker	.55
Heel Brace, Left, or No. 210-212 B. L. Middlebreaker	.55
Handle and Beam Braces, for CB-9, 10, per pr. Moldboard and Landside Brace, for CB-9 and CB-10, each	1.40
Moldboard and Handle Bracket, for CB-9 and CB-10, each	1.05
RB-15 Land Handle and Beam Bracket and CB-9-10 Plows	1.40
Spreader, with Bolt, S. B. Double Shovel Plows	.65
Furrow Wheel for Nos. 10 and 12 New Ground Plow	\$1.95
Furrow Wheel Axle for Nos. 10 and 12 New Ground Plow, R. and L.	.75

MISCELLANEOUS—Continued

	List
No. 10 and No. 12 New Ground Furrow	
Wheel Scraper	.35
Fin Cutter, Steel, for No. 14 Scotch Clipper	
and No. 12 Rose Clipper Plows	1.80
Frog for Middle Breaker Attachment	1.95
Handles, Rough:	
One-horse	1.25
Two-horse	1.40
Handle Brace for Vulcan and Victoria	
Double Shovel	.40
Handle Plate, (Cast) Scotch Clipper	.60
Handle Plates, all other series	.55
Handle Rods for all sizes of S. B. Plows,	
Old Style, per pair	1.95
Heels for Rose Clipper, Pansy and Middlebreakers	.60
Heels for Vulcan Wampus (with bolts)	.45
Heel Slide for Vulcan Double Shovel	.35
Heel Slide for Victoria Double Shovel	.35
No. 250 Right Heel for No. 210-212 Blackland	
Middle Breakers	.85
No. 251 Left Heel for No. 210-212 Blackland	
Middle Breaker	1.25
No. 110X, 112X, 114X, Right Heel for	
"X" Series Middle Breaker	.85
No. 110X, 112X, 114X, Left Heel for	
"X" Series Middle Breaker	.85
Middle Breaker Attachment for Subsoiler Plow....	11.80
Potato Digger Attachment for Subsoiler Plow	8.40
Potato Digger, Point only	3.75
Potato Digger Rods, each	1.05
Rounds for Handles, each	.20
Rudder, Steel, for No. 108-110-112-114-X	
Middle Breakers	1.05
Rudder, Steel, for No. 210-212 Black Land	
Middle Breakers	1.50
Shoe, Chilled, for Subsoilers	2.00
Shovel Blades, No Bolts included:	
2½ inch	1.15
5 inch	1.25
6 inch	2.35
8 inch	2.65
10 inch	3.20
10 inch, with six inch extension wings	5.30
Slips for Slip Nose Points, all sizes	.45
Terracing Mold for Nos. 8, 9, 10 and 11 Vulcan....	2.80
Triple Trees, complete	11.50
Washers, Cast Angle	.05
Washers, Cut Steel	.05
Wrenches Malleable, for one or two-horse plow....	.60
Wrench Holder	.35

MEMORANDUM

[illegible]

MEMORANDUM

[illegible]

MEMORANDUM

This image shows a single sheet of off-white or cream-colored paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

MEMORANDUM

[illegible]

MEMORANDUM

This image shows a single sheet of off-white or cream-colored paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

MEMORANDUM

This image shows a single sheet of off-white or cream-colored paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

