

LE ROY

PLOWS

TURN THE

EARTH



AND THE FARMER SUPPORTS THE WORLD

LE ROY PLOW CO. LE ROY, N.Y., U.S.A.

Le Roy Chilled Plows

And Other
Farm Implements

LE ROY PLOW COMPANY

LE ROY, NEW YORK
U. S. A.



WHERE LE ROY PLOWS ARE MADE

FACILITY CAPACITY 25,000 PLOWS A YEAR

TO THE TRADE

THE following pages illustrate and describe the “LeRoy” line of plows and other implements. For nearly a quarter century we have been designers and builders of farming implements.

OUR CONSTRUCTION is on honest principles; no detail is too small to receive careful attention. All materials used are the best that can be obtained, put up by experienced workmen.

SERVICE, which means accurate attention to your orders at the earliest possible date required, is guaranteed to the best of our ability.

SHIPPING: Le Roy has unequaled freight facilities—five railroads: Erie, New York Central, Buffalo, Rochester & Pittsburgh, Lehigh Valley, and Delaware, Lackawanna & Western.

WE SOLICIT your patronage and co-operation in the distribution of our product of merit and necessity.

LE ROY PLOW COMPANY, LE ROY, NEW YORK, U. S. A.

Le Roy All-Steel Frame Two-Way Sulky Plow

The FRAME of the Le Roy Sulky Plow is made of the best steel and malleable iron, making it light, strong and unbreakable, and is extra wide to prevent tipping over on side hills. Wheels are strong, made of steel with stagger spokes. All Levers and Castings, excepting the Plow Bottoms, are made of the best malleable iron.

Our POLE ADJUSTMENT is the simplest and most efficient on the market, and is operated by a Lever directly in front of the driver, enabling him to make an easy shift to obtain the Full Width of the furrow while plowing on side hills or around curves. The Plow Beams can also be turned to the left or to the right, to take more or less land, by loosening four bolts under the Beam Plate.

The POLE is quickly changed from a two- to a three-horse hitch by bolting it on the opposite side of the Stub Pole, the balance being so carefully adjusted that the pole is steady but will not drag down on the horses' necks.


In use, one Plow is raised while the other turns the furrow. At the end of the furrow, by pressing down on the Foot-trip or lower handle of the Lever, this Plow is mechanically raised by the horses, leaving the driver's hands free to manage them. After the turn is made and the other Plow lowered, the Whiffle-tree hitch draws into place and remains there.

We furnished two perfect chilled or combination Plow Bottoms with each Sulky. In their construction only the best grades of iron are used, mixed with the utmost care to insure strength and good wearing qualities. The Moldboards are perfectly chilled. Shin Piece chilled. Landside extra long and chilled. Points chilled, strong and long wearing.

The No. 73 right and left chilled Bottoms are duplicates of the Nos. 110 and 510; the No. 71 right and left are one size smaller. The No. 70 right and left are duplicates of the Nos. 108 and 508. The combination Bottoms have soft center crucible steel Moldboards, with solid steel or cast Share.

<i>Bottoms</i>	<i>Style</i>	<i>Size Furrow</i>	<i>Weight</i>
70-R and L Chilled	2-horse	3 to 9 inches deep, 9 to 13 inches wide	550 lbs.
71-R and L Chilled	Medium 2- and 3-horse	3 to 9 inches deep, 10 to 14 inches wide	565 lbs.
73-R and L Chilled	Large 2- or 3-horse	3 to 9 inches deep, 11 to 16 inches wide	575 lbs.

Le Roy All-Steel Frame Two-Way Sulky Plow



Furnished as Single Sulky or Two-Way Sulky
Two or Three Horses

Read description on page 4

For Level Land or Hillside

Le Roy General Purpose Chilled Plow

Le Roy General Purpose Chilled Plows are especially designed to satisfy all up-to-date Farmers in the Middle East and New England States who require a plow to do good work in all the various conditions of sod, stubble, clay, hard, gravelly or stony soils.

They are very light draft, steady running, strong, durable and easy to handle. The Beam is long with a high throat to prevent choking. The adjustable patented Jointer and Wheel Standards are of square high carbon steel which absolutely prevents their turning or working loose.


We are using only the best grades of iron mixed with the utmost care to insure strength and good wearing qualities. The Moldboards are perfectly chilled and will wear for years. Shin Piece chilled. Landside extra long and chilled. Points chilled, strong and long wearing.

Thousands of Farmers who have used Le Roy General Purpose Chilled Plows say that they will stay in the ground and do good work where others fail and that they are the lightest draft and best plows they can buy. Perfect satisfaction is guaranteed in every respect. Ask any Farmer.

<i>No. Right</i>	<i>No. Left</i>	<i>Style</i>	<i>Furrow</i>	<i>Weight</i>
108	508	Light 2-horse	4 to 6 inches deep, 9 to 12 inches wide	115 lbs.
109	509	Medium 2-horse	5 to 7 inches deep, 10 to 13 inches wide	120 lbs.
110	510	Medium 2- or 3-horse	5 to 8 inches deep, 11 to 15 inches wide	125 lbs.
112		Large 2- or 3-horse	6 to 8 inches deep, 13 to 16 inches wide	130 lbs.
114		3-horse only	6 to 8 inches deep, 13 to 16 inches wide	130 lbs.

Furnished with soft center crucible steel Moldboard or steel Share if desired.

Le Roy General Purpose Chilled Plow



Are Guaranteed to do the Best Work of any General Purpose Plows

We are making the Hardest and Strongest Plow Points

Le Roy Steel Beam Reversible Hillside or Swivel Plow

The popularity of this Plow is well merited because of the nice furrow the Moldboard turns on either hillside or level land, and its reliability, light draft and the unusual ease with which it is handled.

Particular attention has been given to provide a large throat capacity and close fitting joints to prevent clogging, also the exact maximum of strength combined with the minimum of weight. Except for the Point and Shoe, the Plow is built entirely of steel and malleable iron, making it light, strong and durable.

Our patented Jointer and Clevis Shifting Device is superior to anything ever produced, enabling the operator to shift the Clevis while the team is moving, a feature of advantage not found on other plows. The Foot Latch is adjustable sideways and can be lengthened or shortened to take up the wear.


The Le Roy Reversible Plow, the most perfect plow of the Hillside or Swivel Style made, gives satisfaction to all users. Ask any Farmer.

This point
No. 30. Capacity, 5 to 8 inches deep, 10 to 14 inches wide. Weight, plain, 110 lbs. Full rigged with Jointer and Shifting Clevis as pictured.

No. 31. Same as No. 30, except that it is furnished without Jointer.

No. 32. Is furnished plain without Jointer and without Shifting Clevis.

Le Roy Steel Beam Reversible Hillside or Swivel Plow




Light and Strong

Is Guaranteed to do the Best Work of any Hillside Plow

We are making the Hardest and Strongest Plow Points


Le Roy One-Horse Steel Beam Chilled Plow No. 107



The same care is taken in the construction of this plow and material used is of the same high grade as will be found in all Le Roy plows. The handles are adjustable in height or lateral position which makes this plow desirable for use in vineyard or among small trees in orchard work. For use in vineyards or among small fruit trees, this plow is furnished without wheel or jointer and with chain circle-clevis, which makes the plow thoroughly adjustable for taking proper land.

Capacity 4 to 7 inches deep; 6 to 11 inches wide. Weight, plain, 90 lbs.


Le Roy Wood Beam Chilled Plow



These Plows are very popular with Farmers who like a good clearing Plow with an extra long adjustable Wooden Beam.

<i>No.</i>	<i>Style</i>	<i>Furrow</i>	<i>Weight</i>
9	Right hand, light 2-horse	4 to 7 inches deep, 10 to 12 inches wide	110 lbs.
10	Right hand, medium 2-horse	5 to 8 inches deep, 10 to 14 inches wide	115 lbs.
12	Right hand, 2- or 3-horse	6 to 8 inches deep, 12 to 16 inches wide	125 lbs.
14	Right hand, 3- or 4-horse	6 to 10 inches deep, 14 to 18 inches wide	140 lbs.

One-Horse Le Roy Wood Beam Chilled Plow



One-horse Plow with Shifting Handles and Beam.

Designed for general use or orchard work.


Quick turn moldboard. Will turn under trash or cover crop.

Chilled moldboard, shin, landside and point.

No. 8. Capacity 4 to 7 inches deep; 6 to 11 inches wide; weighs plain 80 lbs.

No. 6½. (Without Jointer.) Capacity 3½ to 6 inches deep; 6 to 9 inches wide; weighs plain 49 lbs.

Le Roy Iron Beam Chilled Plow



These plows are designed to do good work in extra hard clay or cobble stone land. They are excellent turning plows for sod, sticky soils or wherever a good clearing plow is required.

Long gradual turn Moldboard.


Light draft and durable.

Chilled moldboard, point, landside and shin.

No. 21. Capacity 5 to 8 inches deep; 11 to 14 inch wide; weighs plain 110 lbs.


No. 22. Capacity 5 to 8 inches deep; 11 to 15 inch wide; weighs plain 120 lbs.

Le Roy Alfalfa Steel-Edge Points




These Steel-Edge Points are designed especially for our General Purpose Plows Nos. 109, 110, 112, 114, described on pages 6 and 7. Also for the Two-Way Sulky Plow Nos. 71 and 73 described on pages 4 and 5. Any farmer who has old alfalfa ground to turn over will greatly appreciate the value of this style point. When the sharp steel edge gets dull it can readily be resharpened.

Le Roy Spike Harrow No. 60 (9-16 inch Teeth)



The Frame of each section consists of bars of channel steel. The side bars are bent to conform to the spacing of the U bars and are fastened to them by steel-riveted malleable brackets. The middle bar is on the same level and the U bars pass through it; steel clamps hold it in position. Strong malleable braces reinforce the side bars at the corners; it combines strength and flexibility to the greatest possible extent. Weight 230 lbs.


Le Roy Spring-Tooth Lever Harrow No. 17



Each section is heavy angle steel, reinforced on the under side by steel shoes which can be replaced when worn. The tooth bars and the inner arms of the frame are built high to give clearance. The draw bar or hitch attachment may be adjusted up or down to insure even working of the teeth.

- No. 15—Two Sections, 15 Teeth, Weight 247 lbs.
- No. 17—Two Sections, 17 Teeth, Weight 267 lbs.
- No. 25—Three Sections, 25 Teeth, Weight 400 lbs.

Le Roy Combination Frame Spring-Tooth Harrow No. 16



This Harrow is similar in form and general appearance to the well known Wood Frame Perry Pattern Harrow. It differs from it in having the under frame bars made of angle steel, the upper bars, to which the teeth are attached, being made of seasoned hard wood. This combination gives a better, stronger and more durable construction.

No. 16—16 Teeth, Weight 160 lbs.

No. 18—18 Teeth. Weight 180 lbs.


Le Roy Hiller No. 5

The Most
Improved and
Complete
Adjustable
Potato Coverer
or Hiller
made



The Le Roy Hiller No. 5, the best Hiller or Potato Coverer made, does perfect work in all kinds of soil. The Moldboards are made of hard $\frac{3}{16}$ -inch polished steel and can be adjusted to any width or pitch. The Handles are shifted from side to side by a simple device and lock themselves automatically, permitting the operator to walk in the finished row at all times. The Points are reversible, which insures the Farmer double the wearing qualities.


Le Roy Disc Hiller No. 6



A very satisfactory tool for covering and hilling potatoes or other crops where ground is not too stony.


High grade steel discs 20 inches in diameter, easily adjusted to any angle. Handles are improved, quickly adjusted to permit the operator to at all times WALK IN THE FINISHED ROW.

Le Roy Hiller No. 4



This Hiller frame, excepting in the handle shift, is practically the same as Le Roy Hiller No. 5, fully described on page 18, but is equipped with the long wing steel moldboards which are very popular in many sections.

Le Roy Shovel Plow No. 10




The most popular Shovel Plow ever offered to the Farmer is the Le Roy No. 10. The Wings are 10 inches high, made of $\frac{3}{16}$ -inch high grade polished steel and have a wide range of adjustment.

The Point is separate from the Front Piece, making it easy to remove for sharpening or replacement. The Wheel is adjustable The Beams and Handles are of extra quality, seasoned hardwood and nicely finished.

Le Roy Shovel Plows are furnished in two styles, the No. 10 and No. 2. The No. 2 is a duplicate of the No. 10, except that it is furnished without a wheel and the wings are not so high.

The Le Roy Steel Frame Single-Lever Cultivator




Points face square to the work

Easily adjusted to various WIDTHS

Handles are double braced with Steel Braces

We build these cultivators as shown, with five 3-inch points, or with seven 2-inch points ; also with or without hilling attachments or lever wheel.

Le Roy Garden Cultivator




EASY TO USE

Complete with all Attachments Shown

Thoroughly efficient and durable


Le Roy One-Horse Three-Row Marker No. 3



Marks 3 rows each trip. Light and easy to operate. Handles adjustable in height. Large, heavy DIAMOND-shaped 10-inch Points, with standards adjustable for marking wide or narrow rows.

Le Roy "Twin P-P" (Pulverizer and Packer)

For use with tractor



Eight feet wide, twenty-one 15-inch sections in front gang, twenty-two 12-inch sections in rear gang.

(See next page for further description)

Le Roy "Twin P-P" (Pulverizer and Packer)

The Le Roy Tandem Roller-Bearing Pulverizers must be seen to fully understand their many good features. The sections in the front gang are 15 inches in diameter; those in the rear gang 12 inches in diameter, both being 4 inches wide.

The main shafts or axles are made from $1\frac{3}{4}$ -inch steel, which revolve in dirt-proof, self-aligning roller bearings equipped with hard grease cups.

Each gang is furnished with two split collars to fasten around axle to hold a certain number of sections to each end when some of the inner sections are removed and which enables use of machine in rowed cultivated crops.


For crushing, pulverizing, rolling, packing and thoroughly preparing the soil this sturdy implement has no superior. Note carefully its strongly built and braced frame and the simplicity in all details.

Whenever it is desired to use as a One-Gang Pulverizer the rear gang can quickly be removed.

Le Roy "Twin P-P" (Pulverizer and Packer)


For use with team

(See page 25 for cut of
tractor-drawn machine)



Eight feet wide, twenty-one 15-inch sections in front gang, twenty-two 12-inch sections in rear gang. When so ordered, the above machine for team use will be furnished at extra cost with a short pole only and with the fore-truck shown above. (Further description on page 26.)

Le Roy Land Roller



All-Steel Closed Heads Fully Guaranteed
Angle Steel Frame, Two Sections, 8 feet, 24-inch diameter, Shaft $1\frac{3}{4}$ -inch
Bearings hard wood boiled in oil

The Only and Original Miller Bean Harvester

All Others
Similar are
Inferior
Imitations




Furnished with Cast Iron or Steel Wheels

Steel Frame, or Wood as pictured

The Miller Bean Harvester has been recognized as the standard for nearly half a century throughout the bean growing States, where we have thousands and thousands in use.


Le Roy Metal Wheel Farm Truck, No. 115



The above cut represents an exceedingly good truck such as every farmer should own.

Hickory axles, balance oak. Wood hounds front and rear. Regular drop tongue. Bolster stakes iron bound with two rings and two braces each. Wheels 28 inches front, 32 inches rear. with 4 inch grooved tires. Skeins $3 \frac{1}{4}$ x 10. This is a well built, substantial job throughout, painted two coats of red, striped and varnished.

Le Roy Wood Wheel Farm Truck, No. 215



This is a sturdy job in every particular, exactly like No. 115 Truck shown on page 30, except wheels, which are made from selected Oak stock, 36 inches front, 42 inches rear, tires $3/8 \times 3$, skeins $3 \frac{1}{4} \times 10$ inches. All painted two coats of red, striped and varnished. It will nicely fill in the place of a high grade farm wagon gear.

CONTENTS

	PAGES
Le Roy Bean Harvester	29
Le Roy Cultivator—Walking	22
“ “ —Garden	23
Le Roy Farm Truck Wagon	30
Le Roy Harrow—Spring Tooth	16, 17
“ “ —Spike-Tooth	15
Le Roy Hiller—Wing and Disc.	18, 19, 20
Le Roy Land Roller	28
Le Roy Marker—Three-Row, One-Horse	24
Le Roy Plows—Sulky	4, 5
“ “ —Walking—Flat Land	6, 7, 10, 11, 12, 13
“ “ —Walking—Hillside	8, 9
“ “ —Shovel	21
Le Roy Pulverizers and Packers	25, 26, 27
Le Roy Steel-Edge Alfalfa Points	14
Le Roy Washing Machine	31

