

Belle Vernon, Pa.

Sold to _____

Address _____

Sold by _____ Date Feb 1922

Date _____

192

30

SEE THAT YOUR BILL IS CORRECT

716

727

609

7212

51

109

WILLSON HARDWARE CO.
Hardware, Implements—Vehicles and Harness
STATE STREET, BELLE VERNON, PA.


Le Roy Plows

TURN THE
EARTH



AND THE
FARMER SUPPORTS THE WORLD

LE ROY PLOW COMPANY, ——— LE ROY, N. Y. U. S. A.



LE ROY PLOW COMPANY

INCORPORATED 1899

MANUFACTURERS OF LE ROY PLOWS, LE ROY
SPRAYERS, POTATO HILLERS, SHOVEL PLOWS
AND MILLER BEAN HARVESTERS

DISTRIBUTING HOUSES

Grand Rapids, Mich.

Toledo, Ohio

Philadelphia, Pa.

MAIN OFFICE AND FACTORY

LE ROY, NEW YORK

U. S. A.

WHEN ORDERING BY MAIL

Always date and sign your letters and give state, post office and shipping point. Write all orders plainly and on separate sheet from matters not pertaining to your order. Always order by number as shown in catalogue and price list. This will greatly expedite shipments.

We always send plows full-rigged (F. R.) with jointer, unless otherwise specified, except Nos. 2½, 31, 32, 33 and 34 for which no jointers or coulters are made.

Coulters furnished only when so ordered.

We carry a full line of plows and extras at Philadelphia, Pa., and Grand Rapids, Mich.; also a stock of bean harvesters at Toledo, O., and Grand Rapids, Mich.

Regular customers in these territories are requested to direct their mail orders to Le Roy Plow Company at any of these points, where they will receive prompt attention.

No claims allowed for shortage unless made within five (5) days after receipt of goods, and must be accompanied with **paid freight bill** with shortage noted thereon by railroad agent.

No goods, returned to us without our written consent, will be received.


Mail remittances and all communications to the home office, Le Roy, N. Y.

LE ROY PLOW CO., LeRoy, N. Y., U. S. A.

Index

	Page		Page
Bean Harvesters	24	Plows, Right Hand, One-Horse	19
Cultivators, Walking	25	Plows, Reversible, Walking	20, 21
Hillers and Coverers	26, 27	Plow Extras, illustrated, (see price list)	22, 23
Plows, Left Hand	18	Shovel Plows	28
Plows, Right Hand, Steel Beam	10, 11, 12, 13, 14	Sprayers	29, 30, 31, 32
Plows, Right Hand, Cast Beam	15, 16	Sulky Plows	5, 6, 7, 8, 9
Plows, Right Hand, Wood Beam	17		

Le Roy All Steel Frame Sulky Plows Drawn with the Le Roy 3-Horse Equalizer



Gives an equal, steady draft.

This fine equalizer is a regular equipment furnished with Le Roy Sulky Plows.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD



Le Roy Steel Frame
Two-Way Revers-
ible Sulky Plows

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Reversible Sulky Plows

Chill Bottom.

ALL STEEL FRAME

Are furnished in three (3) distinct styles as follows:

- No. 72. Two-way Sulky, cast chill bottom throughout, with chilled shin piece. The following parts of right bottom interchange with Le Roy No. 109 and 51 right-hand walking plows: main standard, landside, share and shin.

The same parts on the left plow bottom interchange with Le Roy No. 509 left-hand walking plow.

Capacity 3 to 9 inches deep; 10 to 14 inches wide; weighs plain 565 pounds.

- No. 73. Same specifications as No. 72 except capacity. Main standard, landside, share and shin on right bottom interchange with Le Roy No. 110 and 52 right-hand walking plows.


The same parts on the left plow bottom interchange with the No. 510 Le Roy left-hand walking plows.

Capacity 3 to 9 inches deep; 11 to 16 inches wide; weighs plain 575 pounds.

Continued on page 9.

**Le Roy Steel
Frame Single
Sulky Plow**

RIGHT OR LEFT-
HAND BOTTOM



LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Reversible Sulky Plows

ALL STEEL FRAME.

No. 92. Two-way Sulky, malleable standard, highest grade soft center, crucible steel moldboard, steel landside, cast shoe and share. The entire bottom, except main standard, interchange as follows:

Right bottom with No. 209 Le Roy right-hand walking plow.

Left bottom with No. 609 Le Roy left-hand walking plow.

Capacity, 3 to 9 inches deep; 10 to 14 inches wide.

LE ROY REVERSIBLE SULKY PLOWS excell in light weight and extreme strength.

No cast iron used except in shares and shoes. **Bessemer steel** and malleable used throughout.

Main Arch is of high carbon **steel**; highest point from ground, 32 inches when plow is adjusted for furrow 6 inches deep.

Wheels 33 inches in diameter, 2½ inch tire, staggered spokes.


Seat easily tilted right or left by our (patent applied for) tilting device, with full weight of operator on seat.

Pole shift. The pole can be quickly changed to use two or three horses and can be easily shifted to extreme right or left 32½ inches by a convenient and easily operated lever in convenient reach and directly in front of the rider.

Main frame is constructed of one continuous piece of **Bessemer steel**, two (2) inches wide by one-half inch thick, light but **extra** strong. Width of tread from centers of tires if 3 feet, 2½ inches.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Steel Beam Right-Hand Walking Plows



The plows that have made the Le Roy line "famous."

Read description and note capacity on opposite page.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

- No. 108. Small two-horse, capacity 4 to 6 inches deep; 9 to 12 inches wide; weighs plain 115 lbs.
- No. 109. Medium two-horse, capacity 5 to 7 inches deep; 10 to 13 inches wide; weighs plain 120 lbs.
- No. 110. Medium two or three-horse, capacity 5 to 8 inches deep; 11 to 15 inches wide; weighs plain 125 lbs.
- No. 112. Large two or three-horse, capacity 6 to 8 inches deep; 13 to 16 inches wide; weighs plain 130 lbs.
- No. 114. Three-horse (only), 6 to 8 inches deep; 13 to 16 inches wide; weighs plain 130 lbs.


All above are equipped with the patent Le Roy square jointer and wheel standard that never get out of line.

The following parts on these plows interchange: handles, jointers (complete and parts), wheels (complete and parts), clevises and eyebolts.

All have extra long and high landsides that help materially to "steady" the plow. All have the Le Roy "perfect" turn to the moldboard. They are exceedingly light draft for the capacity, and hold easy. Supplied in cast chill, or soft center moldboards.

Le Roy Right-Hand Steel Plow, No. 210

Two or Three-Horse.




Cast shoe, share and shin.

Soft center steel moldboard.

No. 210. Capacity 5 to 8 inches deep; 11 to 15 inches wide; weighs plain 120 pounds.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Medium Two-Horse Steel Plow, No. 209




Steel moldboard, either soft center or solid steel; steel landside, cast shoe and cast share.

A very light plow (weighs plain 110 pounds) but a very serviceable and exceedingly fine working plow.

No. 209. Capacity 5 to 7 inches deep; 10 to 13 inches wide.

Handles, jointers and wheels interchange with Le Roy No. 110 chill series.

Le Roy Right-Hand Two and Three-Horse Plows



No. 50. Capacity 4 to 6 inches deep; 9 to 12 inches wide; weighs plain 115 lbs.

No. 51. Capacity 5 to 7 inches deep; 10 to 13 inches wide; weighs plain 120 lbs.


No. 52. Capacity 6 to 8 inches deep; 11 to 15 inches wide; weighs plain 125 lbs.

Here is shown a series of plows built to meet the demands of those requiring a plow with extra long handles and flat jointer and wheel standard.

As shown in the cut, the handles are much longer than the ordinary, and are strongly braced to the beam, avoiding all possibility of unnecessary breakage. This plow is strongly recommended for hard or stony land.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Two-Horse Plows, Iron Beam




No. 21. Capacity 5 to 8 inches deep; 11 to 14 inches wide; weighs plain 110 lbs.

No. 22. Capacity 5 to 8 inches deep; 11 to 15 inches wide; weighs plain 120 lbs.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Small Two-Horse Plow




No. 2½. Capacity 5 to 8 inches deep; 11 to 14 inches wide; weighs plain 110 lbs.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Wood Beam Plows

TWO, THREE AND FOUR-HORSE



- No. 9. Light two-horse, capacity $4\frac{1}{2}$ to 7 inches deep; 10 to 13 inches wide; weighs plain 110 lbs.
No. 10. Medium two-horse, capacity 5 to 8 inches deep; 10 to 14 inches wide; weighs plain 115 lbs.
No. 12. Two or three-horse, capacity 6 to 8 inches deep; 12 to 16 inches wide; weighs plain 125 lbs.
No. 14. Three or four-horse, capacity 6 to 10 inches deep; 14 to 18 inches wide; weighs plain 140 lbs.
Interchangeable on above (9 to 10 and 12 to 14): Jointers, wheel and clevises.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Left-Hand Steel Beam Plows



No. 509. Capacity 5 to 7 inches deep; 10 to 14 inches wide; weighs plain 120 lbs.

No. 510. Capacity 5 to 8 inches deep; 11 to 15 inches wide; weighs plain 125 lbs.


These plows are duplicates of the Le Roy standard plows Nos. 109 and 110, right-hand, and are the best left-hand general purpose plows made.

No. 609. Capacity 5 to 7 inches deep; 10 to 14 inches wide; weighs plain 110 lbs.

(The same description as Le Roy No. 209 right-hand on page 13.) Handles, jointers and wheels on all Le Roy left-hand plows interchange.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy One-Horse Plows




No. 7. Capacity 4 to 7 inches deep; 6 to 10 inches wide; weighs plain 75 lbs.

No. 8. Capacity 4 to 7 inches deep; 6 to 11 inches wide; weighs plain 80 lbs.

No. 6½. (Without jointer only.) Capacity 3½ to 6 inches deep; 6 to 9 inches wide; weighs plain 49 lbs.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD


Le Roy Steel Beam Swivel or Reversible Plow



- No. 30. Capacity 5 to 8 inches deep; 10 to 14 inches wide; weighs plain 110 lbs.
Full-rigged with jointer as above and shifting elevis.
- No. 31. Same as No. 30, except that it is furnished without jointer.
- No. 32. Is furnished plain without jointer and without shifting elevis.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Swivel or Reversible Cast Beam Plow




- No. 33. With shifting clevis but no jointer.
- No. 34. Without shifting clevis and no jointer.
- No. 35. Full-rigged with jointer and shifting clevis.
 - Handles on 30-31-32 interchange; shares on 30-31-32 interchange.
 - Handles on 33-34-35 interchange; shares on 33-34-35 interchange.
 - Shares on our six reversible plows interchange.


LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD



Extras for Le Roy Steel Beam Plows



“Miller Patent” Bean Harvester



This cut represents the “genuine” and “only” Miller Bean Harvester. By means of rods on the flexible rolling dividers the vines are brought together in a windrow at the rear of the machine free from roots and dirt.

The guards in advance of the drive wheels remove all stones or other obstructions, making a smooth surface for the wheels to travel on, which insures a uniform depth of work. The pole may be swayed from one side to the other by a lever and thus change the draft to the correct point for operating on side hills.

The working parts may be given more or less pitch by the use of a tilt lever within easy reach of the operator.


We furnish either steel or cast wheels which are interchangeable. A complete stock of these machines and extras carried at our factory, also at Toledo, O., and Grand Rapids, Mich.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

WALKING.


Three-Horse Wheel Cultivators

An improved Walking Wheel Cultivator, which is one of the best fallow tools in use. It stirs the ground thoroughly, cuts all weeds and thistles and is strong and durable in every respect. There is no better tool for working orchard and bean ground. It is drawn by a flexible, swinging draft in the center. Three styles of teeth are made, which fit the same shanks and adapt it to different localities, viz.: diamond, half-oval, and a diamond sweep (which is twelve inches wide). The cultivator has seven teeth. The wheels and levers are interchangeable with the Miller Bean Harvester, thus making an economical implement to own in connection with the harvester.



LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Potato Hiller, No. 5




This cut represents our latest and best Hiller and Coverer which is greatly improved over any of our previous styles, and is without doubt the most complete tool of its kind now offered to the trade.

The wood parts are of seasoned hard wood and extra care is used in selecting poles. The moldboards may be adjusted to any width or pitch and are made of $\frac{3}{8}$ inch polished steel. By a simple device the handles are shifted from side to side, locking themselves automatically.

Furnished with either steel or cast points or shoes. Cast points sent unless otherwise ordered.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD


Le Roy Disc Hiller, No. 6



A very satisfactory tool for covering and hilling potatoes or other crops where ground is not too stony.
High grade steel discs 20 inches in diameter, easily adjusted to any angle. Handles are improved, quickly adjusted to permit the operator to at all times **walk in the finished row.**
Extra combination moldboards with axle and points furnished when desired.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Shovel Plow, No. 10



This we claim is the best Shovel Plow on the market. The beam and handles are of extra quality seasoned hard wood and nicely finished in the natural wood.

The wing and points are made of $\frac{3}{8}$ inch polished steel. The point is separate from the front piece, making it very easy to replace when worn out.

The wings are 10 inches high, have the right turn and are adjustable.

Not the cheapest in price but the best.

No. 2 Shovel Plows have narrower wings and front and no wheel is furnished.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Perfect Potatoes




Potatoes free from scab and disease are sure to reward the practical use of Le Roy Field Traction Sprayers illustrated on following pages.

What spraying does for potatoes is also the result if used on other growing crops and fruit.


LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Sprayer, No. 10

Why the nozzles on Le Roy Sprayers do not clog.



This cut shows an interior sectional view of our Patent Air Tank, U. S. patent No. 896,148, and our exclusive use of this patent is why Le Roy Sprayers are superior to all others.




This illustration shows our hand sprayer with single-cylinder brass pump equipped with automatic agitator, which keeps the solution thoroughly mixed at all times.

Especially recommended for small trees and for growers having a limited amount of spraying to do.

May also be used for spraying paint or other mixtures.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Four Row Sprayer, No. 50



Weighs only 500 pounds and has a capacity of 52 gallons. Is neat in appearance and is convenient to operate. It has an eccentric drive, brass pump and piping. Our patent sediment tank and pressure gauge are furnished regularly on the sprayer. Nozzles adjustable to any height or width of rows. Spray bars fold up out of the way for storing or passing through gates. Wheels 52 inches in diameter, placed 6 feet apart; three-inch tire, patent Sarvin hub. For full description of all Le Roy sprayers ask for special sprayer circular.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

Le Roy Vineyard and Fruit Sprayer



The above cut represents our latest improved 100-gallon, two-horse sprayer. Special features that make the Le Roy the ideal sprayer are explained in detail in our sprayer circular.

LE ROY PLOWS TURN THE EARTH AND THE FARMER SUPPORTS THE WORLD

