

PRICE-LIST

OF

EXTRA PARTS

OF THE

CLIPPER MOWER AND REAPER.

—
1872.
—

New-York:

S. W. GREEN, PRINTER AND STEREOTYPER,
16 AND 18 JACOB STREET.

PRICE LIST OF EXTRAS

Common to Nos. 1, 2, 3, and 4 Clipper Mowers,

For 1867 to 1872, inclusive.

No.	Price.
1 Right-Hand Pawl and Rivet. (Used in Pawl-flange).....	\$0 20
2 Left " " " " (Used in Spur-gear).....	20
1a Pawl-Spring.....	10
3 Outside Shoe, 1866 and 1867.....	2 00
3A " " 1868 to 1872 inclusive.....	2 00
4 Trackboard-Cap.....	20
5 Trackboard-Socket	50
5a Trackboard complete, with Socket and Handle. See cut.....	1 00
5A Weaver's Trackboard-Socket.....	50
6 Oil-cup and Cap.....	10
7 Connecting-Rod complete. (Be particular to state size of machine by number, and if for Mower or Dropper Attachment; also the year in which machine was purchased.).....	1 25
7A Pair of Jaws for Connecting-Rod (with Spring and Rivets).....	40
7½ Connecting-Rod Spring. No cut.....	10
8 Shoe-Hook, with Spring and Rivet (Spring same as Pawl-Spring).....	25
9 Knife-Head, with Rivets.....	1 25
10 Knife-Head Cap, with Rivets. (State number of rivet-holes).....	20
11 Whiffletree-Hook (each).....	15
12 Shoe-Lever.....	1 00
13 Outside False Shoe, 1866 and 1867 (fits Shoe No. 3).....	60
13a " " " 1868 to 1872 inclusive (fits Shoe No. 3A).....	60
14 Shifter-Lever, 1866 and 1867 (steel).....	1 00
14A Malleable Shifter-Lever for Mowers only, 1868 to 1871 inclusive.....	75
(Shifter Lever-Spring marked 14 A in cut).....	15
14B Shifter-Lever for both Mowers and Droppers. (Can be used in place of 14A)..	75
15 Shifter Lever-Cap (for steel Shifter-Lever) 1866 and 1867.....	35
15A Shifter Lever-Cap (for malleable Shifter-Lever) 1868 to 1872 inclusive.....	35
16 Crank Cover-Spring, 1867 and 1868.....	25
Knife complete, (with Head.) Be particular to state number of sections, also number or letter on Knife-Head.	
No. 1 Machine, 14 Sections, \$5.50; No. 2 Machine, 16 Sections, \$6; No. 3 Machine, 17 Sections, \$6.25; No. 4 Machine, 18 Sections, \$6.50; 5-foot Knife, 20 Sections, \$7.	
18 Knife-Section, with Rivets. (State whether 3 in. or 3½ in. wide, measured in line of rivet-holes).....	20
19 Finger-Bar, (with Fingers, Buttons, Heel-piece, and Front-guide.)	
No. 1 Machine, 13 Fingers, \$16; No. 2 Machine, 15 Fingers, \$18; No. 3 Machine, 16 Fingers, \$19; No. 4 Machine, 17 Fingers, \$20; 5-foot Finger-Bar, 19 Fingers, \$22.	
19½ Finger-Bar, complete, (with Outside Shoe, False Shoe, and Trackboard-Cap.)	
No. 1 Machine, \$19.25; No. 2 Machine, \$21.25; No. 3 Machine, \$22.25; No. 4 Machine, \$23.25; 5-foot bar, \$25.25.	

When ordering Extras, give both Name and Number. Also, if possible, the year in which Machine was built. Say how you wish them shipped, by Express or Freight.




No.		Price.
20	Finger. (Cast-steel).....	\$0 75
21	Heel Piece. (Wrought iron, 1866 and 1867).....	50
21	“ “ (Malleable iron, from 1868 to 1872 inclusive.).....	20
21A	Front-Guide.....	75
22	Button, with Rivets.....	15
22½	Button-Plate. (Steel, no cut).....	10
23	Adjusting Lever-Bolt. Nos. 3 and 4 machine.....	50
24	Arch-Bolt. Nos. 3 and 4 machine.....	50
25	Adjusting Lever-Spring.....	15
26	Knife-Head Pin.....	25
27	Knife-Head Ball.....	20
28	Rack-Pinion.....	25
29	Seat.....	1 50


Common to Clippers Nos. 3 and 4.

For 1867 to 1872, inclusive.


30	Lifter-Sheave, (used also in No. 2,) 1867 and 1868.....	\$0	75
30A	" " (used also in No. 2) 1869.....		75
30C	" " (used on No. 4, in 1871, and on Nos. 3 and 4 in 1872).....		75
	Lifter Lever-Catch, No. 184. See Dropper cuts.....		20
31	Spur Pinion-Fender, with Bolt.....		40
32	Pawl-Flange, with Pawl and Springs.....	1	50
33	Coupling-Piece.....	2	50
34	Crank-Wheel and Crank-Pin (with Bolt, Washer, and Rivet).....	1	75
35	Cross-Bar Clamp.....		60
36	Pole-Iron. (Used also on No. 2).....		50
36A	Wrought-Iron Pole-Iron, 1872. No cut (two used on each Pole) each.....		30
37	Evener-Iron. (Used also on No. 2).....		20
37A	Malleable Evener-Iron, 1872. See Dropper cuts. (Also used on No. 2).....		40
38	Wheel-Washer (cast-iron).....		10
38A	Wrought-Iron Wheel-Washers and Bolts. (Used on Nos. 1, 2, 3, and 4 Machines.) Per set.....		25
	(if one bolt only is wanted, state whether right or left-hand thread).....		
38B	Wheel-Washer (malleable iron). See Dropper cuts.....		10
39	Bevel-Pinion		75
40	Bevel-Gear.....	2	25
41	Arch-Piece, with Shoe-Hook and Spring.....	3	50
42	Inside Shoe.....	4	00
44	Adjusting Lever-Handle (wrought-iron).....		50
44A	" " Socket (malleable iron).....		50
45	Rear Crank-Cover. (State if covers are fastened together with Spring or Bolt)	1	50
46	Front " " " " " " " " " " " "	1	50

When ordering Extras, give both Number and Name. Also Year in which Machine was built, if you can. State how you wish them shipped, by Freight or Express.





R. & L. 32 INCH.




70




64



69




68




67



62



65




R. & L. 36 INCH.




71



66



63



72

90

73

100

89

105

108

87

84

84a

84b

93

94

95

R&L 30 INCH

106

101

110

104

103

109

75

74

86

81

99

91

92

80

77

78

79

107

102

96

97

82

83

98

TOOL BOX


	Price.
Screw-Wrench.....	\$1 00
Cold-Chisel.....	25
Steel-Punch.....	10
Oil-Can.....	25

PRICE LIST OF EXTRAS

Used in Nos. 1 and 2 Clippers.

No.		
72	Right-Hand Casing, 1867 and 1868.....	\$3 00
72A	" " " 1869.....	3 00
73	Left " " 1867 and 1868.....	3 00
73A	" " " 1869.....	3 00
74	Pawl-Flange, with Pawls, Springs, and Pin.....	1 50
75	Spur Pinion-Fender, with Bolt.....	30
76	Spur-Gear, with Pawls, Springs, and Pin.....	4 25
77	Spur-Pinion and Pin.....	75
78	Bevel-Wheel and Pin.....	1 50
79	Bevel-Pinion and Pin.....	75
80	Cross-Bar Clamp, No. 1. Also for No. 2, from 1867 to 1870, inclusive.....	50
80A	" " " 2, 1871.....	50
81	Coupling-Piece, No. 1, 1868. Also for No. 2, 1868 to 1870, inclusive.....	1 50
81A	" " " 2, 1871.....	1 50
(When ordering Coupling-Pieces for 1866 or 1867, state the year.)		
82	Rear Crank-Cover. (State if kept closed by Spring or Bolt).....	1 25
83	Front " " " " " ".....	1 25
84	Arch-Piece, with Shoe-Hook and Spring.....	2 50
84a	Shoe-Pin. (Rear).....	20
84b	" " (Front).....	20
85	Inside Shoe.....	3 75
86	" False Shoe.....	1 75
87	Shoe-Fender.....	60
88	Adjusting Lever-Handle (wrought iron).....	50
88A	" " Socket (malleable iron).....	50
89	Wheel-Washer, (cast-iron,) 1866 to 1868, inclusive.....	10
89A	Wrought-iron Wheel-Washers and Bolts, per set (four pieces).....	25
90	Crank-Shaft. (Give length, and state if for casing 72 or 73A).....	2 00
91	Arch-Bolt.....	50
92	Adjusting Lever-Bolt.....	50
93	Main Seat-Spring.....	2 25
94	Intermediate Seat-Spring. (Same as for Nos. 3 and 4).....	1 00
95	Seat Spring-Brace.....	50
96	Axletree-Clasp, Left-Hand. (Short).....	40
97	" " " " (Long).....	40

When ordering Extras, give both Number and Name. Also Year in which Machine was built, if you can. State how you wish them shipped, by Freight or Express.



When ordering please specify the name of the part and the number of the part as shown on the opposite page. This will insure the correct part being sent to you. The price of the part will be as shown on the opposite page. The price of the part will be as shown on the opposite page.

No.	Price.
132 Pawl-Sheave.....	\$2 50
133A Small Chain-Sheave.....	15
134A Reel-Sheave.....	1 25
135A " Sleeve.....	1 00
136 Cut-off Rod-Arm Connection.....	25
137 Upright Adjusting-Rod Connection.....	25
150A Dropper Draft-Hook.....	30
151 Reel-Head.....	1 00
152 Chain Sheave-Holder.....	1 00
153 Dropper Crank-Arm.....	35
154 Seat Spring-Shoe.....	50
155 Grain-End Guard-Rod.....	30
182 Pole-Sheave.....	25
183 " " Holder.....	20
187A Grain-Wheel Arm-Holder.....	25
250 Upright Adjusting-Rod.....	75
251 Cut-off Rod-Arm.....	75
252 Treadle-Rod.....	50
253 Treadle.....	1 50
254 " Strap.....	50
255 " Hook.....	20
256 " Staple.....	5
257 Grain End-Brace.....	50
258 Inside gathering board "U" Iron.....	50
259 Chain Sheave-Yoke.....	30
260 Spring Hook-Bolt.....	5
261 Hinge and Arm Connecting-Link.....	10
262 Sheave-Holder Arm.....	30
263 Dropper-Crank.....	1 00
264 Reel-Shaft.....	1 00
265 Stiffening-Bar.....	3 00
266 Hook-Link.....	5
267 $\frac{3}{8}$ -inch Set-Screw.....	5
269 Front Shoe-Pin, square head.....	20
270 Back " " round ".....	20
271 Rubber Spring.....	25
272 Reel Sleeve-Strap.....	25
273 Malleable Iron Wrench.....	30
274 Dropper Lifter-Chain.....	1 00
275 Reel-Chain. No cut.....	2 00
Finger-Bar, 5 $\frac{1}{2}$ feet, with Outside Shoe.....	25 00
Smooth Knife.....	7 50
Sickle-Knife.....	7 50
Smooth Section, with Rivet.....	20
Sickle " " ".....	20

When ordering Extras, give both Number and Name. Also Year in which Machine was built, if you can. State how you wish them shipped, by Freight or Express.

WOOD WORK FOR DROPPER ATTACHMENT. 1872.

	Price.
Grain-End, with Brace.....	\$3 00
Reel-Blades (bent).....	30
“ Arms.....	15
“ Braces.....	15
“ Post.....	1 00
Inner Gathering-Board.....	1 75
Stock-piece.....	1 50
Foot-Plank.....	75
“ “ Cleat.....	15
Connecting-Rod.....	1 25
Cut-off Rod.....	15
Dropper-Platform, complete.....	5 00
“ “ Lead-Bar.....	1 50
“ “ Slat.....	20

The 1872 Dropper Attachment can be applied to all No. 3 or 4 Mowers built since 1867. When ordering an Attachment, state size of Machine by Number, the Year in which Machine was built, and the Number of the Foot-Board and Tool-Box, whether No. 49, 49A, 49B, 49C, or 49D. Price of Attachment fitted to any of the above Machines, \$50.]

