

Cutaways

INTENSE
CULTIVATION
IS WHAT YOU
WANT.

Done only
With the
CLARK

Trade-Mark.

CUTAWAY

Re-Registered.

GENUINE
CUTAWAYS

Cutaway Harrow Co.

SOLE MANUFACTURERS,

Higganum, Conn.

THE MONEY MAKERS.

All "Cutaways" are **INTENSE CULTIVATORS**. This circular explains more fully what our tools are and what the "Cutaways" will do. We have more than 300,000 of them in use. To make money, use the "Cutaways."

INTENSE CULTIVATION is a Money Maker. Every crop is increased 25 to 50 per cent. by the "Cutaways."

Page.

The Money Makers	2
In General	3, 4
Partial History	5
Clark's Double Action Harrow at work	6
Clark's Double Action Cutaway Harrow ...	7
Clark's Extension Head Cutaway Harrow ...	8
Clark's D.A. Corn and Grain Cutaway Harrow	8
Clark's Double Action Engine Harrows	9
Clark's A-4 Double Action Harrow and Cultivator Combined	10-12
Clark's A-4½ Corn and Cotton Cutaway Harrow	13
Clark's A-3 One-Horse Ex. Cutaway Harrow	13
Clark's Rev. D. L. Cutaway Harrow	14
Clark's Rev. D. L. Ext. Hd. Cut. Harrow ...	15
Clark's 0, 00, 000 Cutaway Harrows	15
Clark's All-Steel Western Cutaway Harrow	16
Clark's Grading or Smoothing Harrow	17
Clark's Bush and Bog Plow or Harrow	18
Clark's Reversible Sulky Disk Plow	19
Clark's Torrent Cutaway Plow	20
Clark's N. S. R. L. Cutaway Plow & Seeder	21
Clark's Cal. Rev. Orchard Cutaway Plow ...	22
Clark's Rice Plow and Grass Hoe	23
Clark's Lightning Weeder & Baby Cultivator	24
Clark's Samson Tobacco Press and Jacks ..	25
Clark's Farmer's Favorite Cider Mills	26
Clark's Improved Dutton Grinder	27
Clark's Perfection Root Cutter	28
Clark's Lawn and Field Rollers	29
Warranty	30
Weights of Various Machines	31
Our Factory	32

IN GENERAL.

THE CUTAWAY HARROW CO.

**MAKE THE
LIGHTEST, STRONGEST, MOST DURABLE
DISK HARROW AND PLOW
ON THE MARKET.**

We make 120 sizes and styles of Disk Harrows, which are made in widths from two to sixteen feet. The sizes of the disks are known by letter.

The O series of harrows have 14-inch disks.
The A series of harrows have 16-inch disks.
The X series of harrows have 18-inch disks.
The B series of harrows have 20-inch disks.

The larger the disk the greater the cost and the harder the draft.

Nearly all the different styles of harrows are put up with 16-, 18-, or 20-inch disks.

We make over thirty kinds of disk plows.

We made the first Cutaway Disk Harrow.

We made the first Cutaway Disk Plow.

We made the first Cutaway Seed Drill and Plow combined.

We guarantee our Cutaway Harrows and Plows to plow the hardest baked adobe lands and make a good seed bed and the drills to sow the seed, and finish complete.

The Cutaway Harrows will cut and reduce the toughest sod to plant food quickly without the aid of a plow. The Double-Action Cutaway Harrow, with a pair of horses, can move 18,000 tons of earth one foot in one day.

JOURNAL BOXES.

Our journal boxes are made of hard wood, soaked in oil, and will outwear any metal.

QUALITY AND STYLE OF DISKS.

The disks are cutlery steel and never break. We make the Cutaway disk with six or eight points, and, when so ordered, furnish solid disks.

There are three things of no use in a disk harrow:—Flexibility, ball-joints, or overlapping disks.

George M. Clark was first in Cutaways; first in Reversibles; first in Extension Head Harrows; first in Disk Plows; first in Disk Gang Plows and Seeders; also, first in Mould Board Disk Plows and Reversible Disk Plows; and all the machines described in this circular.

The Double Action Cutaway Harrow keeps the land true. All other disk harrows have to be run in half lap.

All Cutaway Harrows have steel gang frames, and, when so ordered, are made all steel.

CLARK'S CUTAWAYS

Of Every Kind Are the Best For Harrows or Plows. They Enter the Earth Easily.

USED AS HARROWS

They take a part and leave a part of the earth, thus stirring the earth more fully with less than two-thirds the power.

USED AS PLOWS

They enter the earth easily, go deeper than the harrows, have deeper disks. When turning, they lift and completely turn, twist, break, and aerate the earth much more than the drag plow and do it with half the power.

They make no plow crust, which cannot be said of the drag plow.

All the Cutaways, whether Single Action or Double Action Cutaway Harrows or Cutaway Plows, produce 25 to 50 per cent. larger crops than any kind of a drag plow.

PARTIAL HISTORY OF SOIL WORKERS.

Thorough cultivation makes large crops. Stirring the soil lets in air, sunshine and new life and kills foul vegetation. The disk Cultivators are better than the drag cultivators. Why? The disk lifts, twists and aerates the soil. The drag cultivator compresses the soil and shuts off subsoil connections.


Clark's Cutaways are the best, they are all intense cultivators and they do the work cheaply. His Double Action Cutaway Harrows keep the land true and will do three times as much as any other with less draft. The Clark's Double Action Cutaway Harrow, by once going over all kinds of stubble land will do the work better than it has heretofore been done with the drag plow and harrow. When the Double Action Cutaway is driven in half lap or angling upon light sod or tough stubble land it will quickly reduce it to a fine seed bed. It is better to go over hard sod first with the Double Action Cutaway enough to break the back bone of the sod, then with Clark's Cutaway Disk Plow and finish with the Double Action Cutaway Harrow. This method converts the sod into plant food and keeps up perfect subsoil connections.

Clark's Cutaway runs lighter and does better work than any other machine, either harrow or plow, and when properly used is guaranteed to produce 25 to 50 per cent. more crops of every kind.



This Shows a Double Action Cutaway Harrow at Work.

CLARK'S DOUBLE ACTION CUTAWAY HARROW



The above cut represents the A-5 Double Action Cutaway Harrow with Short Head and Jointed Pole. This is the popular two-horse size. We also make sizes from 3 to 12 feet, with 16-, 18-, or 20-inch "Cutaway" Disks.

It cuts a furrow 5 feet wide to a uniform depth of 5 inches. The rear disks, being held firmly by the main frame, cut the ridges left between the forward disks, thus stirring all the soil to the same depth. The rear disks cannot dodge their work as the rear harrow is apt to do when two single action machines are run in tandem, and as a single action is apt to do in going over the field a second time, the tendency in both of these cases being to follow in the original path. The rear disks on a double action take the dirt from the front ones, thoroughly harrow it again, thus leaving the land level and true.

The Jointed Pole frees the horses' necks of all weight and as the machine is self-balancing, no carrying truck is needed under the pole.

These Double Actions draw only about one-third harder than ordinary harrows. The reason is that the front disks loosen and dig up the earth, slicing and stirring it, so that it is already loosened when it is received by the rear disks, which harrow it a second time.

CLARK'S EXTENSION HEAD DOUBLE ACTION CUTAWAY HARROW.



When so ordered it is furnished with extension, and can be extended to any desired length for orchard work where it is necessary for it to reach out under the low limbs. In many cases it will take the place of both plow and harrow. It is made in sizes 4, 5 and 6 feet in width.

CLARK'S SPECIAL DOUBLE ACTION CORN CUTAWAY HARROW.



Above is shown our special Double Action Corn Cutaway Harrow. It is made for cultivating any kind of fallow or stubble land, especially western corn stubble. It can also be used for general cultivation the same as a regular double action. It cuts 8 feet wide and 5 inches deep, and is a four-horse machine. It has 31 cutlery steel disks, and is very strong and durable.

CLARK'S Double Action CUTAWAY ENGINE HARROW




The above cut shows the general plan of the Double Action Engine Harrows. A great many thousand acres in the West are annually cut up with these harrows and sown to grain where the land is so hard that no plow will work it. • These machines can also be used for any heavy work requiring either a traction engine or a number of horses or mules to draw them. The machine shown is the 10-foot, 20-inch disk size and will cut 7 inches deep.

CLARK'S DOUBLE ACTION CULTIVATOR.




This cut shows the machine as a light, two-horse Double Action Cutaway Harrow.



This cut shows the machine as a Listing Cultivator with large disks on inside of forward gangs; also, the jointed pole and a perfect center draft.

A-4 DOUBLE ACTION CUTAWAY CULTIVATOR.

The following cut shows the machine used as a Double Action changed into a Double Action Cultivator. It is made with higher standards. The gang frames are placed at will for any cultivation of rowed crops. In the rear are shown blades to carry the earth against the plants. These blades are adjustable up and down to carry the earth up against the plant as desired. These turning blades make a disk cultivator a perfect machine, for without them no disk cultivator will do good work.



DIRECTIONS

For Operating the Machine When Used As a Cultivator.

When the A-4 Double Action Combined Harrow and Cultivator is set up and shipped it is as a Harrow.

When wishing to use it as a Cultivator, take off the disks from the outer ends of each rear gang. When cultivating in this position it stirs the dirt in two directions leaving the ground level.

When desiring to throw the dirt up toward the crop or row, place the link connecting the lower end of each lever and the front gangs in the holes at the end of links, throwing the levers forward to the desired angle. This will place the front gangs nearly straight and the rear gangs will carry the earth towards the center or around the crops. If necessary, raise the turning blades on inner end of rear gangs, or lower them down, to ridge up about the row.

When wishing to carry the dirt away from the row, or center of Cultivator, place the links on forward gangs in the holes nearest to the end attached to the gang frame. Then throwing the levers back towards the rear of frame, this will angle the forward gangs and leave the gangs nearly straight.

To list corn, remove the disk from the inner end of the forward gangs and place the two extra large disks on these gangs. When the Cultivator is in this position the dirt is carried away from the row.

In changing the Cultivator to the different positions for cultivating, the only thing that is changed is the links that are attached to the lower ends of the levers, and these shifts are made by taking out the cotter pin and placing the lug on the end of the lever in either of the three holes in this lever link attached to forward gang, so it does not require hardly any time to make these changes.

Remember not to remove links from gang frame when once attached; also, never trouble the links of rear gangs to lever.

CLARK'S A-4 $\frac{1}{2}$ REVERSIBLE CORN AND COTTON CUTAWAY HARROW



Gangs can be placed 4, 6 or 8 inches apart, as desired. In this shape it can be used for barring off corn or cotton, cutting up the trash, clods, etc., thoroughly pulverizing the soil in the middle of rows, making it the most efficient cultivator used.

We can now use this harrow for putting in small grain, preparing land for corn, cotton, etc., bedding up the land, barring off the rows in first working, and then for throwing the soil to the plant.

CLARK'S A-3 ONE-HORSE, EVER-HANDY, EXTENSION



Made expressly to cultivate truck gardens, strawberry vineyards and other light work, with one light horse. It has Extension Head. It is reversible, which will throw the earth to or from any plant. It has six sixteen-inch disks. It is truly the ever-handy Cutaway.

CLARK'S STEEL FRAME, Double-Lever, Reversible CUTAWAY HARROW.




The above cut represents the 6-ft. Reversible, Double-Lever, Clark's Cutaway Harrow. They are made from four (4) to twelve (12) feet in width, and are reversible up to seven (7) feet. They are made with 16, 18, or 20-inch disks, and are furnished with extension heads for orchard work, when so ordered. They, like all the rest of our Cutaway Harrows, are light-weight, strong and durable. Being made of the best material, they can be made light and strong and durable. That is especially true of all the Cutaway machines; in fact, this class of harrows does not require as much weight to get them into the ground as a solid disk. The Clark's Cutaways are light-weight and light-draft. We have made many test trials in the past with other Disk Harrows, and never have found one that would stand up and work the wool grass or salt grass sod, or other hard sods that are often found, but so far forth we have never found any hard sod or adobe lands that the Cutaway Harrow has failed to work. The Clark's Cutaways have withstood the strain without a break, and we guarantee them to do this every time.

EXTENSION HEAD ORCHARD HARROWS.



Made in twenty sizes to extend beyond team under low limbs of trees. All single extensions are length of one gang. They are seldom made double extension. They are all made double lever. They are all of Clark's invention.

REVERSIBLE MARKET GARDEN OR GROVE HARROW.




This machine is used extensively for small garden or truck and market garden use, and for orchard cultivation in Florida.

0 1-horse, with 2 gangs of five 14-in disks ea.
00 Lt. 2-horse, two gangs of six 14-in. disks ea.
000 Hvy. 2-horse 2 gangs, seven 14-in. disks ea.

CLARK'S ALL STEEL WESTERN CUTAWAY HARROW.

ALL OUR DISKS
ARE OF CUTLERY STEEL
16, 18 OR 20 INCHES
DIAMETER.



FLEXIBILITY
REGULATED
BY SPRING BAR.
BEST SCRAPING DEVICE.
WOOD JOURNAL BOXES.
AND WITH 6 OR 8 POINT
DISKS.

CLARK'S CUTAWAY GRADING or SMOOTHING and LEVELING HARROW.



Two-Horse 8-foot Smoothing Harrow.

With this tool every field can be made as smooth as a floor and the soil pulverized fine enough for a flower bed—makes a most perfect onion bed. Will smooth an acre as true as a mill pond in twenty minutes.

This harrow is also a great road maker. One man, with team, can make a perfect trotting track of any road. It is adjustable with a lever, by which the entire action is controlled by the driver, and he can remove at will all the earth possible for the team to haul, taking it from hills or uneven places and putting it into hollows to level up the field.

One-horse, 6 feet; two-horse, 8 feet.

Made in other lengths if desired.

THE MOST PERFECT GRADER ON EARTH.

CLARK'S REVERSIBLE BOG AND BUSH PLOW AND HARROW.



CLARK'S TOOL FOR LARGE HAY CROPS.

TO REVERSE THIS MACHINE—The left hand gang is set over to the right hand side and the right hand gang is set over to the left hand side. This is made necessary to keep the cleaners on rear side of gangs.

A first-class plow to subdue bogs or newly cleared forests or stump land. In seeding to grass or grain, it levels the land and connects the sub-soil water. It is an excellent machine for covering in sugar cane. Its strength is guaranteed; is durable and effective. Cuts a track 5 feet wide, 9 inches deep. Has eight 24-inch steel disks. Turns earth to or from stumps. Is sure death to bushes, bunch grass, witch grass, hardhack, thistles, wild rose, morning glory, milk weed, sunflower, or any wild plant, and is guaranteed to kill any bush, rose or plant that grows, leaving the land true and clean for any crop.

CLARK'S REVERSIBLE CUTAWAY SULKY DISK PLOW



Rear View
When Turning
to the Left.

DIRECTIONS

FOR SETTING UP AND RUNNING


CLARK'S REVERSIBLE SULKY DISK PLOW.

The parts are marked to show where they belong. First bolt foot rest to pole, then bolt pole to frame. One bolt goes horizontally through cast iron ears and foot trip. The foot trip is held by coil spring. Seat is held by bolt and pin. When on road it is shifted forward to bolt and pin. Be sure to get screw in ratchet firmly set into the main shaft, tighten collar on left end of frame to hold crank shaft, bolt steel spring to reversible frame, bolt large disk to spindle, then bolt turning blade to arm. The reversible arm and weight box is held by a horned nut and cotter. This nut is to be kept firm, not hard. To reverse the plow at the end of the furrow, put foot on trip lever, advance a foot, turn half round, advance a foot, then complete the turn, back a little; the plow will then lock and you will advance.

Plow
When Turning
to the Right.



CLARK'S Torrent Cutaway Plow.



The above cut represents the 24-inch Torrent or Right Lap Plow, a class of machines made by the Cutaway Harrow Co. in several sizes, to cut furrows from two to six feet wide. The following remarks apply to the smallest size, which I use in my grass work.

1 The 24-inch Torrent, requiring two horses, will plow five acres per day.

2 It does not form a plow crust, as is the case with all drag plows.

3 With its disks, 22 inches or more in diameter, it rolls along lifting the earth from the sub-soil without any pressure downward, thereby establishing a perfect connection between the sub-soil and the earth above. All scientific farmers know that it is most important that the sub-soil water shall not be cut off from the surface soil, as otherwise the productivity of the field may be almost destroyed.

4 In grass work the Torrent should be preceded by the Cutaway Harrow, which will finally cut the sod into small pieces, a process more readily performed when the sod is held by the original earth. By following the harrow with the Torrent Plow the earth is turned over, thus drying out all surplus water, killing the grass roots, and hastening the decomposition of all vegetable matter. By this method, neither sod nor crust is left at the bottom of the furrow.

CLARK'S NEW SERIES!

Trade Mark

RIGHT LAP

Registered.

CUTAWAY



SEED DRILL AND PLOW COMBINED.

These are made with two gangs. The left hand gang has straight notched disks; the right hand gang has curved Cutaway disks, and plows a furrow from five to eight inches deep of the following widths.

	Left Gang.		Right Gang.		Plows.	Wt.
4 gang	4	18 in.	4	24 in.	34 in.	332
5 gang	5	18 in.	5	24 in.	43 in.	534
6 gang	6	18 in.	6	24 in.	53 in.	636
7 gang	7	18 in.	7	24 in.	60 in.	811
8 gang	8	18 in.	8	24 in.	70 in.	908
9 gang	9	18 in.	9	24 in.	78 in.	1132
Seeder						100

The New Series Right Lap Cutaways are made either with or without Force Feed Seeder.

When so ordered these Disk Plows are made with Force Feed Seeders, which make a perfect seed drill. They sow, plow, and finish at one time. They plow, sow, and complete the work where no other plow will work. They sow all kinds of grain and cowpeas. Where the land is baked very hard it will require one horse to each gang.

Thousands of these machines are now in use giving entire satisfaction. Grain sowed with these machines produces from 10 to 25 per cent. more than when sown in the old way.

Clark's California
REVERSIBLE

CUTAWAY Orchard Plow



MADE IN THREE SIZES.

3, 4 and 5 TURNING DISKS.

These machines can be used as cultivators or plows, thoroughly preparing the earth five to eight inches deep. They are also first-class all-around fallow or stubble land plows, and will reduce the toughest sod to plant food in a very short time.

The right hand gang may be reversed when so desired, and will throw the earth either out or in. The machines are all easily handled by the driver from his seat, and the weight of the driver holds the machine to its work. These plows are made with or without the steering wheel, which entirely eliminates all side-draft. It may be removed if desired when the pole and seat should be placed in the center of the main frame.

The machine shown above is the number 1, or the Senior, which cuts a furrow 36 inches wide, and will plow five feet outside of team to right under all limbs, cultivating an orchard in a most thorough manner. The left gang has three straight notched disks; the right gang five curved notched 22-in. disks.


No. 2 is the same as No. 1, except that it has four instead of five turning disks, and cuts 29 inches wide.

No. 3, or the Junior, has two straight and three curved disks; cuts a furrow 22 inches wide, and is a light two-horse machine.

When used without the steering wheel the pole is moved to the right into the center of the machine and is called Clark's Rice Plow. The right hand gang is reversed when so desired, and will throw the earth either out or in. It is a first-class all-around fallow or stubble land plow, and will reduce the toughest sod to plant food in a very short time. In very tough land four horses can be used to advantage. In medium land two horses will handle it.



CLARK'S GRASS HOE.



This Grass Hoe is warranted to kill witch grass, wild mustard, charlock, hard hack, sunflower, milkweed, morning-glory, Russian thistle, or any other foul plant that grows, and is a handy all-around deep cultivator; pulls briars out of odd corners or anything else anywhere.

CLARK'S LIGHTNING WEEDER.


4 TO

12 FEET.



The weeder is a descendant from the Shares-Goslee Acme family, and beats them all. More durable, lighter draft, more effective. Depth controlled by driver. Cuts one to four inches deep. Knives lap three inches. It is a perfect shearing machine. Is all steel, and any blacksmith can sharpen it.

CLARK'S BABY CULTIVATOR



MADE IN THREE SIZES, 6, 8 and 10 DISKS.

They are reversible and are used for hoeing general crops of corn and cotton. The disks are 14-inch cutlery steel. They make a fine seed bed and produce large crops.

CLARK'S SAMSON TOBACCO PRESS AND JACKS.

This cut shows the No. 4 Samson Tobacco Press.



The platform of this press is $3\frac{1}{2}$ feet wide and 4 feet long. The height in the clear is 4 feet. The total height with rack fully extended, 8 feet, 10 inches. The press or jack stand is on top of the beam overhead. This is a very powerful press. Many hundreds of them are now in use in the tobacco sections. We sometimes make them much larger for special work.

It is used for pressing in barrels, hogsheads and cases, fruit, tobacco, dry goods; also, for tank scrap, etc. It weighs about 560 pounds. The woodwork is made of the best hard maple, ash or oak. The ironwork is constructed of the best malleable iron and steel, strongly bolted together.

We also manufacture a complete line of the Samson Wagon Jacks, which are said to be the most powerful jacks on the market. The No. 0 weighs 12 pounds complete. Its lifting capacity is 1,500 pounds. No. 1 weighs 17 pounds, and its lifting capacity is 3,500 pounds. No. 2 weighs 27 pounds; lifting capacity is 6,000 pounds. The No. 2, when so ordered, is provided with a drop hook, which comes down within about six inches of the floor.

CLARK'S CIDER MILLS AND PRESS COMBINED.

TRADE MARK
FARMERS' FAVORITE
REGISTERED.




These mills are made in eight sizes and press from four gallons to eight barrels at one pressing. They have taken more first premiums than any other mill on the market, and are pronounced by all to be the best, sim-

plest and most perfect mill built. The grinding apparatus is so made that it does not slice and cut the fruit and leave it in hard lumps, but thoroughly crushes and grates it, so that every cell is broken and a fine pomace produced; hence we get more juice from the same amount of fruit than any other mill. These mills will grind from six to seventy-five bushels per hour. These mills are all on an entirely new plan, and have a greater grinding capacity and are easier running than any other mill now in use.

Below find a few sizes and prices, etc.:

No. 1 4-Gallon Press	\$16.00
Junior 25-Gallon Press	26.00
No. 2½ 2-Barrel Press	40.00
No. 2½ Press only	25.00
No. 2½ Mill only	15.00
Senior 4-Barrel Press	80.00
Senior Press only	45.00
Senior Mill only	35.00
8-Barrel Press complete	100.00
Mill and Power, without Press	60.00

DUTTON'S IMPROVED KNIFE GRINDER.



They are now made with a diamond, corundum water wheel, which never gums or glazes. They will grind mower knives, axes, chisels, shears, machinists' tools, or any tool, and not draw the temper. They are now truly the best all-around grinding machine ever made. The water is turned into the center of the wheel and forced out through it; that keeps the face of the wheel clean. Any boy can turn it. This new wheel that we are now using will run for years without apparent wear. Formerly nothing could be ground on them but mowing machine knives, but they have been improved so that anything that can be ground on any grinder or grindstone can be ground on the Dutton Improved Grinder. A dry grinding stone will draw the temper every time. The water feature of this stone is very important; any fine cutlery can be ground upon it without injury. The fact that more than 100,000 of the old machines are now in use is sufficient evidence that they have merit, and with these new improvements they are certain to have **many more friends.** 27

CLARK'S ROOT CUTTER.



The above cut is represented as broken in the frame for the purpose of showing cutting apparatus.


Perfection Attained In Cutting Roots.

**The Neatest, Strongest, Simplest, Cheapest and
Most Perfect Root Cutter in the Market.**

This Cutter is built with a heavy oak frame, well bolted together; is staunch and strong, neatly finished, handsomely striped and ornamented. The cutting apparatus consists of twenty-five steel knives (gouge shaped), so arranged on a wrought iron shaft that they are perfectly secure, no chance of becoming loose or breaking. The roots are neatly cut into pieces suitable for feeding. No coarse, ungainly pieces are left by this Cutter. A boy can easily cut thirty-five to forty bushels per hour, so easily does it do its work.

DON'T FAIL TO EXAMINE IT.

CLARK'S LAWN AND FIELD ROLLER.



24 x 24 inch Garden or Lawn Roller.

A long-felt want supplied; a perfect lawn roller, so constructed that it will roll the lawn or walk perfectly smooth and even, leaving no creases, ridges, or uneven surfaces as with the old pattern. We make these with or without weights, as ordered.

The above cut shows the diameter and length of section which we use in our field rollers. We make them in two and three sections, which makes the length of the roll 4 or 6 feet by 24 inches in diameter. These sizes make the best all-around roller for field work. The 4-foot roller is fitted for one or two horses, as ordered. The 6-foot roller is handled easily with two horses.

These rollers are made with weight boxes and steel shafts, and in every respect are first-class rollers.

We can make different sizes and lengths of sections for lawn or field rollers, but unless specially ordered we make but one size, viz: 24 x 24 inch, as we have found that to be the best all-around size. 29

WARRANTY.

The Cutaway Disk machines are warranted to be of good material and workmanship, and to do better work than any tools of this class made, in like conditions of soil, and to run lighter, doing the same work. Any defects in material or workmanship shall be made good. Should any machine fail to perform as stated, we are to be notified and time be allowed to run the same. Purchaser in all cases agrees to lend friendly assistance, free of charge, in trying said machine. Continued use of the machine more than one day will be considered as filling the warranty.

WEIGHTS OF VARIOUS MACINES. Lbs.

Grove 0, 150 —Grove 00, 184 —Grove 000,	210
A-3 Rev. D. L.	Ext. 210
A-4 Rev. D. L.	198
A-4½ Rev. D. L.	222 lbs. Ext. 226
A-5 Rev. D. L.	259 lbs. Ext. 270
A-6 Rev. D. L.	280 lbs. Ext. 296
A-7	371
A-8	400
X-4 Rev. D. L.	254 lbs. Ext. 272
X-5 Rev. D. L.	285 lbs. Ext. 302
X-6 Rev. D. L.	325 lbs. Ext. 342
X-7	425
B-4 Rev. D. L.	282 lbs. Ext. 288
B-5 Rev. D. L.	330 lbs. Ext. 338
B-6 Rev. D. L.	380 lbs. Ext. 389
B-8 D. A.	1166
B-10 D. A. Engine	1607
A-3 D. A. 1-H.	325
A-4 D. A. 2-H. J. P.	392 lbs. Ext. 418
A-5 D. A. 2-H J. P.	477 lbs. Ext. 517
A-6 D. A. 4-H. J. P.	565 lbs. Ext. 613
A-7 D. A. 4-H.	630
A-8 D. A. 4-H. J. P.	752
A-9 D. A. Engine	1065
A-10 D. A.	900
X-10 D. A.	1280
Cal. No. 1	377 lbs. Complete 432
Cal. No. 2	358 lbs. Complete 413
Cal. No. 3	266 lbs. Complete 326
6-ft. Smoother	136
8-ft. Smoother	176
Rev. Sulky Disk Plow	370
Bog and Bush Plow	625
Dutton Grinder	17
A-4 D. A. Combined Harrow and Cultivator	438
Clark's Samson Tobacco Press	600
Right Lap, per foot	110
Baby Cultivator	85, 100 and 115
Grass Hoe	60
Lightning Weeder, per foot	20
Root Cutter	125

OUR FACTORY

