


647
240-

ACME WAGON COMPANY,

Manufacturers of

THE ACME




WAGONS AND CARTS,

Bob *and* Market Sleighs,

Emigsville, York Co., Pa.

SOLD BY

THE ACME FARM WAGONS.



These Wagons are all heavily ironed and braced. They are made especially strong for use in rough and hilly country, and especially for the Pennsylvania trade. We use the slope shoulder spoke and round edge tire for the protection of felloes and paint.

SIZE AND DESCRIPTION—IRON AXLE.

No.	Sizes of	Sizes of	Height of Wheels.		Dimensions of Body.			Weight	Capac- ity.	Price.
	Axle.s	Tires.	Front.	Hind.	Length	Width	Depth. Box.			
1	1 3/8 x 8	1 1/4 x 1 1/8	3 ft. 6 in.	4 ft. in.	9 ft. 6	3 ft. 6	12 in	700	1500	
2	1 1/2 x 8	1 3/8 x 1/2	3 ft. 6 in.	4 ft. 2 in.	9 ft. 6	3 ft. 6	12 in 6 in	850	2000	
3	1 5/8 x 9	1 1/2 x 9/16	3 ft. 6 in.	4 ft. 2 in.	10 ft. 6	3 ft. 6	12 in 6 in	950	3000	
4	1 3/4 x 10	1 3/4 x 3/8	3 ft. 8 in.	4 ft. 6 in.	10 ft. 6	3 ft. 6	14 in 7 in	1150	4000	


STEEL SKEIN.

5	3 x 9	1 1/2 x 9/16	3 ft. 6 in	4 ft. 2 in.	10 ft. 6	3 ft. 6	12 6 in	950	3000	
6	3 1/4 x 10	1 3/4 x 3/8	3 ft. 8 in	4 ft. 6 in.	10 ft. 6	3 ft. 6	14 7 in	1000	4000	
7	4 x 12	3 x 3/4	3 ft. 8 in	4 ft. 6 in.				1600	8000	

HOLLOW AXLE.

8	2 3/8 x 9	1 1/2 x 9/16	3 ft. 6 in.	4 ft. 2 in.	10 ft. 6	3 ft. 6	12 6 in	950	3000	
9	2 5/8 x 10	1 3/4 x 3/8	3 ft. 8 in.	4 ft. 6 in.	10 ft. 6	3 ft. 6	14 7 in	1000	4000	
10	2 7/8 x 11	2 x 3/4	3 ft. 8 in.	4 ft. 6 in.	11 ft. 6	3 ft. 6	14 8 in	1200	6000	

ACME RAILROAD BARROW.




This cut represents the Acme Railroad Barrow with patent adjustable wheel. This barrow is sold at the same price [notwithstanding its superiority] as others with the ordinary wooden wheel.

This wheel having the hub made of wood and the balance of wrought iron and not being mortised cannot break or split and therefore cannot dry up, or get loose. If this wheel should ever wear loose, all that is necessary is to draw up several nuts and it will be perfectly solid. One of these wheels will stand more wear and tear than three or four of the ordinary wooden wheels.

JUST WHAT YOU WANT!


A Wagon that is useful to any Merchant. A Wagon that is needed on every Farm. A Wagon for everyday work. A Wagon to run to the Railroad. A Wagon for carrying Milk Cans. A Wagon to take the Family out.



The above is an exact cut of the **LITTLE GEM WAGON**, built with Plain or Patent Wheels, Good Material, and Nicely Painted Striped and Varnished.


Size of Axle, $1\frac{1}{4} \times 8\frac{1}{2}$. Size of Tire, $1\frac{1}{4} \times \frac{3}{8}$. Height of Wheels, front, 3 ft. 6 in. Hind, 4 ft. Dimensions of Body—Length, 7 ft. 6 in. Depth, 10 in. Estimated capacity on good roads, 1000 to 1200 pounds. When desired we will furnish with these wagons, top box, patent box brake and CLIFF BOLSTER SPRING.

This **Singletree** is made of best split Hickory, ironed with the celebrated Baker Clip, painted, striped and varnished. Length, 34 in.




DUPLEX SPRING WAGON. Body 7 ft. long, 3 ft. wide, $9\frac{1}{8}$ in. high, Drop End Gate. $1\frac{1}{8}$ in. Axle, $1\frac{1}{8}$ in. Steel Tire, capacity 1000 pounds.

Railroad or Contractor's Cart.



These Carts are very strong, heavily ironed and made entirely of hard wood and are especially designed for use of railroad contractors and miners.

SIZE AND DESCRIPTION. Height of wheels 4 ft. 10 in., tire $3\frac{1}{2}$ in., iron axle 2x11, length of body, 5 ft. 10 in., width of body, 3 ft. in front and 3 ft. 2 in. behind, sides 12 in. deep, with 6 in. top sides. We also make a lighter and cheaper cart for farm purposes.



For further information and prices, address

ACME WAGON COMPANY,

Emigsville, York Co., Pa.